JMAP REGENTS BY STATE STANDARD: TOPIC

NY Geometry Regents Exam Questions from Spring 2014 to August 2024 Sorted by State Standard: Topic

www.jmap.org

Revised to include G.SRT.B.4: Similarity Regents questions


TABLE OF CONTENTS

		TABLE OF CONTENTS	
TOPIC	STANDARD	SUBTOPIC	QUESTION NUMBER
	G.GMD.B.4	Rotations of Two-Dimensions Objects	
	G.GMD.B.4	Cross-Sections of Three-Dimensional Objects	
TOOLS OF GEOMETRY	G.CO.D.12	Constructions	
	G.CO.D.13	Constructions	
LINES AND ANGLES	G.GPE.B.6	Directed Line Segments	
	G.CO.C.9	Lines and Angles	
	G.GPE.B.5	Parallel and Perpendicular Lines	
	G.SRT.C.8	30-60-90 Triangles	
	G.SRT.B.4		
	G.CO.C.10	Side Splitter Theorem	
TRIANGLES	G.CO.C.10 G.CO.C.10	Isosceles Triangle Theorem	
	G.CO.C.10 G.CO.C.10	Interior and Exterior Angles of Triangles Exterior Angle Theorem	
	G.CO.C.10 G.CO.C.10		
	G.CO.C.10 G.CO.C.10	Triangle Inequality Theorem	
	-	Angle Side Relationship	
	G.CO.C.10	Midsegments	
	G.SRT.B.4	Medians, Altitudes and Bisectors	
	G.SRT.B.4	Centroid, Orthocenter, Incenter and Circumcenter	
	G.GPE.B.4	Triangles in the Coordinate Plane	
	G.CO.C.11	Interior and Exterior Angles of Polygons	
	G.CO.C.11	Parallelograms	
POLYGONS	G.CO.C.11	Trapezoids	
	G.CO.C.11	Special Quadrilaterals	
	G.GPE.B.4	Quadrilaterals in the Coordinate Plane	
CONICS	G.C.A.2	Chords, Secants and Tangents	
	G.GPE.A.1	Equations of Circles	
	G.GPE.B.4	Circles in the Coordinate Plane	
MEASURING IN THE PLANE AND SPACE	G.MG.A.3	Area of Polygons	
	G.MG.A.3	Surface Area	
	G.GPE.B.7	Polygons in the Coordinate Plane	
	G.GMD.A.1	Circumference	
	G.MG.A.3	Compositions of Polygons and Circles	
	G.C.B.5	Arc Length	
	G.C.B.5	Sectors	
	G.GMD.A.1	Volume	
	G.GMD.A.3	Volume	
	G.MG.A.2	Density	
	G.SRT.A.1	Line Dilations	
	G.CO.A.5	Rotations	
	G.CO.A.5	Reflections	
TRANSFORMATIONS	G.SRT.A.2	Dilations	
	G.CO.A.3	Mapping a Polygon onto Itself	
	G.CO.A.5	Compositions of Transformations	
	G.SRT.A.2	Compositions of Transformations	
	G.CO.B.6	-	
	G.CO.A.2	Properties of Transformations Identifying Transformations	
	G.CO.A.2 G.CO.A.2	Analytical Representations of Transformations	
	G.SRT.B.4 G.SRT.B.5	Similarity Similarity	
TRIGONOMETRY	G.SRT.C.6	Trigonometric Ratios	
	G.SRT.C.7	Cofunctions	
	G.SRT.C.8	Using Trigonometry to Find a Side	
	G.SRT.C.8	Using Trigonometry to Find an Angle	
	G.SRT.C.9	Using Trigonometry to Find Area	
LOGIC	G.CO.B.7	Triangle Congruency	
	G.CO.B.8	Triangle Congruency	
	G.SRT.B.5	Triangle Congruency	
	G.CO.C.10	Triangle Proofs	
	G.SRT.B.5	Triangle Proofs	
	G.CO.C.11	Quadrilateral Proofs	
			0.00
	G.SRT.B.5	Quadrilateral Proofs	
	G.SRT.B.5 G.SRT.B.5	Quadrilateral Proofs Circle Proofs	

Geometry Regents Exam Questions by State Standard: Topic

TOOLS OF GEOMETRY G.GMD.B.4: ROTATIONS OF TWO-DIMENSIONAL OBJECTS


1 A student has a rectangular postcard that he folds in half lengthwise. Next, he rotates it continuously about the folded edge. Which three-dimensional object below is generated by this rotation?



2 If the rectangle below is continuously rotated about side *w*, which solid figure is formed?




- 1) pyramid
- 2) rectangular prism
- 3) cone
- 4) cylinder
- 3 The rectangle drawn below is continuously rotated about side *S*.




Which three-dimensional figure is formed by this rotation?

- 1) rectangular prism
- 2) square pyramid
- 3) cylinder
- 4) cone

4 Which object is formed when right triangle RST shown below is rotated around leg \overline{RS} ?




- 1) a pyramid with a square base
- 2) an isosceles triangle
- 3) a right triangle
- 4) a cone
- 5 Circle *O* is centered at the origin. In the diagram below, a quarter of circle *O* is graphed.



Which three-dimensional figure is generated when the quarter circle is continuously rotated about the y-axis?

- 1) cone
- 2) sphere
- 3) cylinder
- 4) hemisphere

- 6 If a rectangle is continuously rotated around one of its sides, what is the three-dimensional figure formed?
 - 1) rectangular prism
 - 2) cylinder
 - 3) sphere
 - 4) cone
- 7 If an equilateral triangle is continuously rotated around one of its medians, which 3-dimensional object is generated?
 - 1) cone
 - 2) pyramid
 - 3) prism
 - 4) sphere
- 8 A circle is continuously rotated about its diameter. Which three-dimensional object will be formed?
 - 1) cone
 - 2) prism
 - 3) sphere
 - 4) cylinder
- 9 As shown in the diagram below, right triangle *ABC* has side lengths of 8 and 15.




If the triangle is continuously rotated about \overline{AC} , the resulting figure will be

- a right cone with a radius of 15 and a height of 8
- a right cone with a radius of 8 and a height of 15
- a right cylinder with a radius of 15 and a height of 8
- 4) a right cylinder with a radius of 8 and a height of 15


- 10 An isosceles right triangle whose legs measure 6 is continuously rotated about one of its legs to form a three-dimensional object. The three-dimensional object is a
 - 1) cylinder with a diameter of 6
 - 2) cylinder with a diameter of 12
 - 3) cone with a diameter of 6
 - 4) cone with a diameter of 12
- 11 Square *MATH* has a side length of 7 inches. Which three-dimensional object will be formed by continuously rotating square *MATH* around side \overline{AT} ?
 - 1) a right cone with a base diameter of 7 inches
 - 2) a right cylinder with a diameter of 7 inches
 - 3) a right cone with a base radius of 7 inches
 - 4) a right cylinder with a radius of 7 inches
- 12 A rectangle with dimensions of 4 feet by 7 feet is continuously rotated about one of its 4-foot sides. The resulting three-dimensional object is a
 - 1) cylinder with a height of 7 feet and a base radius of 4 feet.
 - 2) cylinder with a height of 4 feet and a base radius of 7 feet.
 - 3) cone with a height of 7 feet and a base radius of 7 feet.
 - 4) cone with a height of 4 feet and a base radius of 7 feet.
- 13 Which three-dimensional figure will result when a rectangle 6 inches long and 5 inches wide is continuously rotated about the longer side?
 - 1) a rectangular prism with a length of 6 inches, width of 6 inches, and height of 5 inches
 - 2) a rectangular prism with a length of 6 inches, width of 5 inches, and height of 5 inches
 - a cylinder with a radius of 5 inches and a height of 6 inches
 - a cylinder with a radius of 6 inches and a height of 5 inches

14 In the diagram below, right triangle *ABC* has legs whose lengths are 4 and 6.



What is the volume of the three-dimensional object formed by continuously rotating the right triangle around \overline{AB} ?


- 32π
- 48π
- 96π
- 4) 144π
- 15 A rectangle whose length and width are 10 and 6, respectively, is shown below. The rectangle is continuously rotated around a straight line to form an object whose volume is 150π .




Which line could the rectangle be rotated around?

- 1) a long side
- 2) a short side
- 3) the vertical line of symmetry
- 4) the horizontal line of symmetry


16 Triangle *ABC*, with vertices at A(0,0), B(3,5), and C(0,5), is graphed on the set of axes shown below.



Which figure is formed when $\triangle ABC$ is rotated continuously about \overline{BC} ?




17 In right triangle *MTH* shown below, $m \angle H = 90^{\circ}$, HT = 8, and HM = 5.



Determine and state, to the *nearest tenth*, the volume of the three-dimensional solid formed by rotating $\triangle MTH$ continuously around \overline{MH} .


18 In isosceles triangle ABC shown below, $\overline{AB} \cong \overline{AC}$, and altitude \overline{AD} is drawn.



The length of \overline{AD} is 12 cm and the length of \overline{BC} is 10 cm. Determine and state, to the *nearest cubic centimeter*, the volume of the solid formed by continuously rotating $\triangle ABC$ about \overline{AD} .


G.GMD.B.4: CROSS-SECTIONS OF THREE-DIMENSIONAL OBJECTS

19 A plane intersects a cylinder perpendicular to its bases.



This cross section can be described as a


- 1) rectangle
- 2) parabola
- 3) triangle
- 4) circle
- 20 The right prism with a triangular base shown below is cut by a plane perpendicular to its bases.



The two-dimensional shape of the cross section is always a


- 1) triangle
- 2) rhombus
- 3) pentagon
- 4) rectangle

21 A right hexagonal prism is shown below. A two-dimensional cross section that is perpendicular to the base is taken from the prism.



Which figure describes the two-dimensional cross section?


- 1) triangle
- 2) rectangle
- 3) pentagon
- 4) hexagon
- 22 In the diagram below, a plane intersects a square pyramid parallel to its base.



Which two-dimensional shape describes this cross section?

- 1) circle
- 2) square
- 3) triangle
- 4) pentagon

23 A square pyramid is intersected by a plane passing through the vertex and perpendicular to the base.




Which two-dimensional shape describes this cross section?


- 1) square
- 2) triangle
- 3) pentagon
- 4) rectangle
- 24 A right cylinder is cut perpendicular to its base. The shape of the cross section is a
 - 1) circle
 - 2) cylinder
 - 3) rectangle
 - 4) triangular prism
- 25 A right cylinder is cut parallel to its base. The shape of this cross section is a
 - 1) cone
 - 2) circle
 - 3) triangle
 - 4) rectangle
- 26 The cross section of a regular pyramid contains the altitude of the pyramid. The shape of this cross section is a
 - 1) circle
 - 2) square
 - 3) triangle
 - 4) rectangle

- 27 A plane intersects a hexagonal prism. The plane is perpendicular to the base of the prism. Which two-dimensional figure is the cross section of the plane intersecting the prism?
 - 1) triangle
 - 2) trapezoid
 - 3) hexagon
 - 4) rectangle
- 28 A plane intersects a sphere. Which two-dimensional shape is formed by this cross section?
 - 1) rectangle
 - 2) triangle
 - 3) square
 - 4) circle
- 29 A two-dimensional cross section is taken of a three-dimensional object. If this cross section is a triangle, what can *not* be the three-dimensional object?
 - 1) cone
 - 2) cylinder
 - 3) pyramid
 - 4) rectangular prism
- 30 Which figure(s) below can have a triangle as a two-dimensional cross section?
 - I. cone
 - II. cylinder
 - III. cube
 - IV. square pyramid
 - 1) I, only
 - 2) IV, only
 - 3) I, II, and IV, only
 - 4) I, III, and IV, only


31 Which figure can have the same cross section as a sphere?




32 A right circular cylinder has a diameter of 8 inches and a height of 12 inches. Which two-dimensional figure shows a cross section that is perpendicular to the base and passes through the center of the base?



33 William is drawing pictures of cross sections of the right circular cone below.




Which drawing can *not* be a cross section of a cone?




G.CO.D.12: CONSTRUCTIONS


34 Using a compass and straightedge, construct the angle bisector of $\angle ABC$. [Leave all construction marks.]




35 Triangle *XYZ* is shown below. Using a compass and straightedge, construct the circumcenter of $\triangle XYZ$.




36 In the diagram of $\triangle ABC$ shown below, use a compass and straightedge to construct the median to \overline{AB} . [Leave all construction marks.]



37 Using a compass and straightedge, construct the median to side \overline{AC} in $\triangle ABC$ below. [Leave all construction marks.]




38 Using a compass and straightedge, construct a midsegment of $\triangle AHL$ below. [Leave all construction marks.]



39 Using a compass and straightedge, construct the line of reflection over which triangle *RST* reflects onto triangle *R'S'T'*. [Leave all construction marks.]

R S

- 40 Using a compass and straightedge, construct the line of reflection that maps $\triangle ABC$ onto its image, $\triangle DEF$. [Leave all construction marks.]
- 41 Given \overline{MT} below, use a compass and straightedge to construct a 45° angle whose vertex is at point M. [Leave all construction marks.]




42 Use a compass and straightedge to construct a line parallel to $\stackrel{\longleftrightarrow}{AB}$ through point *C*, shown below. [Leave all construction marks.]







- 43 Using a compass and straightedge, construct an altitude of triangle *ABC* below. [Leave all construction marks.]
- 46 In the diagram below, radius \overline{OA} is drawn in circle *O*. Using a compass and a straightedge, construct a line tangent to circle *O* at point *A*. [Leave all construction marks.]




44 In $\triangle ABC$ below, use a compass and straightedge to construct the altitude from *C* to \overline{AB} . [Leave all construction marks.]




45 Given: Trapezoid *JKLM* with $\overline{JK} \parallel \overline{ML}$ Using a compass and straightedge, construct the altitude from vertex *J* to \overline{ML} . [Leave all construction marks.]






47 In the circle below, *AB* is a chord. Using a compass and straightedge, construct a diameter of the circle. [Leave all construction marks.]



48 Using the construction below, state the degree measure of $\angle CAD$. Explain why.




49 Segment *CA* is drawn below. Using a compass and straightedge, construct isosceles right triangle *CAT* where $\overline{CA} \perp \overline{CT}$ and $\overline{CA} \cong \overline{CT}$. [Leave all construction marks.]

50 Given points *A*, *B*, and *C*, use a compass and straightedge to construct point *D* so that *ABCD* is a parallelogram. [Leave all construction marks.]




51 Triangle *XYZ* is shown below. Using a compass and straightedge, on the line below, construct and label $\triangle ABC$, such that $\triangle ABC \cong \triangle XYZ$. [Leave all construction marks.] Based on your construction, state the theorem that justifies why $\triangle ABC$ is congruent to $\triangle XYZ$.




A

C

- 52 Using a compass and straightedge, dilate triangle *ABC* by a scale factor of 2 centered at *C*. [Leave all construction marks.]
- 54 Triangle *ABC* is shown below. Using a compass and straightedge, construct the dilation of $\triangle ABC$ centered at *B* with a scale factor of 2. [Leave all construction marks.]




53 Using a compass and straightedge, construct and label $\triangle A'B'C'$, the image of $\triangle ABC$ after a dilation with a scale factor of 2 and centered at *B*. [Leave all construction marks.] Describe the relationship between the lengths of \overline{AC} and $\overline{A'C'}$.




Is the image of $\triangle ABC$ similar to the original triangle? Explain why.


G.CO.D.13: CONSTRUCTIONS

55 Given circle *O* with radius *OA*, use a compass and straightedge to construct an equilateral triangle inscribed in circle *O*. [Leave all construction marks.]







56 Construct an equilateral triangle inscribed in circle *T* shown below. [Leave all construction marks.]




57 Use a compass and straightedge to construct an equilateral triangle inscribed in circle *A* below. [Leave all construction marks.]




58 Use a compass and straightedge to construct an inscribed square in circle T shown below. [Leave all construction marks.]




59 The diagram below shows circle O with diameter \overline{AB} . Using a compass and straightedge, construct a square that is inscribed in circle O. [Leave all construction marks.]



- 60 Using a straightedge and compass, construct a square inscribed in circle *O* below. [Leave all construction marks.]
- 62 Using a compass and straightedge, construct a regular hexagon inscribed in circle *O* below. Label it *ABCDEF*. [Leave all construction marks.]




If chords \overline{FB} and \overline{FC} are drawn, which type of triangle, according to its angles, would $\triangle FBC$ be? Explain your answer.




Determine the measure of the arc intercepted by two adjacent sides of the constructed square. Explain your reasoning.

61 Using a compass and straightedge, construct a regular hexagon inscribed in circle *O*. [Leave all construction marks.]



LINES AND ANGLES G.GPE.B.6: DIRECTED LINE SEGMENTS

63 In the diagram below, \overline{AC} has endpoints with coordinates A(-5,2) and C(4,-10).



If *B* is a point on \overline{AC} and AB:BC = 1:2, what are the coordinates of *B*?

1)
$$(-2, -2)$$

2) $\left(-\frac{1}{2}, -4\right)$
3) $\left(0, -\frac{14}{3}\right)$
4) $(1, -6)$

- 64 What are the coordinates of point *C* on the directed segment from A(-8,4) to B(10,-2) that partitions the segment such that AC:CB is 2:1?
 - 1) (1,1)
 - 2) (-2,2)
 - 3) (2,-2)
 - 4) (4,0)


- 65 The coordinates of the endpoints of QS are Q(-9,8) and S(9,-4). Point *R* is on QS such that QR:RS is in the ratio of 1:2. What are the coordinates of point *R*?
 1) (0,2)
 - $\begin{array}{c} 1) & (0,2) \\ 2) & (3,0) \end{array}$
 - 3) (-3,4)
 - 4) (-6,6)
- 66 The coordinates of the endpoints of \overline{SC} are S(-7,3) and C(2,-6). If point *M* is on \overline{SC} , what are the coordinates of *M* such that *SM*:*MC* is 1:2?
 - $\begin{array}{ll} 1) & (-4,0) \\ 2) & (0,-4) \end{array}$
 - (-1, -3)
 - $4) \quad \left(-\frac{5}{2}, -\frac{3}{2}\right)$
- 67 Point *M* divides \overline{AB} so that AM:MB = 1:2. If *A* has coordinates (-1, -3) and *B* has coordinates (8,9), the coordinates of *M* are
 - 1) (2,1) 2) $\left(\frac{5}{3},0\right)$
 - 3) (5,5)
 - 4) $\left(\frac{23}{3}, 8\right)$
- 68 The endpoints of directed line segment *PQ* have coordinates of *P*(-7,-5) and *Q*(5,3). What are the coordinates of point *A*, on \overline{PQ} , that divide \overline{PQ} into a ratio of 1:3?
 - 1) A(-1,-1)
 - 2) *A*(2,1)
 - 3) A(3,2)
 - 4) A(-4, -3)

- 69 Line segment *APB* has endpoints A(-5,4) and B(7,-4). What are the coordinates of *P* if *AP*:*PB* is in the ratio 1:3?
 - 1) (-2,2)
 - 2) (-1,1.3)
 - 3) (1,0)
 - 4) (4,-2)
- 70 The endpoints of \overline{AB} are A(-5,3) and B(7,-5). Point *P* is on \overline{AB} such that AP:PB = 3:1. What are the coordinates of point *P*?
 - 1) (-2,-3)
 - 2) (1,-1)
 - 3) (-2,1)
 - 4) (4,-3)
- 71 Point *Q* is on *MN* such that MQ:QN = 2:3. If *M* has coordinates (3,5) and *N* has coordinates (8,-5), the coordinates of *Q* are
 - 1) (5,1)
 - 2) (5,0)
 - 3) (6,-1)
 - 4) (6,0)
- 72 Directed line segment *AJ* has endpoints whose coordinates are A(5,7) and J(-10,-8). Point *E* is on \overline{AJ} such that AE:EJ is 2:3. What are the coordinates of point *E*?
 - 1) (1,-1)
 - 2) (-5,-3)
 - 3) (-4,-2)
 - 4) (-1,1)
- 73 Line segment *RW* has endpoints R(-4,5) and W(6,20). Point *P* is on \overline{RW} such that *RP:PW* is 2:3. What are the coordinates of point *P*?
 - 1) (2,9)
 - 2) (0,11)
 - 3) (2,14)
 - 4) (10,2)


- 74 Directed line segment *DE* has endpoints D(-4, -2)and E(1,8). Point *F* divides \overline{DE} such that DF:FEis 2:3. What are the coordinates of *F*? 1) (-3.0)
 - 2) (-2,2)
 - 3) (-1,4)
 - 4) (2,4)
- 75 Point *P* divides the directed line segment from point A(-4,-1) to point B(6,4) in the ratio 2:3. The coordinates of point *P* are
 - 1) (-1,1)
 - 2) (0,1)
 - 3) (1,0)
 - 4) (2,2)
- 76 The coordinates of the endpoints of directed line segment *ABC* are A(-8,7) and C(7,-13). If *AB:BC* = 3:2, the coordinates of *B* are 1) (1,-5)
 - 2) (-2,-1)
 - 3) (-3,0)
 - 4) (3,-6)
- 77 Directed line segment *KC* has endpoints *K*(-4,-2) and *C*(1,8). Point *E* divides *KC* such that *KE*:*EC* is 3:2. What are the coordinates of point *E*?
 1) (-1,4)
 2) (-2,2)
 - 3) (-3,0)
 - 4) (0,6)
- 78 What are the coordinates of the point on the directed line segment from K(-5, -4) to L(5, 1) that partitions the segment into a ratio of 3 to 2?
 - 1) (-3,-3)
 - 2) (-1,-2)
 - 3) $\left| 0, -\frac{3}{2} \right|$
 - 4) (1,-1)

- 79 Point *P* is on the directed line segment from point X(-6,-2) to point Y(6,7) and divides the segment in the ratio 1:5. What are the coordinates of point *P*?
 - 1) $\left(4,5\frac{1}{2}\right)$ 2) $\left(-\frac{1}{2},-4\right)$ 3) $\left(-4\frac{1}{2},0\right)$ 4) $\left(-4,-\frac{1}{2}\right)$
- 80 The coordinates of the endpoints of AB are A(-8,-2) and B(16,6). Point P is on AB. What are the coordinates of point P, such that AP:PB is 3:5?
 1) (1,1)
 - (1,1)
 (7,3)
 - 3) (9.6,3.6)
 - 4) (6.4, 2.8)


81 The coordinates of the endpoints of \overline{AB} are A(-6,-5) and B(4,0). Point *P* is on \overline{AB} . Determine and state the coordinates of point *P*, such that AP:PB is 2:3. [The use of the set of axes below is optional.]




82 Line segment *PQ* has endpoints *P*(-5,1) and Q(5,6), and point *R* is on \overline{PQ} . Determine and state the coordinates of *R*, such that PR:RQ = 2:3. [The use of the set of axes below is optional.]



83 Directed line segment *PT* has endpoints whose coordinates are P(-2, 1) and T(4, 7). Determine the coordinates of point *J* that divides the segment in the ratio 2 to 1. [The use of the set of axes below is optional.]




84 Directed line segment *AB* has endpoints whose coordinates are A(-2,5) and B(8,-1). Determine and state the coordinates of *P*, the point which divides the segment in the ratio 3:2. [The use of the set of axes below is optional.]



- 85 The endpoints of \overline{DEF} are D(1,4) and F(16,14). Determine and state the coordinates of point *E*, if DE:EF = 2:3.
- 86 Point *P* is on segment *AB* such that *AP*:*PB* is 4:5. If *A* has coordinates (4,2), and *B* has coordinates (22,2), determine and state the coordinates of *P*.


G.CO.C.9: LINES AND ANGLES

87 Steve drew line segments *ABCD*, *EFG*, *BF*, and *CF* as shown in the diagram below. Scalene $\triangle BFC$ is formed.



 $\frac{\text{Which statement will allow Steve to prove}}{ABCD} \parallel \overline{EFG}?$

- 1) $\angle CFG \cong \angle FCB$
- $2) \quad \angle ABF \cong \angle BFC$
- 3) $\angle EFB \cong \angle CFB$
- 4) $\angle CBF \cong \angle GFC$
- 88 In the diagram below, FE bisects \overline{AC} at B, and \overline{GE} bisects \overline{BD} at C.




Which statement is always true?

- 1) $AB \cong DC$
- 2) $\overline{FB} \cong \overline{EB}$
- 3) \overrightarrow{BD} bisects \overline{GE} at C.
- 4) \overrightarrow{AC} bisects \overline{FE} at *B*.

Geometry Regents Exam Questions by State Standard: Topic www.jmap.org


89 In the diagram below, lines ℓ , m, n, and p intersect line r.



Which statement is true?


- 1) $\ell \parallel n$
- 2) $\ell \parallel p$
- 3) $m \| p$
- 4) $m \parallel n$
- 90 Segment *CD* is the perpendicular bisector of \overline{AB} at E. Which pair of segments does not have to be congruent?
 - 1) *AD*,*BD*
 - 2) AC, BC
 - 3) *AE*,*BE*
 - DE, CE4)

91 In the diagram below, $\overline{AB} \parallel \overrightarrow{DEF}$, \overline{AE} and \overrightarrow{BD} intersect at C, $m \angle B = 43^\circ$, and $m \angle CEF = 152^\circ$.



Which statement is true?


- $m \angle D = 28^{\circ}$ 1)
- 2) $m \angle A = 43^{\circ}$
- 3) $m \angle ACD = 71^{\circ}$
- $m \angle BCE = 109^{\circ}$ 4)
- 92 In the diagram below, \overline{DB} and \overline{AF} intersect at point C, and \overline{AD} and \overline{FBE} are drawn.




If AC = 6, DC = 4, FC = 15, $m \angle D = 65^{\circ}$, and $m \angle CBE = 115^\circ$, what is the length of *CB*? 1) 10


- 2) 12 17 3)
- 22.5
- 4)

93 In the diagram below, $\overrightarrow{CT} \parallel \overrightarrow{AR}$, and \overrightarrow{ACE} and \overrightarrow{RC} are drawn such that $\overrightarrow{AC} \cong \overrightarrow{RC}$.






- 1) 30°
- 2) 60°
- 3) 75°
- 4) 105°
- 94 As shown in the diagram below, $\overrightarrow{ABC} \parallel \overrightarrow{EFG}$ and $\overrightarrow{BF} \cong \overrightarrow{EF}$.



If $m \angle CBF = 42.5^\circ$, then $m \angle EBF$ is

- 1) 42.5°
- 2) 68.75°
- 3) 95°
- 4) 137.5°

95 In the diagram below, $\overline{AEFB} \parallel \overline{CGD}$, and \overline{GE} and \overline{GF} are drawn.




If $m \angle EFG = 32^{\circ}$ and $m \angle AEG = 137^{\circ}$, what is $m \angle EGF$? 1) 11° 2) 43° 3) 75°

96 In the diagram below, $\overrightarrow{ABCD} \parallel \overrightarrow{EHK}$, and \overrightarrow{MBHP}

105°

4)


and \overrightarrow{NCHL} are drawn such that $\overrightarrow{BC} \cong \overrightarrow{BH}$.



If $m \angle NCD = 62^\circ$, what is $m \angle PHK$?


- 1) 118°
- 2) 68°
- 3) 62°
- 4) 56°

97 In the diagram below, $\overline{FAD} \parallel \overline{EHC}$, and \overline{ABH} and \overline{BC} are drawn.



If $m \angle FAB = 48^{\circ}$ and $m \angle ECB = 18^{\circ}$, what is $m \angle ABC$?


- 1) 18°
- 2) 48°
- 3) 66°
- 4) 114°
- 98 In the diagram below, $\overline{AFKB} \parallel \overline{CHLM}, \overline{FH} \cong \overline{LH}, \overline{FL} \cong \overline{KL}$, and \overline{LF} bisects $\angle HFK$.



Which statement is always true?

- 1) $2(m \angle HLF) = m \angle CHE$
- 2) $2(m \angle FLK) = m \angle LKB$
- 3) $m \angle AFD = m \angle BKL$
- 4) $m \angle DFK = m \angle KLF$


99 In the diagram below, \overline{EF} intersects \overline{AB} and \overline{CD} at $\overline{GH} \cong \overline{IH}$.



If $m \angle EGB = 50^\circ$ and $m \angle DIG = 115^\circ$, explain why $\overline{AB} \parallel \overline{CD}$.

G.GPE.B.5: PARALLEL AND PERPENDICULAR LINES

100 Given \overline{MN} shown below, with M(-6, 1) and N(3, -5), what is an equation of the line that passes through point P(6, 1) and is parallel to \overline{MN} ?



1)
$$y = -\frac{2}{3}x + 5$$

2) $y = -\frac{2}{3}x - 3$
3) $y = \frac{3}{2}x + 7$
4) $y = \frac{3}{2}x - 8$

- 101 Which equation represents the line that passes through the point (-2, 2) and is parallel to
 - $y = \frac{1}{2}x + 8?$ 1) $y = \frac{1}{2}x$
 - $2) \quad y = -2x 3$

3)
$$y = \frac{1}{2}x + 3$$

4) y = -2x + 3

- 102 Which equation represents a line parallel to the line whose equation is -2x + 3y = -4 and passes through the point (1,3)?
 - 1) $y-3 = -\frac{3}{2}(x-1)$ 2) $y-3 = \frac{2}{3}(x-1)$ 3) $y+3 = -\frac{3}{2}(x+1)$ 4) $y+3 = \frac{2}{3}(x+1)$
- 103 Write an equation of the line that is parallel to the line whose equation is 3y + 7 = 2x and passes through the point (2,6).
- 104 The equation of a line is 3x 5y = 8. All lines perpendicular to this line must have a slope of
 - 1) $\frac{3}{5}$ 2) $\frac{5}{3}$ 3) $-\frac{3}{5}$ 4) $-\frac{5}{3}$
- 105 Which equation represents a line that is perpendicular to the line represented by
 - $y = \frac{2}{3}x + 1?$ 1) 3x + 2y = 122) 3x - 2y = 123) $y = \frac{3}{2}x + 2$ 4) $y = -\frac{2}{3}x + 4$

Geometry Regents Exam Questions by State Standard: Topic www.jmap.org

- 106 Which equation represents a line that is perpendicular to the line represented by 2x y = 7?
 - 1) $y = -\frac{1}{2}x + 6$ 2) $y = \frac{1}{2}x + 6$ 3) y = -2x + 6
 - 4) y = 2x + 6
- 107 What is an equation of a line that is perpendicular to the line whose equation is 2y + 3x = 1?
 - 1) $y = \frac{2}{3}x + \frac{5}{2}$ 2) $y = \frac{3}{2}x + 2$ 3) $y = -\frac{2}{3}x + 1$ 4) $y = -\frac{3}{2}x + \frac{1}{2}$
- 108 Which equation represents a line that is perpendicular to the line whose equation is y - 3x = 4?
 - 1) $y = -\frac{1}{3}x 4$ 2) $y = \frac{1}{3}x + 4$
 - 3) y = -3x + 4
 - 4) y = 3x 4
- 109 An equation of a line perpendicular to the line represented by the equation $y = -\frac{1}{2}x - 5$ and passing through (6,-4) is
 - 1) $y = -\frac{1}{2}x + 4$ 2) $y = -\frac{1}{2}x - 1$
 - $3) \quad y = 2x + 14$
 - $4) \quad y = 2x 16$

- 110 What is an equation of a line that is perpendicular to the line whose equation is 2y = 3x 10 and passes through (-6, 1)?
 - 1) $y = -\frac{2}{3}x 5$ 2) $y = -\frac{2}{3}x - 3$ 3) $y = \frac{2}{3}x + 1$ 4) $y = \frac{2}{3}x + 10$
- 111 What is an equation of a line which passes through (6,9) and is perpendicular to the line whose equation is 4x 6y = 15?
 - 1) $y-9 = -\frac{3}{2}(x-6)$ 2) $y-9 = \frac{2}{3}(x-6)$ 3) $y+9 = -\frac{3}{2}(x+6)$
 - 4) $y+9=\frac{2}{3}(x+6)$
- 112 What is an equation of the line that passes through the point (6,8) and is perpendicular to a line with equation $y = \frac{3}{2}x + 5$? 1) $y - 8 = \frac{3}{2}(x - 6)$ 2) $y - 8 = -\frac{2}{3}(x - 6)$ 3) $y + 8 = \frac{3}{2}(x + 6)$ 4) $y + 8 = -\frac{2}{3}(x + 6)$


113 An equation of the line perpendicular to the line whose equation is 4x - 5y = 6 and passes through the point (-2,3) is

1)
$$y+3 = -\frac{5}{4}(x-2)$$

2) $y-3 = -\frac{5}{4}(x+2)$
3) $y+3 = \frac{4}{5}(x-2)$
4) $y-3 = \frac{4}{5}(x+2)$

- 114 Which equation represents the line that passes through the point (2,-7) and is perpendicular to the line whose equation is $y = \frac{3}{4}x + 4$? 1) $y+7 = \frac{3}{4}(x-2)$ 2) $y-7 = \frac{3}{4}(x+2)$ 3) $y+7 = -\frac{4}{3}(x-2)$ 4) $y-7 = -\frac{4}{3}(x+2)$
- 115 Line segment *RH* has endpoints R(-4,4) and H(2,-4). Which equation represents a line perpendicular to \overline{RH} that passes through the point (3,-1)?
 - 1) $y+1 = \frac{3}{4}(x-3)$ 2) $y+1 = -\frac{3}{4}(x-3)$ 3) $y+1 = \frac{4}{3}(x-3)$ 4) $y+1 = -\frac{4}{3}(x-3)$
- 116 Determine and state an equation of the line perpendicular to the line 5x - 4y = 10 and passing through the point (5, 12).

117 What is an equation of the perpendicular bisector of the line segment shown in the diagram below?



- $1) \quad y + 2x = 0$
- $2) \quad y 2x = 0$
- $3) \quad 2y + x = 0$
- $4) \quad 2y x = 0$
- 118 Line segment *NY* has endpoints N(-11,5) and Y(5,-7). What is the equation of the perpendicular bisector of \overline{NY} ?
 - 1) $y+1 = \frac{4}{3}(x+3)$ 2) $y+1 = -\frac{3}{4}(x+3)$ 3) $y-6 = \frac{4}{3}(x-8)$
 - 3) $y-6 = \frac{3}{3}(x-8)$ 4) $y-6 = -\frac{3}{4}(x-8)$

119 Segment *JM* has endpoints J(-5,1) and M(7,-9). An equation of the perpendicular bisector of \overline{JM} is


1)
$$y-4 = \frac{5}{6}(x+1)$$

2) $y+4 = \frac{5}{6}(x-1)$
3) $y-4 = \frac{6}{5}(x+1)$
4) $y+4 = \frac{6}{5}(x-1)$

- 120 The endpoints of \overline{AB} are A(0,4) and B(-4,6). Which equation of a line represents the perpendicular bisector of \overline{AB} ?
 - 1) $y = -\frac{1}{2}x + 4$
 - $2) \quad y = -2x + 1$
 - $3) \quad y = 2x + 8$
 - $4) \quad y = 2x + 9$

TRIANGLES G.SRT.C.8: 30-60-90 TRIANGLES


121 In right triangle ABC below, $m \angle C = 90^\circ$, $m \angle B = 30^\circ$, and $CB = 6\sqrt{3}$.



The length of \overline{AB} is

- 1) $3\sqrt{3}$
- 2) 9
- 3) 12
- 4) $12\sqrt{3}$

- 122 An equilateral triangle has sides of length 20. To the *nearest tenth*, what is the height of the equilateral triangle?
 - 1) 10.0
 - 2) 11.5
 - 3) 17.3
 - 4) 23.1
- 123 The diagram shows rectangle *ABCD*, with diagonal \overline{BD} .




What is the perimeter of rectangle *ABCD*, to the *nearest tenth*?

- 1) 28.4
- 2) 32.8
- 3) 48.0
- 4) 62.4


G.SRT.B.4: SIDE SPLITTER THEOREM

124 In the diagram below of $\triangle CER$, $\overline{LA} \parallel \overline{CR}$.



If CL = 3.5, LE = 7.5, and EA = 9.5, what is the length of \overline{AR} , to the *nearest tenth*?


- 1) 5.5
- 2) 4.4
- 3) 3.0
- 4) 2.8
- 125 In right triangle *ABC* shown below, point *D* is on \overline{AB} and point *E* is on \overline{CB} such that $\overline{AC} \parallel \overline{DE}$.



If AB = 15, BC = 12, and EC = 7, what is the length of \overline{BD} ?


- 1) 8.75
- 2) 6.25
- 3) 5
- 4) 4

126 In triangle ABC below, D is a point on \overline{AB} and E is a point on \overline{AC} , such that $\overline{DE} \parallel \overline{BC}$.



If AD = 12, DB = 8, and EC = 10, what is the length of \overline{AC} ?


- 1) 15
- 2) 22
- 3) 24
- 4) 25
- 127 In the diagram below of $\triangle PQR$, \overline{ST} is drawn parallel to \overline{PR} , PS = 2, SQ = 5, and TR = 5.



What is the length of \overline{QR} ?


- 1) 7 2) 2 3) $12\frac{1}{2}$
- 4) $17\frac{1}{2}$

128 In the diagram below of $\triangle RST$, *L* is a point on \overline{RS} , and *M* is a point on \overline{RT} , such that $LM \parallel ST$.



If RL = 2, LS = 6, LM = 4, and ST = x + 2, what is the length of \overline{ST} ?


- 1) 10
- 2) 12
- 3) 14
- 4) 16
- 129 In the diagram of $\triangle ADC$ below, $\overline{EB} \parallel \overline{DC}$, AE = 9, ED = 5, and AB = 9.2.



What is the length of \overline{AC} , to the *nearest tenth*?


- 1) 5.1
- 2) 5.2
- 3) 14.3
- 4) 14.4

130 In the diagram of $\triangle ABC$ below, \overline{DE} is parallel to \overline{AB} , CD = 15, AD = 9, and AB = 40.



The length of \overline{DE} is


- 1) 15
- 2) 24
- 3) 25
- 4) 30
- 131 In the diagram below, triangle ACD has points B and E on sides \overline{AC} and \overline{AD} , respectively, such that $\overline{BE} \parallel \overline{CD}, AB = 1, BC = 3.5, \text{ and } AD = 18.$



What is the length of AE, to the *nearest tenth*?


- 1) 14.0
- 2) 5.1
- 3) 3.3
- 4) 4.0

132 In the diagram of $\triangle ABC$, points *D* and *E* are on \overline{AB} and \overline{CB} , respectively, such that $\overline{AC} \parallel \overline{DE}$.



If AD = 24, DB = 12, and DE = 4, what is the length of \overline{AC} ? 1) 8


- 2) 12
- 3) 16
- 4) 72
- 133 In the diagram of $\triangle ABC$ below, points *D* and *E* are on sides \overline{AB} and \overline{CB} respectively, such that $\overline{DE} \parallel \overline{AC}$.



If *EB* is 3 more than *DB*, *AB* = 14, and *CB* = 21, what is the length of \overline{AD} ?


- 1) 6
- 2) 8
- 3) 9
- 4) 12

134 In triangle *ABC*, points *D* and *E* are on sides \overline{AB} and \overline{BC} , respectively, such that $\overline{DE} \parallel \overline{AC}$, and AD:DB = 3:5.



If DB = 6.3 and AC = 9.4, what is the length of DE, to the *nearest tenth*?


- 1) 3.8
- 2) 5.6
- 3) 5.9
- 4) 15.7
- 135 In the diagram below of $\triangle ABC$, *D* is a point on \overline{BA} , *E* is a point on \overline{BC} , and \overline{DE} is drawn.



If BD = 5, DA = 12, and BE = 7, what is the length of \overline{BC} so that $\overline{AC} \parallel \overline{DE}$?


- 1) 23.8
- 2) 16.8
- 3) 15.6
- 4) 8.6

136 In the diagram of $\triangle SRA$ below, \overline{KP} is drawn such that $\angle SKP \cong \angle SRA$.



If SK = 10, SP = 8, and PA = 6, what is the length of \overline{KR} , to the *nearest tenth*?


- 1) 4.8
- 2) 7.5
- 3) 8.0
- 4) 13.3
- 137 In the diagram below, \overline{BC} connects points *B* and *C* on the congruent sides of isosceles triangle *ADE*, such that $\triangle ABC$ is isosceles with vertex angle *A*.



If AB = 10, BD = 5, and DE = 12, what is the length of \overline{BC} ?


- 1) 6
- 2) 7
- 3) 8
- 4) 9

138 Given $\triangle MRO$ shown below, with trapezoid *PTRO*, MR = 9, MP = 2, and PO = 4.



What is the length of \overline{TR} ?


- 1) 4.5
- 2) 5
- 3) 3
- 4) 6
- 139 In \triangle SNA below, $\overrightarrow{UE} \parallel \overrightarrow{NA}$.



If SU = 3, SN = 11, and EA = 13, what is the length of \overline{SE} , to the *nearest tenth*?


- 1) 2.5
- 2) 3.5
- 3) 4.9
- 4) 17.9

140 In the diagram below of $\triangle ABC$, \overline{TV} intersects \overline{AB} and \overline{AC} at points T and V respectively, and $m \angle ATV = m \angle ABC$.



If AT = 4, BC = 18, TB = 5, and AV = 6, what is the perimeter of quadrilateral *TBCV*?


- 1) 38.5
- 2) 39.5
- 3) 40.5
- 4) 44.9
- 141 In the diagram below, $\triangle ABC \sim \triangle ADE$.



Which measurements are justified by this similarity?

- 1) AD = 3, AB = 6, AE = 4, and AC = 12
- 2) AD = 5, AB = 8, AE = 7, and AC = 10
- 3) AD = 3, AB = 9, AE = 5, and AC = 10
- 4) AD = 2, AB = 6, AE = 5, and AC = 15


142 In the diagram below of $\triangle ACT$, \overrightarrow{ES} is drawn parallel to \overrightarrow{AT} such that *E* is on \overrightarrow{CA} and *S* is on \overrightarrow{CT} .



Which statement is always true?

1)	$\frac{CE}{CA} = \frac{CS}{ST}$
2)	$\frac{CE}{ES} = \frac{EA}{AT}$
3)	$\frac{CE}{EA} = \frac{CS}{ST}$
4)	$\frac{CE}{ST} = \frac{EA}{CS}$


143 In $\triangle ABC$ below, \overline{DE} is drawn such that D and E are on \overline{AB} and \overline{AC} , respectively.



If $\overline{DE} \parallel \overline{BC}$, which equation will always be true?


1) $\frac{AD}{DE} = \frac{DB}{BC}$ 2) $\frac{AD}{DE} = \frac{AB}{BC}$ 3) $\frac{AD}{BC} = \frac{DE}{DB}$ 4) $\frac{AD}{BC} = \frac{DE}{AB}$

144 The diagram below shows triangle ABC with point X on side \overline{AB} and point Y on side \overline{CB} .



Which information is sufficient to prove that $\triangle BXY \sim \triangle BAC$?

- 1) $\angle B$ is a right angle.
- 2) \overline{XY} is parallel to \overline{AC} .
- 3) $\triangle ABC$ is isosceles.
- 4) $\overline{AX} \cong \overline{CY}$
- 145 In the diagram below of right triangle *AED*, $\overline{BC} \parallel \overline{DE}$.




Which statement is always true?

- 1) $\frac{AC}{BC} = \frac{DE}{AE}$
- 2) $\frac{AB}{AD} = \frac{BC}{DE}$ a) AC = BC

$$\frac{3}{CE} = \frac{1}{DE}$$

4)
$$\overline{BC} = \overline{AB}$$

146 In triangle <u>ABC</u> below, <u>D</u> is a point on <u>AB</u> and <u>E</u> is a point on <u>AC</u>, such that <u>DE</u> $\parallel \overline{BC}$.




Which statement is always true?

- 1) $\angle ADE$ and $\angle ABC$ are right angles.
- 2) $\triangle ADE \sim \triangle ABC$

3)
$$DE = \frac{1}{2}BC$$

- 4) $\overline{AD} \cong \overline{DB}$
- 147 Triangle *ADF* is drawn and $\overline{BC} \parallel \overline{DF}$.



Which statement must be true?


1) $\frac{AB}{BC} = \frac{BD}{DF}$

2)
$$BC = \frac{1}{2}DF$$

3)
$$AB:AD = AC:CF$$


$$4) \quad \angle ACB \cong \angle AFD$$

148 In \triangle *CED* as shown below, points *A* and *B* are located on sides \overline{CE} and \overline{ED} , respectively. Line segment *AB* is drawn such that AE = 3.75, AC = 5, EB = 4.5, and BD = 6.



Explain why AB is parallel to CD.


149 In the diagram below, AE = 15, EB = 27, AF = 20, and FC = 36.



Explain why $\overline{EF} \parallel \overline{BC}$.

G.CO.C.10: ISOSCELES TRIANGLE THEOREM

150 In the diagram below of $\triangle AED$ and ABCD, $\overline{AE} \cong \overline{DE}$.




Which statement is always true?

- 1) $EB \cong EC$
- 2) $\overline{AC} \cong \overline{DB}$
- 3) $\angle EBA \cong \angle ECD$
- 4) $\angle EAC \cong \angle EDB$
- 151 In triangle *CEM*, CE = 3x + 10, ME = 5x 14, and CM = 2x 6. Determine and state the value of x that would make *CEM* an isosceles triangle with the vertex angle at *E*.

G.CO.C.10: INTERIOR AND EXTERIOR ANGLES OF TRIANGLES


152 In the diagram below, \overline{DE} divides \overline{AB} and \overline{AC} proportionally, m $\angle C = 26^\circ$, m $\angle A = 82^\circ$, and \overline{DF} bisects $\angle BDE$.



The measure of angle DFB is


- 1) 36°
- 2) 54°
- 3) 72°
- 4) 82°

153 In the diagram below of triangle *MNO*, $\angle M$ and $\angle O$ are bisected by \overline{MS} and \overline{OR} , respectively. Segments *MS* and *OR* intersect at *T*, and $m \angle N = 40^{\circ}$.



If $m \angle TMR = 28^\circ$, the measure of angle *OTS* is


- 1) 40°
- 2) 50°
- 3) 60°
- 4) 70°
- 154 In the diagram below of $\triangle ACD$, \overline{DB} is a median to \overline{AC} , and $\overline{AB} \cong \overline{DB}$.



If $m \angle DAB = 32^\circ$, what is $m \angle BDC$?


- 1) 32°
- 2) 52°
- 3) 58°
- 4) 64°

155 In the diagram of $\triangle ABC$ below, \overline{AE} bisects angle *BAC*, and altitude \overline{BD} is drawn.



If $m \angle C = 50^\circ$ and $m \angle ABC = 60^\circ$, $m \angle FEB$ is

- 1) 35°
- 2) 40°
- 3) 55°
- 4) 85°
- 156 In the diagram below of $\triangle ABC$, \overrightarrow{CBF} is drawn, \overrightarrow{AB} bisects $\angle FBD$, and $\overrightarrow{BD} \perp \overrightarrow{AC}$.




If $m \angle C = 42^\circ$ what is $m \angle A$?

- 1) 24°
- 2) 33°
- 3) 48°
- 4) 66°

Geometry Regents Exam Questions by State Standard: Topic www.jmap.org

157 In the diagram below, $m \angle BDC = 100^{\circ}$, $m \angle A = 50^{\circ}$, and $m \angle DBC = 30^{\circ}$.




Which statement is true?

- $\triangle ABD$ is obtuse. 1)
- 2) $\triangle ABC$ is isosceles.
- 3) $m \angle ABD = 80^{\circ}$
- $\triangle ABD$ is scalene. 4)

G.CO.C.10: EXTERIOR ANGLE THEOREM


158 In the diagram below of triangle ABC, \overline{AC} is extended through point C to point D, and \overline{BE} is drawn to AC.



Which equation is always true?


- 1) $m \angle 1 = m \angle 3 + m \angle 2$
- 2) $m \angle 5 = m \angle 3 m \angle 2$
- 3) $m \angle 6 = m \angle 3 m \angle 2$
- 4) $m \angle 7 = m \angle 3 + m \angle 2$

159 Given $\triangle ABC$ with m $\angle B = 62^\circ$ and side \overline{AC} extended to D, as shown below.



Which value of *x* makes $AB \cong CB$?

- 59° 1)
- 62° 2)
- 3) 118°
- 4) 121°
- 160 In $\triangle ABC$ shown below, side AC is extended to point *D* with $m \angle DAB = (180 - 3x)^{\circ}$, $m \angle B = (6x - 40)^\circ$, and $m \angle C = (x + 20)^\circ$.



- 40° 2)
- 3) 60°
- 4) 80°
- The measure of one of the base angles of an 161 isosceles triangle is 42°. The measure of an exterior angle at the vertex of the triangle is
 - 42° 1)
 - 2) 84°
 - 3) 96°
 - 138° 4)


- 162 If one exterior angle of a triangle is acute, then the triangle must be
 - 1) right
 - 2) acute
 - 3) obtuse
 - 4) equiangular

G.CO.C.10: TRIANGLE INEQUALITY THEOREM

- 163 Which set of integers could represent the lengths of the sides of an isosceles triangle?
 - 1) $\{1, 1, 3\}$
 - 2) $\{2, 2, 5\}$
 - 3) {3,3,6}
 - 4) {4,4,7}

G.CO.C.10: ANGLE SIDE RELATIONSHIP

164 In the diagram of quadrilateral *NAVY* below, $m \angle YNA = 30^\circ$, $m \angle YAN = 38^\circ$, $m \angle AVY = 94^\circ$, and $m \angle VAY = 46^\circ$.




Which segment has the shortest length?

- 1) AY
- 2) \overline{NY}
- 3) \overline{VA}
- 4) \overline{VY}

- 165 In $\triangle ABC$, side *BC* is extended through *C* to *D*. If $m \angle A = 30^{\circ}$ and $m \angle ACD = 110^{\circ}$, what is the longest side of $\triangle ABC$?
 - 1) \overline{AC}
 - 2) \overline{BC}
 - 3) AB
 - 4) \overline{CD}

G.CO.C.10: MIDSEGMENTS


166 In the diagram below, \overline{DE} , \overline{DF} , and \overline{EF} are midsegments of $\triangle ABC$.



The perimeter of quadrilateral *ADEF* is equivalent to


- 1) AB + BC + AC
- $2) \quad \frac{1}{2}AB + \frac{1}{2}AC$
- $\begin{array}{c} 2 \\ 3 \end{array} 2AB + 2AC$
- 4) AB + AC

167 In the diagram below of $\triangle ABC$, *D*, *E*, and *F* are the midpoints of \overline{AB} , \overline{BC} , and \overline{CA} , respectively.



What is the ratio of the area of $\triangle CFE$ to the area of $\triangle CAB$?


- 1) 1:1
- 2) 1:2
- 3) 1:3
- 4) 1:4
- 168 In the diagram of equilateral triangle \underline{ABC} shown below, E and F are the midpoints of \overline{AC} and \overline{BC} , respectively.



If EF = 2x + 8 and AB = 7x - 2, what is the perimeter of trapezoid *ABFE*?

- 1) 36
- 2) 60
- 3) 100
- 4) 120


169 In quadrilateral *ABCD* below, $\overline{AB} \parallel \overline{CD}$, and *E*, *H*, and *F* are the midpoints of \overline{AD} , \overline{AC} , and \overline{BC} , respectively.



If AB = 24, CD = 18, and AH = 10, then *FH* is 1) 9

- 2) 10
- 3) 12
- 4) 21
- 170 The area of $\triangle TAP$ is 36 cm². A second triangle, *JOE*, is formed by connecting the midpoints of each side of $\triangle TAP$. What is the area of *JOE*, in square centimeters?
 - 1) 9
 - 2) 12
 - 3) 18
 - 4) 27
- 171 In $\triangle ABC$, *M* is the midpoint of \overline{AB} and *N* is the midpoint of \overline{AC} . If MN = x + 13 and BC = 5x 1, what is the length of \overline{MN} ?
 - 1) 3.5
 - 2) 9
 - 3) 16.5
 4) 22
 - ,


172 In $\triangle AGL$ below, N and E are the midpoints of \overline{AG} and \overline{AL} , respectively, \overline{NE} is drawn.



If NE = 15 and GL = 3x - 12, determine and state the value of *x*.

<u>G.SRT.B.4: MEDIANS, ALTITUDES AND</u> <u>BISECTORS</u>


173 In triangle MAH below, \overline{MT} is the perpendicular bisector of \overline{AH} .



Which statement is not always true?


- 1) $\triangle MAH$ is isosceles.
- 2) $\triangle MAT$ is isosceles.
- 3) *MT* bisects $\angle AMH$.
- 4) $\angle A$ and $\angle TMH$ are complementary.
- 174 Segment AB is the perpendicular bisector of \overline{CD} at point M. Which statement is always true?
 - 1) $\overline{CB} \cong \overline{DB}$
 - 2) $\overline{CD} \cong \overline{AB}$
 - 3) $\triangle ACD \sim \triangle BCD$
 - 4) $\triangle ACM \sim \triangle BCM$

- 175 In $\triangle ABC$, \overline{BD} is the perpendicular bisector of \overline{ADC} . Based upon this information, which statements below can be proven?
 - I. \overline{BD} is a median.
 - II. *BD* bisects $\angle ABC$.
 - III. $\triangle ABC$ is isosceles.
 - 1) I and II, only
 - 2) I and III, only
 - 3) II and III, only
 - 4) I, II, and III
- 176 In isosceles $\triangle MNP$, line segment *NO* bisects vertex $\angle MNP$, as shown below. If MP = 16, find the length of \overline{MO} and explain your answer.




G.SRT.B.4: CENTROID, ORTHOCENTER, INCENTER & CIRCUMCENTER

177 In the diagram below, $\triangle ABC$ has medians \overline{AX} , \overline{BY} , and \overline{CZ} that intersect at point *P*.




- If AB = 26, AC = 28, and PC = 16, what is the perimeter of $\triangle CZA$?
- 1) 57
- 2) 65
- 3) 70
- 4) 73
- 178 In triangle *SRK* below, medians \overline{SC} , \overline{KE} , and \overline{RL} intersect at *M*.



Which statement must always be true?


- 1) 3(MC) = SC
- $2) \quad MC = \frac{1}{3}(SM)$
- 3) RM = 2MC
- 4) SM = KM

- 179 If the altitudes of a triangle meet at one of the triangle's vertices, then the triangle is
 - 1) a right triangle
 - 2) an acute triangle
 - 3) an obtuse triangle
 - 4) an equilateral triangle
- 180 In the diagram below of isosceles triangle ABC, $\overline{AB} \cong \overline{CB}$ and angle bisectors \overline{AD} , \overline{BF} , and \overline{CE} are drawn and intersect at X.



If $m \angle BAC = 50^\circ$, find $m \angle AXC$.


181 In $\triangle XYZ$, shown below, medians \overline{XE} , \overline{YF} , and \overline{ZD} intersect at C.



If CE = 5, YF = 21, and XZ = 15, determine and state the perimeter of triangle *CFX*.

G.GPE.B.4: TRIANGLES IN THE COORDINATE PLANE

182 On the set of axes below, $\triangle ABC$, altitude \overline{CG} , and median \overline{CM} are drawn.




Which expression represents the area of $\triangle ABC$?

- 1) $\frac{(BC)(AC)}{2}$
- $2) \quad \frac{(GC)(BC)}{2}$
- $3) \quad \frac{(CM)(AB)}{2}$

4)
$$\frac{(GC)(AB)}{2}$$


183 In the diagram below, $\triangle ABC$ has vertices A(4,5), B(2,1), and C(7,3).




What is the slope of the altitude drawn from A to \overline{BC} ?

- 1) $\frac{2}{5}$ 2) $\frac{3}{2}$ 3) $-\frac{1}{2}$ 4) $-\frac{5}{2}$
- 184 The coordinates of the vertices of $\triangle RST$ are R(-2,-3), S(8,2), and T(4,5). Which type of triangle is $\triangle RST$?
 - 1) right
 - 2) acute
 - 3) obtuse
 - 4) equiangular


185 On the set of axes below, $\triangle DEF$ has vertices at the coordinates D(1,-1), E(3,4), and F(4,2), and point *G* has coordinates (3,1). Owen claims the median from point *E* must pass through point *G*. Is Owen correct? Explain why.




186 Triangle *RST* has vertices with coordinates R(-3,-2), S(3,2) and T(4,-4). Determine and state an equation of the line parallel to \overline{RT} that passes through point *S*. [The use of the set of axes below is optional.]




187 Triangle *ABC* has vertices with A(x,3), B(-3,-1), and C(-1,-4). Determine and state a value of x that would make triangle *ABC* a right triangle. Justify why $\triangle ABC$ is a right triangle. [The use of the set of axes below is optional.]




188 A triangle has vertices A(-2,4), B(6,2), and C(1,-1). Prove that $\triangle ABC$ is an isosceles right triangle. [The use of the set of axes below is optional.]




189 Triangle *JOE* has vertices whose coordinates are J(4,6), O(-2,4), and E(6,0). Prove that $\triangle JOE$ is isosceles. Point Y(2,2) is on \overline{OE} . Prove that \overline{JY} is the perpendicular bisector of \overline{OE} . [The use of the set of axes below is optional.]



190 Triangle *ABC* has vertices with coordinates A(-1,-1), B(4,0), and C(0,4). Prove that $\triangle ABC$ is an isosceles triangle but *not* an equilateral triangle. [The use of the set of axes below is optional.]




191 Triangle *PQR* has vertices P(-3,-1), Q(-1,7), and R(3,3), and points *A* and *B* are midpoints of \overline{PQ} and \overline{RQ} , respectively. Use coordinate geometry to prove that \overline{AB} is parallel to \overline{PR} and is half the length of \overline{PR} . [The use of the set of axes below is optional.]




POLYGONS G.CO.C.11: INTERIOR AND EXTERIOR ANGLES OF POLYGONS

192 In the diagram of parallelogram *FRED* shown below, \overline{ED} is extended to *A*, and \overline{AF} is drawn such that $\overline{AF} \cong \overline{DF}$.




If $m \angle R = 124^\circ$, what is $m \angle AFD$?

- 1) 124°
- 2) 112°
- 3) 68°
- 4) 56°
- 193 In the diagram below, *ABCD* is a parallelogram, \overline{AB} is extended through *B* to *E*, and \overline{CE} is drawn.




- If $\overline{CE} \cong \overline{BE}$ and $m \angle D = 112^\circ$, what is $m \angle E$?
- 1) 44°
- 2) 56°
- 3) 68°
- 4) 112°

194 In parallelogram *PQRS*, \overline{QP} is extended to point *T* and \overline{ST} is drawn.



If $\overline{ST} \cong \overline{SP}$ and $m \angle R = 130^\circ$, what is $m \angle PST$? 1) 130°


- 2) 80°
- 3) 65°
- 4) 50°
- 195 In the diagram below of parallelogram *ROCK*, $m \angle C$ is 70° and $m \angle ROS$ is 65°.



What is $m \angle KSO$?


- 1) 45°
- 2) 110°
- 3) 115°
- 4) 135°

196 In parallelogram *ABCD* shown below, \overline{EB} bisects $\angle ABC$.



If $m \angle A = 40^{\circ}$, then $m \angle BED$ is 1) 40° 2) 70° 3) 110° 4) 140°


197 In parallelogram QRST shown below, diagonal \overline{TR} is drawn, U and V are points on \overline{TS} and \overline{QR} , respectively, and \overline{UV} intersects \overline{TR} at W.




If $m \angle S = 60^\circ$, $m \angle SRT = 83^\circ$, and $m \angle TWU = 35^\circ$, what is $m \angle WVQ$?

- 1) 37°
- 2) 60°
- 3) 72°
- 4) 83°

198 In the diagram below of parallelogram *ABCD*, \overline{AFGB} , \overline{CF} bisects $\angle DCB$, \overline{DG} bisects $\angle ADC$, and \overline{CF} and \overline{DG} intersect at *E*.




- If m $\angle B = 75^{\circ}$, then the measure of $\angle EFA$ is
- 1) 142.5°
- 2) 127.5°
- 3) 52.5°
- 4) 37.5°
- 199 In the diagram below of parallelogram *ABCD*, diagonal *BED* and *EF* are drawn, *EF* \perp *DFC*, m \angle DAB = 111°, and m \angle DBC = 39°.



What is $m \angle DEF$?


- 1) 30°
- 2) 51°
- 3) 60°
- 4) 120°

200 In the diagram below, point *E* is located inside square *ABCD* such that $\triangle ABE$ is equilateral, and \overline{CE} is drawn.



What is $m \angle BEC$?


- 1) 30°
- 2) 60°
- 3) 75°
- 4) 90°
- 201 Quadrilateral *EBCF* and \overline{AD} are drawn below, such that *ABCD* is a parallelogram, $\overline{EB} \cong \overline{FB}$, and $\overline{EF} \perp \overline{FH}$.



If $m \angle E = 62^\circ$ and $m \angle C = 51^\circ$, what is $m \angle FHB$?


- 1) 79°
- 2) 76°
- 3) 73°
- 4) 62°

202 The diagram below shows parallelogram *LMNO* with diagonal \overline{LN} , m $\angle M = 118^\circ$, and m $\angle LNO = 22^\circ$.




Explain why m∠NLO is 40 degrees.

203 In parallelogram *ABCD* shown below, $m\angle DAC = 98^{\circ}$ and $m\angle ACD = 36^{\circ}$.




What is the measure of angle *B*? Explain why.

204 In parallelogram *ABCD* shown below, the bisectors of $\angle ABC$ and $\angle DCB$ meet at *E*, a point on \overline{AD} .




If $m \angle A = 68^\circ$, determine and state $m \angle BEC$.

205 Parallelogram *ABCD* is adjacent to rhombus *DEFG*, as shown below, and \overline{FC} intersects \overline{AGD} at *H*.



If $m \angle B = 118^{\circ}$ and $m \angle AHC = 138^{\circ}$, determine and state $m \angle GFH$.

206 Trapezoid *ABCD*, where *AB* $\parallel CD$, is shown below. Diagonals \overline{AC} and \overline{DB} intersect \overline{MN} at *E*, and $\overline{AD} \cong \overline{AE}$.




If $m \angle DAE = 35^\circ$, $m \angle DCE = 25^\circ$, and $m \angle NEC = 30^\circ$, determine and state $m \angle ABD$.

Geometry Regents Exam Questions by State Standard: Topic www.jmap.org


G.CO.C.11: PARALLELOGRAMS

207 In quadrilateral *BLUE* shown below, $BE \cong UL$.



Which information would be sufficient to prove quadrilateral *BLUE* is a parallelogram?


- 1) $BL \parallel EU$
- 2) $LU \parallel BE$
- 3) $\overline{BE} \cong \overline{BL}$
- 4) $\overline{LU} \cong \overline{EU}$
- 208 In the diagram below, lines k and ℓ intersect lines m and n at points A, B, C, and D.



Which statement is sufficient to prove *ABCD* is a parallelogram?


- 1) $\angle 1 \cong \angle 3$
- 2) $\angle 4 \cong \angle 7$
- 3) $\angle 2 \cong \angle 5$ and $\angle 5 \cong \angle 7$
- 4) $\angle 1 \cong \angle 3$ and $\angle 3 \cong \angle 4$

209 In the diagram below, lines ℓ and *m* intersect lines *n* and *p* to create the shaded quadrilateral as shown.



Which congruence statement would be sufficient to prove the quadrilateral is a parallelogram?


- 1) $\angle 1 \cong \angle 6 \text{ and } \angle 9 \cong \angle 14$
- 2) $\angle 5 \cong \angle 10 \text{ and } \angle 6 \cong \angle 9$
- 3) $\angle 5 \cong \angle 7$ and $\angle 10 \cong \angle 15$
- 4) $\angle 6 \cong \angle 9$ and $\angle 9 \cong \angle 11$
- 210 Quadrilateral *ABCD* with diagonals \overline{AC} and \overline{BD} is shown in the diagram below.



Which information is *not* enough to prove *ABCD* is a parallelogram?


- 1) $AB \cong CD$ and $AB \parallel DC$
- 2) $\overline{AB} \cong \overline{CD}$ and $\overline{BC} \cong \overline{DA}$
- 3) $\overline{AB} \cong \overline{CD}$ and $\overline{BC} \parallel \overline{AD}$
- 4) $\overline{AB} \parallel \overline{DC}$ and $\overline{BC} \parallel \overline{AD}$

211 In the diagram below of parallelogram *RSTV*, diagonals \overline{SV} and \overline{RT} intersect at *E*.



Which statement is always true?

- 1) $SR \cong RV$
- 2) $\overline{RT} \cong \overline{SV}$
- 3) $\overline{SE} \cong \overline{RE}$
- 4) $\overline{RE} \cong \overline{TE}$
- 212 Parallelogram *HAND* is drawn below with diagonals \overline{HN} and \overline{AD} intersecting at *S*.



Which statement is always true?

1)
$$AN = \frac{1}{2}AD$$

2) $AS = \frac{1}{2}AD$
2) $(AUS \approx (AUS)$

- 3) $\angle AHS \cong \angle ANS$ 4) $\angle HDS \cong \angle NDS$
- 213 Which statement about parallelograms is always true?
 - 1) The diagonals are congruent.
 - 2) The diagonals bisect each other.
 - 3) The diagonals are perpendicular.
 - 4) The diagonals bisect their respective angles.


- 214 A quadrilateral must be a parallelogram if
 - 1) one pair of sides is parallel and one pair of angles is congruent
 - 2) one pair of sides is congruent and one pair of angles is congruent
 - 3) one pair of sides is both parallel and congruent
 - 4) the diagonals are congruent
- 215 Quadrilateral *ABCD* has diagonals \overline{AC} and \overline{BD} . Which information is *not* sufficient to prove *ABCD* is a parallelogram?
 - 1) AC and BD bisect each other.
 - 2) $\overline{AB} \cong \overline{CD}$ and $\overline{BC} \cong \overline{AD}$
 - 3) $\overline{AB} \cong \overline{CD}$ and $\overline{AB} \parallel \overline{CD}$
 - 4) $\overline{AB} \cong \overline{CD}$ and $\overline{BC} \parallel \overline{AD}$
- 216 Quadrilateral *BEST* has diagonals that intersect at point *D*. Which statement would *not* be sufficient to prove quadrilateral *BEST* is a parallelogram?
 - 1) $BD \cong SD$ and $ED \cong TD$
 - 2) $\overline{BE} \cong \overline{ST}$ and $\overline{ES} \cong \overline{TB}$
 - 3) $\overline{ES} \cong \overline{TB}$ and $\overline{BE} \parallel \overline{TS}$
 - 4) $\overline{ES} \parallel \overline{BT}$ and $\overline{BE} \parallel \overline{TS}$
- 217 In quadrilateral *QRST*, diagonals \overline{QS} and \overline{RT} intersect at *M*. Which statement would always prove quadrilateral *QRST* is a parallelogram?
 - 1) $\angle TQR$ and $\angle QRS$ are supplementary.
 - 2) $\overline{QM} \cong \overline{SM}$ and $\overline{QT} \cong \overline{RS}$
 - 3) $\overline{QR} \cong \overline{TS}$ and $\overline{QT} \cong \overline{RS}$
 - 4) $\overline{QR} \cong \overline{TS}$ and $\overline{QT} \parallel \overline{RS}$
- 218 Quadrilateral *MATH* has both pairs of opposite sides congruent and parallel. Which statement about quadrilateral *MATH* is always true?
 - 1) $\overline{MT} \cong \overline{AH}$
 - 2) $\overline{MT} \perp \overline{AH}$
 - 3) $\angle MHT \cong \angle ATH$
 - 4) $\angle MAT \cong \angle MHT$

Geometry Regents Exam Questions by State Standard: Topic

- 219 In parallelogram *ABCD* with $AC \perp BD$, AC = 12
 - and BD = 16. What is the perimeter of *ABCD*?
 - 1) 10
 - 2) 24
 - 3) 40
 - 4) 56


G.CO.C.11: TRAPEZOIDS

220 In trapezoid ABCD below, $\overline{AB} \parallel \overline{CD}$.



If AE = 5.2, AC = 11.7, and CD = 10.5, what is the length of \overline{AB} , to the *nearest tenth*?

- 1) 4.7
- 2) 6.5
- 3) 8.4
- 4) 13.1
- 221 In the diagram below of isosceles trapezoid *STAR*, diagonals \overline{AS} and \overline{RT} intersect at *O* and $\overline{ST} \parallel \overline{RA}$, with nonparallel sides \overline{SR} and \overline{TA} .




Which pair of triangles are not always similar?

- 1) $\triangle STO$ and $\triangle ARO$
- 2) $\triangle SOR$ and $\triangle TOA$
- 3) $\triangle SRA$ and $\triangle ATS$
- 4) $\triangle SRT$ and $\triangle TAS$

G.CO.C.11: SPECIAL QUADRILATERALS


222 In the diagram below of square CASH, diagonals \overline{AH} and \overline{CS} intersect at Z.



Which statement is true?

- 1) $m\angle ACZ > m\angle ZCH$
- 2) $m\angle ACZ < m\angle ASZ$
- 3) $m\angle AZC = m\angle SHC$
- 4) $m\angle AZC = m\angle ZCH$
- 223 Which information is *not* sufficient to prove that a parallelogram is a square?
 - 1) The diagonals are both congruent and perpendicular.
 - 2) The diagonals are congruent and one pair of adjacent sides are congruent.
 - 3) The diagonals are perpendicular and one pair of adjacent sides are congruent.
 - 4) The diagonals are perpendicular and one pair of adjacent sides are perpendicular.


224 Parallelogram *BETH*, with diagonals \overline{BT} and \overline{HE} , is drawn below.



What additional information is sufficient to prove that *BETH* is a rectangle?

- 1) $\overline{BT} \perp \overline{HE}$
- 2) $\overline{BE} \parallel \overline{HT}$
- 3) $\overline{BT} \cong \overline{HE}$
- 4) $\overline{BE} \cong \overline{ET}$
- 225 If *ABCD* is a parallelogram, which additional information is sufficient to prove that *ABCD* is a rectangle?
 - 1) $\overline{AB} \cong \overline{BC}$
 - 2) $\overline{AB} \parallel \overline{CD}$
 - 3) $\overline{AC} \cong \overline{BD}$
 - 4) $\overline{AC} \perp \overline{BD}$
- 226 In parallelogram *ABCD*, diagonals *AC* and *BD* intersect at *E*. Which statement does *not* prove parallelogram *ABCD* is a rhombus?
 - 1) $\overline{AC} \cong \overline{DB}$
 - 2) $AB \cong BC$
 - 3) $\overline{AC} \perp \overline{DB}$
 - 4) \overline{AC} bisects $\angle DCB$
- 227 A parallelogram must be a rectangle when its
 - 1) diagonals are perpendicular
 - 2) diagonals are congruent
 - 3) opposite sides are parallel
 - 4) opposite sides are congruent

- 228 A parallelogram is always a rectangle if
 - 1) the diagonals are congruent
 - 2) the diagonals bisect each other
 - 3) the diagonals intersect at right angles
 - 4) the opposite angles are congruent
- 229 The diagram below shows parallelogram ABCDwith diagonals \overline{AC} and \overline{BD} intersecting at E.



What additional information is sufficient to prove that parallelogram *ABCD* is also a rhombus?

- 1) \overline{BD} bisects \overline{AC} .
- 2) *AB* is parallel to *CD*.
- 3) \overline{AC} is congruent to \overline{BD} .
- 4) \overline{AC} is perpendicular to \overline{BD} .
- 230 Parallelogram *EATK* has diagonals *ET* and *AK*. Which information is always sufficient to prove *EATK* is a rhombus?
 - 1) $\overline{EA} \perp \overline{AT}$
 - 2) $\overline{EA} \cong \overline{AT}$
 - 3) $\overline{ET} \cong \overline{AK}$
 - 4) $\overline{ET} \cong \overline{AT}$
- 231 Which congruence statement is sufficient to prove parallelogram *MARK* is a rhombus?
 - 1) $\overline{MA} \cong \overline{MK}$
 - 2) $\overline{MA} \cong \overline{KR}$
 - 3) $\angle K \cong \angle A$
 - 4) $\angle R \cong \angle A$

- 232 In parallelogram *ABCD*, diagonals *AC* and *BD* intersect at *E*. Which statement proves *ABCD* is a rectangle?
 - 1) $AC \cong BD$
 - 2) $\overline{AB} \perp \overline{BD}$
 - 3) $\overline{AC} \perp \overline{BD}$
 - 4) AC bisects $\angle BCD$
- 233 If *ABCD* is a parallelogram, which statement would prove that *ABCD* is a rhombus?
 - 1) $\angle ABC \cong \angle CDA$
 - 2) $\overline{AC} \cong \overline{BD}$
 - 3) $\overline{AC} \perp \overline{BD}$
 - 4) $\overline{AB} \perp \overline{CD}$
- 234 A parallelogram must be a rhombus if its diagonals
 - 1) are congruent
 - 2) bisect each other
 - 3) do not bisect its angles
 - 4) are perpendicular to each other
- 235 Which set of statements would describe a parallelogram that can always be classified as a rhombus?


I. Diagonals are perpendicular bisectors of each other.

II. Diagonals bisect the angles from which they are drawn.

III. Diagonals form four congruent isosceles right triangles.


- 1) I and II
- 2) I and III
- 3) II and III
- 4) I, II, and III

236 In rhombus *TIGE*, diagonals \overline{TG} and \overline{IE} intersect at *R*. The perimeter of *TIGE* is 68, and TG = 16.




What is the length of diagonal \overline{IE} ?

- 1) 15
- 2) 30
- 3) 34
- 4) 52
- 237 In rhombus *VENU*, diagonals \overline{VN} and \overline{EU} intersect at *S*. If VN = 12 and EU = 16, what is the perimeter of the rhombus?
 - 1) 80
 - 2) 40
 - 3) 20
 - 4) 10
- 238 In the diagram of rhombus *PQRS* below, the diagonals \overline{PR} and \overline{QS} intersect at point *T*, PR = 16, and QS = 30. Determine and state the perimeter of *PQRS*.




239 In the diagram below, if $\triangle ABE \cong \triangle CDF$ and \overline{AEFC} is drawn, then it could be proven that quadrilateral *ABCD* is a



- 1) square
- 2) rhombus
- 3) rectangle
- 4) parallelogram
- 240 A quadrilateral has diagonals that are perpendicular but *not* congruent. This quadrilateral could be
 - 1) a square
 - 2) a rhombus
 - 3) a rectangle
 - 4) an isosceles trapezoid
- 241 Which polygon does *not* always have congruent diagonals?
 - 1) square
 - 2) rectangle
 - 3) rhombus
 - 4) isosceles trapezoid
- 242 Which quadrilateral has diagonals that are always perpendicular?
 - 1) rectangle
 - 2) rhombus
 - 3) trapezoid
 - 4) parallelogram

G.GPE.B.4: QUADRILATERALS IN THE COORDINATE PLANE

243 On the set of axes below, the coordinates of three vertices of trapezoid *ABCD* are A(2, 1), B(5, 4), and D(-2, 3).



Which point could be vertex *C*?


- 1) (1,5)
- 2) (4,10)
- 3) (-1,6)
- 4) (-3,8)
- 244 A quadrilateral has vertices with coordinates (-3, 1), (0, 3), (5, 2),and (-1, -2). Which type of quadrilateral is this?
 - 1) rhombus
 - 2) rectangle
 - 3) square
 - 4) trapezoid
- 245 The coordinates of the vertices of parallelogram *CDEH* are *C*(-5,5), *D*(2,5), *E*(-1,-1), and *H*(-8,-1). What are the coordinates of *P*, the point of intersection of diagonals \overline{CE} and \overline{DH} ? 1) (-2,3)
 - 2) (-2,2)
 - 3) (-3,2)
 - 4) (-3, -2)

- 246 Rectangle *ABCD* has two vertices at coordinates A(-1,-3) and B(6,5). The slope of \overline{BC} is
 - 1) $-\frac{7}{8}$ 2) $\frac{7}{8}$ 3) $-\frac{8}{7}$ 4) $\frac{8}{7}$
- 247 Parallelogram *ABCD* has coordinates A(0,7) and C(2,1). Which statement would prove that *ABCD* is a rhombus?
 - 1) The midpoint of \overline{AC} is (1,4).
 - 2) The length of \overline{BD} is $\sqrt{40}$.
 - 3) The slope of \overline{BD} is $\frac{1}{3}$.


4) The slope of
$$\overline{AB}$$
 is $\frac{1}{3}$.

- 248 The diagonals of rhombus *TEAM* intersect at P(2,1). If the equation of the line that contains diagonal \overline{TA} is y = -x + 3, what is the equation of a line that contains diagonal *EM*?
 - 1) y = x 1
 - 2) y = x 3
 - 3) y = -x 1
 - 4) y = -x 3


249 In square *GEOM*, the coordinates of *G* are (2,-2) and the coordinates of *O* are (-4,2). Determine and state the coordinates of vertices *E* and *M*. [The use of the set of axes below is optional.]




250 The coordinates of the vertices of quadrilateral *HYPE* are *H*(-3,6), *Y*(2,9), *P*(8,-1), and *E*(3,-4).
Prove *HYPE* is a rectangle. [The use of the set of axes below is optional.]




251 Quadrilateral *NATS* has coordinates N(-4, -3), A(1,2), T(8,1), and S(3,-4). Prove quadrilateral *NATS* is a rhombus. [The use of the set of axes below is optional.]




252 Parallelogram *MATH* has vertices M(-7,-2), A(0,4), T(9,2), and H(2,-4). Prove that parallelogram *MATH* is a rhombus. [The use of the set of axes below is optional.] Determine and state the area of *MATH*.




253 Quadrilateral *PQRS* has vertices P(-2,3), Q(3,8), R(4,1), and S(-1,-4). Prove that *PQRS* is a rhombus. Prove that *PQRS* is *not* a square. [The use of the set of axes below is optional.]




254 The coordinates of the vertices of quadrilateral *ABCD* are A(0,4), B(3,8), C(8,3), and D(5,-1). Prove that *ABCD* is a parallelogram, but not a rectangle. [The use of the set of axes below is optional.]




255 The vertices of quadrilateral *MATH* have coordinates M(-4,2), A(-1,-3), T(9,3), and H(6,8). Prove that quadrilateral *MATH* is a parallelogram. Prove that quadrilateral *MATH* is a rectangle. [The use of the set of axes below is optional.]




256 Riley plotted A(-1,6), B(3,8), C(6,-1), and D(1,0) to form a quadrilateral. Prove that Riley's quadrilateral *ABCD* is a trapezoid. [The use of the set of axes below is optional.] Riley defines an isosceles trapezoid as a trapezoid with congruent diagonals. Use Riley's definition to prove that *ABCD* is *not* an isosceles trapezoid.




257 Quadrilateral *ABCD* has vertices with coordinates A(-3,6), B(6,3), C(6,-2), and D(-6,2). Joe defines an isosceles trapezoid as a trapezoid with congruent diagonals. Use Joe's definition to prove *ABCD* is an isosceles trapezoid. [The use of the set of axes below is optional.]




258 Quadrilateral *MATH* has vertices with coordinates M(-1,7), A(3,5), T(2,-7), and H(-6,-3). Prove that quadrilateral *MATH* is a trapezoid. State the coordinates of point *Y* such that point *A* is the midpoint of \overline{MY} . Prove that quadrilateral *MYTH* is a rectangle. [The use of the set of axes below is optional.]




259 In the coordinate plane, the vertices of $\triangle RST$ are R(6,-1), S(1,-4), and T(-5,6). Prove that $\triangle RST$ is a right triangle. State the coordinates of point *P* such that quadrilateral *RSTP* is a rectangle. Prove that your quadrilateral *RSTP* is a rectangle. [The use of the set of axes below is optional.]




260 In the coordinate plane, the vertices of triangle *PAT* are P(-1, -6), A(-4, 5), and T(5, -2). Prove that $\triangle PAT$ is an isosceles triangle. State the coordinates of *R* so that quadrilateral *PART* is a parallelogram. Prove that quadrilateral *PART* is a parallelogram. [The use of the set of axes below is optional.]




261 The coordinates of the vertices of $\triangle ABC$ are A(1,2), B(-5,3), and C(-6,-3). Prove that $\triangle ABC$ is isosceles. State the coordinates of point *D* such that quadrilateral *ABCD* is a square. Prove that your quadrilateral *ABCD* is a square. [The use of the set of axes below is optional.]




262 The coordinates of the vertices of $\triangle ABC$ are A(-2,4), B(-7,-1), and C(-3,-3). Prove that $\triangle ABC$ is isosceles. State the coordinates of $\triangle A'B'C'$, the image of $\triangle ABC$, after a translation 5 units to the right and 5 units down. Prove that quadrilateral AA'C'C is a rhombus. [The use of the set of axes below is optional.]



263 Given: Triangle *DUC* with coordinates D(-3,-1), U(-1,8), and C(8,6)Prove: ΔDUC is a right triangle Point *U* is reflected over \overline{DC} to locate its image point, *U'*, forming quadrilateral *DUCU'*. Prove quadrilateral *DUCU'* is a square. [The use of the set of axes below is optional.]




264 In rhombus *MATH*, the coordinates of the endpoints of the diagonal \overline{MT} are M(0,-1) and T(4,6). Write an equation of the line that contains diagonal \overline{AH} . [Use of the set of axes below is optional.] Using the given information, explain how you know that your line contains diagonal \overline{AH} .



G.C.A.2: CHORDS, SECANTS AND TANGENTS


265 In the diagram below of circle *O*, chord \overline{DF} bisects chord \overline{BC} at *E*.



If BC = 12 and FE is 5 more than DE, then FE is


- 1) 13
- 2) 9
- 3) 6
- 4) 4

266 In the diagram below of circle *O*, chords \overline{JT} and \overline{ER} intersect at *M*.



If EM = 8 and RM = 15, the lengths of JM and \overline{TM} could be


- 1) 12 and 9.5
- 2) 14 and 8.5
- 3) 16 and 7.5
- 4) 18 and 6.5
- 267 In the diagram below, chords \overline{PQ} and \overline{RS} of circle *O* intersect at *T*.



Which relationship must always be true?

- 1) RT = TQ
- 2) RT = TS
- $3) \quad RT + TS = PT + TQ$
- 4) $RT \times TS = PT \times TQ$

268 A circle centered at the origin passes through A(-3,4).



What is the equation of the line tangent to the circle at *A*?


1)
$$y-4 = \frac{4}{3}(x+3)$$


2) $y-4 = \frac{3}{4}(x+3)$

3)
$$y+4 = \frac{4}{3}(x-3)$$


4)
$$y+4 = \frac{3}{4}(x-3)$$

269 In the figure shown below, quadrilateral *TAEO* is circumscribed around circle *D*. The midpoint of \overline{TA} is *R*, and $\overline{HO} \cong \overline{PE}$.






- 1) 56
- 2) 64
- 3) 72
- 4) 76
- 270 In the diagram shown below, \overline{AC} is tangent to circle *O* at *A* and to circle *P* at *C*, \overline{OP} intersects \overline{AC} at *B*, OA = 4, AB = 5, and PC = 10.




What is the length of \overline{BC} ?

- 1) 6.4
- 2) 8
- 3) 12.5
- 4) 16

271 Lines *AE* and *BD* are tangent to circles *O* and *P* at *A*, *E*, *B*, and *D*, as shown in the diagram below. If AC:CE = 5:3, and BD = 56, determine and state the length of \overline{CD} .




- 272 In circle *O*, secants *ADB* and *AEC* are drawn from external point *A* such that points *D*, *B*, *E*, and *C* are on circle *O*. If AD = 8, AE = 6, and *EC* is 12 more than *BD*, the length of \overline{BD} is
 - 1) 6
 - 2) 22
 - 3) 36
 - 4) 48
- 273 In the circle below, secants \overline{TSR} and \overline{TMH} intersect at T, SR = 5, HM = 9, TM = 3, and TS = x.



Which equation could be used to find the value of x?


- 1) x(x+5) = 36
- 2) x(x+5) = 27
- 3) 3x = 45
- 4) 5x = 27

274 In the diagram below, secants *RST* and *RQP*, drawn from point *R*, intersect circle *O* at *S*, *T*, *Q*, and *P*.




If RS = 6, ST = 4, and RP = 15, what is the length of \overline{RQ} ?

275 In the diagram shown below, \overline{PA} is tangent to circle T at A, and secant \overline{PBC} is drawn where point B is on circle T.




- If PB = 3 and BC = 15, what is the length of \overline{PA} ? 1) $3\sqrt{5}$ 2) $3\sqrt{6}$ 3) 3
- 3) 3
 4) 9

276 Circle *O* is drawn below with secant \overline{BCD} . The length of tangent \overline{AD} is 24.




If the ratio of DC:CB is 4:5, what is the length of \overline{CB} ?

- 1) 36
- 2) 20
- 3) 16
- 4) 4
- 277 In the diagram below of circle O, secant \overline{ABC} and tangent \overline{AD} are drawn.




If CA = 12.5 and CB = 4.5, determine and state the length of \overline{DA} .

278 In circle *P* below, tangent \overline{AL} and secant \overline{AKE} are drawn.



If AK = 12 and KE = 36, determine and state the length of \overline{AL} .

279 In the diagram below of circle *O*, chord \overline{CD} is parallel to diameter \overline{AOB} and $\widehat{mCD} = 130$.




AC?

1)	25
\mathbf{a}	7 0

- 3) 65
- 4) 115


Geometry Regents Exam Questions by State Standard: Topic www.jmap.org

280 In the diagram below of circle O with diameter \overline{BC} and radius \overline{OA} , chord \overline{DC} is parallel to chord \overline{BA} .



If $m \angle BCD = 30^\circ$, determine and state $m \angle AOB$.


281 In the diagram below of circle O, chords \overline{AB} and \overline{CD} intersect at E.



If $\widehat{\text{mAC}} = 72^\circ$ and $\underline{\text{m}} \angle AEC = 58^\circ$, how many degrees are in \widehat{mDB} ?


- 108°
- 1)
- 2) 65°
- 3) 44°
- 4) 14°

282 In the diagram below of circle *P*, diameter \overline{MD} and chord AL intersect at Q, $m \angle AQD = 46^\circ$, and $\widehat{mLD} = 124^{\circ}$.



What is \widehat{mAD} ?


- 36° 1)
- 2) 46°
- 3) 51°
- 4) 92°
- 283 In circle A below, chord \overline{BC} and diameter \overline{DAE} intersect at F.



If $\widehat{mCD} = 46^\circ$ and $\widehat{mDB} = 102^\circ$, what is $m \angle CFE$?


Geometry Regents Exam Questions by State Standard: Topic www.jmap.org

284 In the diagram below, \overline{DC} , \overline{AC} , \overline{DOB} , \overline{CB} , and \overline{AB} are chords of circle O, \overrightarrow{FDE} is tangent at point D, and radius AO is drawn. Sam decides to apply this theorem to the diagram: "An angle inscribed in a semi-circle is a right angle."



Which angle is Sam referring to?


- $\angle AOB$ 1)
- 2) ∠BAC
- 3) $\angle DCB$
- 4) $\angle FDB$
- 285 In the diagram below, $\widehat{mABC} = 268^{\circ}$.




What is the number of degrees in the measure of $\angle ABC?$


- 134° 1)
- 92° 2)
- 3) 68°
- 46° 4)

286 In the diagram below of Circle O, diameter AOB and chord *CB* are drawn, and $m \angle B = 28^{\circ}$.






- 1) 56°
- 124° 2)
- 3) 152°
- 4) 166°
- 287 In the diagram of circle A shown below, chords CD and \overline{EF} intersect at G, and chords \overline{CE} and \overline{FD} are drawn.



Which statement is not always true?


- $CG \cong FG$ 1)
- $\angle CEG \cong \angle FDG$ 2)
- $\frac{CE}{EG} = \frac{FD}{DG}$ 3)
- $\triangle CEG \sim \triangle FDG$ 4)

288 In the diagram below of circle O, \overline{OB} and \overline{OC} are radii, and chords \overline{AB} , \overline{BC} , and \overline{AC} are drawn.



Which statement must always be true?


- 1) $\angle BAC \cong \angle BOC$
- 2) $m \angle BAC = \frac{1}{2} m \angle BOC$
- 3) $\triangle BAC$ and $\triangle BOC$ are isosceles.
- 4) The area of $\triangle BAC$ is twice the area of $\triangle BOC$.
- 289 In the diagram below, \overline{BC} is the diameter of circle A.



Point *D*, which is unique from points *B* and *C*, is plotted on circle *A*. Which statement must always be true?


- 1) $\triangle BCD$ is a right triangle.
- 2) $\triangle BCD$ is an isosceles triangle.
- 3) $\triangle BAD$ and $\triangle CBD$ are similar triangles.
- 4) $\triangle BAD$ and $\triangle CAD$ are congruent triangles.

290 In circle *M* below, diameter \overline{AC} , chords \overline{AB} and \overline{BC} , and radius \overline{MB} are drawn.



Which statement is not true?

- 1) $\triangle ABC$ is a right triangle.
- 2) $\triangle ABM$ is isosceles.
- 3) $\widehat{\mathrm{mBC}} = \mathrm{m}\angle BMC$
- 4) $\widehat{\mathbf{mAB}} = \frac{1}{2} \mathbf{m} \angle ACB$
- 291 In the diagram below of circle *O*, points *K*, *A*, *T*, *I*, and *E* are on the circle, $\triangle KAE$ and $\triangle ITE$ are drawn, $\overline{KE} \cong \overline{EI}$, and $\angle EKA \cong \angle EIT$.




Which statement about $\triangle KAE$ and $\triangle ITE$ is always true?

- 1) They are neither congruent nor similar.
- 2) They are similar but not congruent.
- 3) They are right triangles.
- 4) They are congruent.


Geometry Regents Exam Questions by State Standard: Topic www.jmap.org

292 In the diagram below of circle O, chords \overline{AD} and BC intersect at E, and chords AB and CD are drawn.



Which statement must always be true?


- $AB \cong CD$ 1)
- $\overline{AD} \cong \overline{BC}$ 2)
- $\angle B \cong \angle C$ 3)
- $\angle A \cong \angle C$ 4)
- 293 In circle O below, chords \overline{CT} and \overline{BN} intersect at point A. Chords \overline{CB} and \overline{NT} are drawn.



Which statement is always true?

- $\frac{NT}{TA} = \frac{CB}{BA}$ 1)
- $\angle BAC \cong \angle ATN$ 2)
- NA TA 3) $=\frac{1}{AC}$
- \overline{AB}
- $\angle BCA \cong \angle NTA$ 4)


- 294 In circle O two secants, \overline{ABP} and \overline{CDP} , are drawn to external point *P*. If $\widehat{mAC} = 72^\circ$, and $\widehat{\text{mBD}} = 34^\circ$, what is the measure of $\angle P$? 1) 19°
 - 2) 38°
 - 53° 3)
 - 106° 4)
- 295 In the diagram below of circle O, secants \overline{CFD} and CHE are drawn from external point C.



If $\widehat{mDE} = 136^\circ$ and $m \angle C = 44^\circ$, then \widehat{mFH} is


- 1) 46°
- 48° 2)
- 68° 3)
- 88° 4)

296 As shown in the diagram below, secants \overrightarrow{PWR} and \overrightarrow{PTS} are drawn to circle O from external point P.




If $m \angle RPS = 35^{\circ}$ and $\widehat{mRS} = 121^{\circ}$, determine and state \widehat{mWT} .

- 297 Diameter \overline{ROQ} of circle *O* is extended through *Q* to point *P*, and tangent \overline{PA} is drawn. If $\widehat{mRA} = 100^\circ$, what is $m \angle P$? 1) 10° 2) 20° 3) 40°
 - 4) 50°
- 298 In the diagram below, tangent \overline{DA} and secant \overline{DBC} are drawn to circle *O* from external point *D*, such that $\widehat{AC} \cong \widehat{BC}$.




If $\widehat{\text{mBC}} = 152^\circ$, determine and state $\mathbb{m} \angle D$.

299 In the diagram below of circle K, secant \overline{PLKE} and tangent \overline{PZ} are drawn from external point P.



If $\widehat{\text{mLZ}} = 56^\circ$, determine and state the degree measure of angle *P*.


300 In the circle below, \overline{AD} , \overline{AC} , \overline{BC} , and \overline{DC} are chords, \overrightarrow{EDF} is tangent at point *D*, and $\overline{AD} \parallel \overline{BC}$.



Which statement is always true?

- 1) $\angle ADE \cong \angle CAD$
- 2) $\angle CDF \cong \angle ACB$
- 3) $\angle BCA \cong \angle DCA$
- 4) $\angle ADC \cong \angle ADE$

301 In circle *O* shown below, diameter \overline{AC} is perpendicular to \overline{CD} at point *C*, and chords \overline{AB} , \overline{BC} , \overline{AE} , and \overline{CE} are drawn.



Which statement is not always true?

- 1) $\angle ACB \cong \angle BCD$
- 2) $\angle ABC \cong \angle ACD$
- 3) $\angle BAC \cong \angle DCB$
- 4) $\angle CBA \cong \angle AEC$

G.GPE.A.1: EQUATIONS OF CIRCLES

302 Kevin's work for deriving the equation of a circle is shown below.

$$x^{2} + 4x = -(y^{2} - 20)$$

STEP 1 $x^{2} + 4x = -y^{2} + 20$
STEP 2 $x^{2} + 4x + 4 = -y^{2} + 20 - 4$
STEP 3 $(x + 2)^{2} = -y^{2} + 20 - 4$
STEP 4 $(x + 2)^{2} + y^{2} = 16$

In which step did he make an error in his work?


- 1) Step 1
- 2) Step 2
- 3) Step 3
- 4) Step 4
- 303 If $x^2 + 4x + y^2 6y 12 = 0$ is the equation of a circle, the length of the radius is
 - 1) 25
 - 2) 16
 - 3) 5
 - 4) 4

- 304 What is the length of the radius of the circle whose equation is $x^2 + y^2 2x + 4y 5 = 0$?
 - 1) $\sqrt{5}$
 - 2) $\sqrt{10}$
 - 3) 5
 - 4) 10
- 305 The equation of a circle is $x^2 + y^2 + 6y = 7$. What are the coordinates of the center and the length of the radius of the circle?
 - 1) center (0,3) and radius 4
 - 2) center (0,-3) and radius 4
 - 3) center (0,3) and radius 16
 - 4) center (0, -3) and radius 16
- 306 What are the coordinates of the center and length of the radius of the circle whose equation is
 - $x^2 + 6x + y^2 4y = 23?$
 - 1) (3,-2) and 36
 - 2) (3,-2) and 6
 - 3) (-3,2) and 36
 - 4) (-3,2) and 6
- 307 What are the coordinates of the center and the length of the radius of the circle represented by the equation $x^2 + y^2 4x + 8y + 11 = 0$?
 - 1) center (2, -4) and radius 3
 - 2) center (-2,4) and radius 3
 - 3) center (2, -4) and radius 9
 - 4) center (-2, 4) and radius 9
- 308 The equation of a circle is $x^2 + y^2 6y + 1 = 0$. What are the coordinates of the center and the length of the radius of this circle?
 - 1) center (0,3) and radius = $2\sqrt{2}$
 - 2) center (0,-3) and radius = $2\sqrt{2}$
 - 3) center (0,6) and radius = $\sqrt{35}$
 - 4) center (0,-6) and radius = $\sqrt{35}$

- 309 The equation of a circle is $x^2 + y^2 12y + 20 = 0$. What are the coordinates of the center and the length of the radius of the circle?
 - 1) center (0,6) and radius 4
 - 2) center (0,-6) and radius 4
 - 3) center (0,6) and radius 16
 - 4) center (0,-6) and radius 16
- 310 The equation of a circle is $x^2 + y^2 6x + 2y = 6$. What are the coordinates of the center and the length of the radius of the circle?
 - 1) center (-3, 1) and radius 4
 - 2) center (3,-1) and radius 4
 - 3) center (-3, 1) and radius 16
 - 4) center (3,-1) and radius 16
- 311 The equation of a circle is $x^2 + 8x + y^2 12y = 144$. What are the coordinates of the center and the length of the radius of the circle?
 - 1) center (4, -6) and radius 12
 - 2) center (-4, 6) and radius 12
 - 3) center (4,-6) and radius 14
 - 4) center (-4, 6) and radius 14
- 312 What are the coordinates of the center and the length of the radius of the circle whose equation is $x^2 + y^2 = 8x - 6y + 39$?
 - 1) center (-4,3) and radius 64
 - 2) center (4, -3) and radius 64
 - 3) center (-4,3) and radius 8
 - 4) center (4, -3) and radius 8
- 313 What are the coordinates of the center and the length of the radius of the circle whose equation is $x^2 + y^2 12y 20.25 = 0$?
 - 1) center (0,6) and radius 7.5
 - 2) center (0,-6) and radius 7.5
 - 3) center (0, 12) and radius 4.5
 - 4) center (0, -12) and radius 4.5

- 314 What are the coordinates of the center and length of the radius of the circle whose equation is $x^{2} + y^{2} + 2x - 16y + 49 = 0$?
 - 1) center (1, -8) and radius 4
 - 2) center (-1, 8) and radius 4
 - 3) center (1, -8) and radius 16
 - 4) center (-1, 8) and radius 16
- 315 An equation of circle *M* is $x^2 + y^2 + 6x 2y + 1 = 0$. What are the coordinates of the center and the length of the radius of circle *M*?
 - 1) center (3,-1) and radius 9
 - 2) center (3,-1) and radius 3
 - 3) center (-3, 1) and radius 9
 - 4) center (-3, 1) and radius 3
- 316 The equation of a circle is $x^2 + y^2 + 12x = -27$. What are the coordinates of the center and the length of the radius of the circle?
 - 1) center (6,0) and radius 3
 - 2) center (6,0) and radius 9
 - 3) center (-6,0) and radius 3
 - 4) center (-6,0) and radius 9
- 317 An equation of circle *O* is $x^2 + y^2 + 4x 8y = -16$. The statement that best describes circle *O* is the
 - 1) center is (2,-4) and is tangent to the *x*-axis
 - 2) center is (2,-4) and is tangent to the y-axis
 - 3) center is (-2,4) and is tangent to the x-axis
 - 4) center is (-2, 4) and is tangent to the y-axis
- 318 Determine and state the coordinates of the center and the length of the radius of a circle whose equation is $x^2 + y^2 - 6x = 56 - 8y$.
- 319 Determine and state the coordinates of the center and the length of the radius of the circle whose equation is $x^2 + y^2 + 6x = 6y + 63$.


- 320 Determine and state the coordinates of the center and the length of the radius of the circle represented by the equation $x^{2} + 16x + y^{2} + 12y - 44 = 0.$
- 321 The equation of a circle is $x^2 + y^2 + 8x 6y + 7 = 0$. Determine and state the coordinates of the, center and the length of the radius of the circle.
- 322 What is an equation of a circle whose center is (1,4) and diameter is 10?
 - 1) $x^2 2x + y^2 8y = 8$
 - 2) $x^2 + 2x + y^2 + 8y = 8$
 - 3) $x^2 2x + y^2 8y = 83$
 - 4) $x^2 + 2x + y^2 + 8y = 83$
- 323 Circle *P* with center at (3,2) and passing through A(0,6) is graphed on the set of axes below.




An equation of circle *P* is

- 1) $(x+3)^2 + (y+2)^2 = 5$
- 2) $(x+3)^2 + (y+2)^2 = 25$
- 3) $(x-3)^2 + (y-2)^2 = 5$
- 4) $(x-3)^2 + (y-2)^2 = 25$

324 What is an equation of circle *O* shown in the graph below?



- 1) $x^2 + 10x + y^2 + 4y = -13$
- 2) $x^2 10x + y^2 4y = -13$
- 3) $x^2 + 10x + y^2 + 4y = -25$
- 4) $x^2 10x + y^2 4y = -25$
- 325 The graph below shows \overline{AB} , which is a chord of circle *O*. The coordinates of the endpoints of \overline{AB} are A(3,3) and B(3,-7). The distance from the midpoint of \overline{AB} to the center of circle *O* is 2 units.



What could be a correct equation for circle O?

- 1) $(x-1)^2 + (y+2)^2 = 29$
- 2) $(x+5)^2 + (y-2)^2 = 29$ 3) $(x-1)^2 + (y-2)^2 = 25$
- (x-1) + (y-2) = 23
- 4) $(x-5)^2 + (y+2)^2 = 25$


- 326 What is an equation of a circle whose center is at (2,-4) and is tangent to the line x = -2?
 - 1) $(x-2)^2 + (y+4)^2 = 4$
 - 2) $(x-2)^2 + (y+4)^2 = 16$
 - 3) $(x+2)^2 + (y-4)^2 = 4$
 - 4) $(x+2)^2 + (y-4)^2 = 16$

G.GPE.B.4: CIRCLES IN THE COORDINATE PLANE

- 327 The center of circle Q has coordinates (3, -2). If circle Q passes through R(7, 1), what is the length of its diameter?
 - 1) 50
 - 2) 25
 - 3) 10
 - 4) 5
- 328 A circle whose center is the origin passes through the point (-5, 12). Which point also lies on this circle?
 - 1) (10,3)
 - 2) (-12,13)
 - 3) $(11, 2\sqrt{12})$
 - 4) $(-8, 5\sqrt{21})$
- 329 A circle has a center at (1,-2) and radius of 4. Does the point (3.4, 1.2) lie on the circle? Justify your answer.

MEASURING IN THE PLANE AND SPACE G.MG.A.3: AREA OF POLYGONS


330 The surface of the roof of a house is modeled by two congruent rectangles with dimensions 40 feet by 16 feet, as shown below.



Roofing shingles are sold in bundles. Each bundle covers $33\frac{1}{3}$ square feet. What is the minimum number of bundles that must be purchased to completely cover both rectangular sides of the roof?

- 1) 20
- 2) 2
- 3) 39
- 4) 4
- 331 A farmer has 64 feet of fence to enclose a rectangular vegetable garden. Which dimensions would result in the biggest area for this garden?
 - 1) the length and the width are equal
 - 2) the length is 2 more than the width
 - 3) the length is 4 more than the width
 - 4) the length is 6 more than the width

332 Keira has a square poster that she is framing and placing on her wall. The poster has a diagonal 58 cm long and fits exactly inside the frame. The width of the frame around the picture is 4 cm.



Determine and state the total area of the poster and frame to the *nearest tenth of a square centimeter*.


G.MG.A.3: SURFACE AREA

- 333 A gallon of paint will cover approximately 450 square feet. An artist wants to paint all the outside surfaces of a cube measuring 12 feet on each edge. What is the *least* number of gallons of paint he must buy to paint the cube?
 - 1) 1
 - 2) 2
 - 3) 3
 - 4) 4

G.GPE.B.7: POLYGONS IN THE COORDINATE PLANE


- 334 The vertices of square *RSTV* have coordinates R(-1,5), S(-3,1), T(-7,3), and V(-5,7). What is the perimeter of *RSTV*?
 - 1) $\sqrt{20}$
 - 2) $\sqrt{40}$
 - 3) $4\sqrt{20}$
 - 4) $4\sqrt{40}$

- 335 Rhombus *STAR* has vertices *S*(-1,2), *T*(2,3), *A*(3,0), and *R*(0,-1). What is the perimeter of rhombus *STAR*?
 1) √34
 2) 4√34
 3) √10
 - 4) $4\sqrt{10}$
- 336 The endpoints of one side of a regular pentagon are (-1,4) and (2,3). What is the perimeter of the pentagon?
 - 1) $\sqrt{10}$
 - 2) $5\sqrt{10}$
 - 3) $5\sqrt{2}$
 - 4) $25\sqrt{2}$
- 337 Hexagon *ABCDEF* with coordinates at A(0,6), B(3,3), C(3,1), D(0,-2), E(-3,1), and F(-3,3) is graphed on the set of axes below.




Determine and state the perimeter of *ABCDEF* in simplest radical form.

338 On the set of axes below, the vertices of $\triangle PQR$ have coordinates *P*(-6,7), *Q*(2,1), and *R*(-1,-3).



What is the area of $\triangle PQR$?


- 1) 10
- 2) 20
- 3) 25
- 4) 50
- 339 On the set of axes below, $\triangle BLU$ has vertices with coordinates B(-3,-2), L(-2,5), and U(1,1).



What is the area of $\triangle BLU$?


- 1) 11
- 2) 12.5
- 3) 14
- 4) 17.1

340 Triangle *RST* is graphed on the set of axes below.



How many square units are in the area of $\triangle RST$?


- 1) $9\sqrt{3} + 15$
- 2) $9\sqrt{5} + 15$
- 3) 45
- 4) 90
- 341 Triangle *DAN* is graphed on the set of axes below. The vertices of $\triangle DAN$ have coordinates D(-6,-1), A(6,3), and N(-3,10).



What is the area of $\triangle DAN$?

- 1) 60
- 2) 120
- 3) 20\sqrt{13}
- 4) $40\sqrt{13}$


342 On the set of axes below, rectangle *WIND* has vertices with coordinates W(-4, 2), I(4, 0), N(3, -4), and D(-5, -2).



What is the area of rectangle WIND?

- 1) 17
- 2) 31
- 3) 32
- 4) 34


343 On the set of axes below, rhombus *ABCD* has vertices whose coordinates are A(1,2), B(4,6), C(7,2), and D(4,-2).



What is the area of rhombus *ABCD*?


- 1) 20
- 2) 24
- 3) 25
- 4) 48
- 344 The coordinates of vertices *A* and *B* of $\triangle ABC$ are *A*(3,4) and *B*(3,12). If the area of $\triangle ABC$ is 24 square units, what could be the coordinates of point *C*?
 - 1) (3,6)
 - 2) (8,-3)
 - 3) (-3,8)
 - 4) (6,3)

345 Triangle *ABC* with coordinates A(-2,5), B(4,2), and C(-8,-1) is graphed on the set of axes below.




Determine and state the area of $\triangle ABC$.

346 On the set of axes below, $\triangle ABC$ is drawn with vertices that have coordinates A(2,-3), B(4,5), and C(-5,1).




Determine and state the area of $\triangle ABC$.


347 The vertices of $\triangle ABC$ have coordinates A(-2,-1), B(10,-1), and C(4,4). Determine and state the area of $\triangle ABC$. [The use of the set of axes below is optional.]



348 Determine and state the area of triangle *PQR*, whose vertices have coordinates P(-2, -5), Q(3,5), and R(6,1). [The use of the set of axes below is optional.]




349 Triangle *MAX* has vertices with coordinates M(-5,-2), A(1,4), and X(4,1). Determine and state the area of $\triangle MAX$. [The use of the set of axes below is optional.]



G.GMD.A.1: CIRCUMFERENCE

350 A circle with a radius of 5 was divided into 24 congruent sectors. The sectors were then rearranged, as shown in the diagram below.



To the *nearest integer*, the value of *x* is


- 1) 31
- 2) 16
- 3) 12
- 4) 10

Geometry Regents Exam Questions by State Standard: Topic www.jmap.org

- 351 A designer needs to create perfectly circular necklaces. The necklaces each need to have a radius of 10 cm. What is the largest number of necklaces that can be made from 1000 cm of wire?
 - 1) 15
 - 2) 16
 - 3) 31
 - 4) 32

G.MG.A.3: COMPOSITIONS OF POLYGONS AND CIRCLES


352 Francisco needs the three pieces of glass shown below to complete a stained glass window. The shapes, two triangles and a trapezoid, are measured in inches.



Glass can be purchased in rectangular sheets that are 12 inches wide. What is the minimum length of a sheet of glass, in inches, that Francisco must purchase in order to have enough to complete the window?

- 1) 20 3) 29 34
- 2) 25 4)


353 A countertop for a kitchen is modeled with the dimensions shown below. An 18-inch by 21-inch rectangle will be removed for the installation of the sink.



What is the area of the top of the installed countertop, to the *nearest square foot*?

1)	26	3)	22


- 2) 23 4) 19
- 354 A walking path at a local park is modeled on the grid below, where the length of each grid square is 10 feet. The town needs to submit paperwork to pave the walking path. Determine and state, to the *nearest square foot*, the area of the walking path.



355 A man is spray-painting the tops of 10 patio tables. Five tables have round tops, with diameters of 4 feet, and five tables have rectangular tops, with dimensions of 4 feet by 6 feet. A can of spray paint covers 25 square feet. How many cans of spray paint must be purchased to paint all of the tabletops?

G.C.B.5: ARC LENGTH


356 The diagram below shows circle O with radii OA and \overline{OB} . The measure of angle AOB is 120°, and the length of a radius is 6 inches.



Which expression represents the length of arc *AB*, in inches?

- 1) $\frac{120}{360}(6\pi)$
- 2) 120(6)
- 3) $\frac{1}{3}(36\pi)$
- 4) $\frac{1}{3}(12\pi)$
- 357 A circle has a radius of 4.5. What is the measure of the central angle that intercepts an arc whose length is 6.2, to the *nearest degree*?
 - 1) 35°
 - 2) 42°
 - 3) 64°
 - 4) 79°

358 In the diagram below, two concentric circles with center O, and radii \overline{OC} , \overline{OD} , \overline{OGE} , and \overline{ODF} are drawn.




If OC = 4 and OE = 6, which relationship between the length of arc *EF* and the length of arc *CD* is always true?

- 1) The length of arc *EF* is 2 units longer than the length of arc *CD*.
- 2) The length of arc *EF* is 4 units longer than the length of arc *CD*.
- 3) The length of arc *EF* is 1.5 times the length of arc *CD*.
- 4) The length of arc *EF* is 2.0 times the length of arc *CD*.


G.C.B.5: SECTORS

359 A circle with a diameter of 10 cm and a central angle of 30° is drawn below.



What is the area, to the *nearest tenth of a square centimeter*, of the sector formed by the 30° angle?

- 1) 5.2
- 2) 6.5
- 3) 13.1
- 4) 26.2
- 360 In the diagram below of circle O, GO = 8 and $m \angle GOJ = 60^{\circ}$.



What is the area, in terms of π , of the shaded region?


1)
$$\frac{4\pi}{3}$$

2)
$$\frac{20\pi}{3}$$

3)
$$\frac{32\pi}{3}$$


4)
$$\frac{160\pi}{3}$$

361 In circle *O* below, OA = 6, and m $\angle COA = 100^{\circ}$.



What is the area of the shaded sector?


- 1) 10*π*
- 2) 26π 2) 10π
- 3) $\frac{107}{3}$
- 4) $\frac{26\pi}{3}$
- 362 Circle *O* with a radius of 9 is drawn below. The measure of central angle AOC is 120° .



What is the area of the shaded sector of circle O?


- 6π
- 2) 12π 3) 27π
- 4) 54π

363 In circle *P* below, diameter \overline{AC} and radius \overline{BP} are drawn such that $m \angle APB = 110^{\circ}$.



If AC = 12, what is the area of shaded sector BPC?


- 1) $\frac{7}{6}\pi$
- 2) 7π
- 3) 11π
- 4) 28π
- 364 Triangle FGH is inscribed in circle O, the length of radius \overline{OH} is 6, and $\overline{FH} \cong \overline{OG}$.



What is the area of the sector formed by angle *FOH*?


- 1) 2*π*
- 2) $\frac{3}{2}\pi$
- 3) $6\pi^{2}$
- 4) 24π

365 In the diagram below of circle *O*, \overline{AC} and \overline{BC} are chords, and m $\angle ACB = 70^{\circ}$.



If OA = 9, the area of the shaded sector AOB is

- 1) 3.5*π*
- 2) 7*π*
- 3) 15.75*π*
- 4) 31.5*π*
- 366 In circle *B* below, diameter \overline{RT} , radius \overline{BE} , and chord \overline{RE} are drawn.




If $m \angle TRE = 15^{\circ}$ and BE = 9, then the area of sector *EBR* is 1) 3.375 π

1)	5.5757
2)	6.75π


- 3) 33.75π
- 4) 37.125π

367 In the diagram below of circle *O*, tangent *AB* is drawn from external point *B*, and secant \overline{BCOE} and diameter \overline{AOD} are drawn.



If $m \angle OBA = 36^{\circ}$ and OC = 10, what is the area of shaded sector *DOE*?


- 1) $\frac{3\pi}{10}$
- 1) 10
- 2) 3*π*
- 3) 10*π*
- 15π
- 368 In the diagram below of circle *O*, the area of the shaded sector *LOM* is 2π cm².



If the length of \overline{NL} is 6 cm, what is m $\angle N$?

- 1) 10°
- 2) 20°
- 3) 40°
- 4) 80°

369 In circle *O*, diameter \overline{AB} , chord \overline{BC} , and radius \overline{OC} are drawn, and the measure of arc *BC* is 108°.



Some students wrote these formulas to find the area of sector *COB*:

Amy $\frac{3}{10} \cdot \pi \cdot (BC)^2$ Beth $\frac{108}{360} \cdot \pi \cdot (OC)^2$ Carl $\frac{3}{10} \cdot \pi \cdot (\frac{1}{2}AB)^2$ Dex $\frac{108}{360} \cdot \pi \cdot \frac{1}{2}(AB)^2$

Which students wrote correct formulas?

- 1) Amy and Dex
- 2) Beth and Carl
- 3) Carl and Amy
- 4) Dex and Beth
- 370 The area of a sector of a circle with a radius measuring 15 cm is 75π cm². What is the measure of the central angle that forms the sector?
 - 1) 72°
 - 2) 120°
 - 3) 144°
 - 4) 180°

371 What is the area of a sector of a circle with a radius of 8 inches and formed by a central angle that measures 60° ?

1)
$$\frac{8\pi}{3}$$


 16π

$$2) \quad \frac{10\pi}{3}$$

$$3) \quad \frac{32\pi}{3}$$


$$4) \quad \frac{64\pi}{3}$$

372 In the diagram below, circle *O* has a radius of 10.




If $\widehat{\mathsf{mAB}} = 72^\circ$, find the area of shaded sector *AOB*, in terms of π .

373 The diagram below models the projection of light from a lighthouse, *L*. The sector has a radius of 38 miles and spans 102° .




Determine and state the area of the sector, to the *nearest square mile*.

374 In the diagram below of circle *O*, diameter *AB* and radii \overline{OC} and \overline{OD} are drawn. The length of \overline{AB} is 12 and the measure of $\angle COD$ is 20 degrees.




If $\widehat{AC} \cong \widehat{BD}$, find the area of sector *BOD* in terms of π .

375 In the diagram below of circle O, the measure of inscribed angle *ABC* is 36° and the length of \overline{OA} is 4 inches.




Determine and state, to the *nearest tenth of a square inch*, the area of the shaded sector.

376 In the diagram below of circle *O*, the area of the shaded sector *AOC* is 12π in² and the length of *OA* is 6 inches. Determine and state m∠*AOC*.



377 In the diagram below, the circle has a radius of 25 inches. The area of the *unshaded* sector is 500π in².




Determine and state the degree measure of angle Q, the central angle of the shaded sector.

- 378 A circle has a radius of 6.4 inches. Determine and state, to the *nearest square inch*, the area of a sector whose arc measures 80° .
- 379 Determine and state, in terms of π , the area of a sector that intercepts a 40° arc of a circle with a radius of 4.5.


G.GMD.A.1: VOLUME

380 Two stacks of 23 quarters each are shown below. One stack forms a cylinder but the other stack does not form a cylinder.




Use Cavelieri's principle to explain why the volumes of these two stacks of quarters are equal.

381 The diagram below shows two figures. Figure A is a right triangular prism and figure B is an oblique triangular prism. The base of figure A has a height of 5 and a length of 8 and the height of prism A is 14. The base of figure B has a height of 8 and a length of 5 and the height of prism B is 14.



Use Cavalieri's Principle to explain why the volumes of these two triangular prisms are equal.

382 Sue believes that the two cylinders shown in the diagram below have equal volumes.




Is Sue correct? Explain why.

G.GMD.A.3: VOLUME

- 383 A fish tank in the shape of a rectangular prism has dimensions of 14 inches, 16 inches, and 10 inches. The tank contains 1680 cubic inches of water. What percent of the fish tank is empty?
 - 1) 10
 - 2) 25
 - 3) 50
 - 4) 75
- 384 A gardener wants to buy enough mulch to cover a rectangular garden that is 3 feet by 10 feet. One bag contains 2 cubic feet of mulch and costs \$3.66. How much will the minimum number of bags cost to cover the garden with mulch 3 inches deep?
 - 1) \$3.66
 - 2) \$10.98
 - 3) \$14.64
 - 4) \$29.28
- 385 A sandbox in the shape of a rectangular prism has a length of 43 inches and a width of 30 inches. Jack uses bags of sand to fill the sandbox to a depth of 9 inches. Each bag of sand has a volume of 0.5 cubic foot. What is the minimum number of bags of sand that must be purchased to fill the sandbox?
 - 1) 14
 - 2) 13
 - 3) 7
 - 4) 4


386 Ian needs to replace two concrete sections in his sidewalk, as modeled below. Each section is 36 inches by 36 inches and 4 inches deep. He can mix his own concrete for \$3.25 per cubic foot.



How much money will it cost Ian to replace the two concrete sections?

- 387 The volume of a triangular prism is 70 in³. The base of the prism is a right triangle with one leg whose measure is 5 inches. If the height of the prism is 4 inches, determine and state the length, in inches, of the other leg of the triangle.
- 388 Tennis balls are sold in cylindrical cans with the balls stacked one on top of the other. A tennis ball has a diameter of 6.7 cm. To the *nearest cubic centimeter*, what is the minimum volume of the can that holds a stack of 4 tennis balls?
 - 1) 236
 - 2) 282
 3) 564
 - 3) 564
 4) 945

389 Darnell models a cup with the cylinder below. He measured the diameter of the cup to be 10 cm and the height to be 9 cm.




If Darnell fills the cup with water to a height of 8 cm, what is the volume of the water in the cup, to the *nearest cubic centimeter*?

- 1) 628
- 2) 707
- 3) 2513
- 4) 2827
- 390 A cylindrical pool has a diameter of 16 feet and height of 4 feet. The pool is filled to $\frac{1}{2}$ foot below the top. How much water does the pool contain, to

the *nearest gallon*? $[1 \text{ ft}^3 = 7.48 \text{ gallons}]$

- 1) 704
- 2) 804
- 3) 5264
- 4) 6016
- 391 A peanut butter manufacturer would like to use a cylindrical jar with a volume of 1180 cm³. The jar has a height of 10 cm. What is the diameter of the jar, to the *nearest tenth of a centimeter*?
 - 1) 3.8
 - 2) 6.1
 - 3) 10.9
 - 4) 12.3

- 392 A small town is installing a water storage tank in the shape of a cylinder. The tank must be able to hold at least 100,000 gallons of water. The tank must have a height of exactly 30 feet. [1 cubic foot holds 7.48 gallons of water] What should the minimum diameter of the tank be, to the *nearest foot*?
 - 1) 12
 - 2) 24
 - 3) 65
 - 4) 75
- 393 A barrel of fuel oil is a right circular cylinder where the inside measurements of the barrel are a diameter of 22.5 inches and a height of 33.5 inches. There are 231 cubic inches in a liquid gallon. Determine and state, to the *nearest tenth*, the gallons of fuel that are in a barrel of fuel oil.
- A gas station has a cylindrical fueling tank that holds the gasoline for its pumps, as modeled below. The tank holds a maximum of 20,000 gallons of gasoline and has a length of 34.5 feet.



A metal pole is used to measure how much gas is in the tank. To the *nearest tenth of a foot*, how long does the pole need to be in order to reach the bottom of the tank and still extend one foot outside the tank? Justify your answer. [1 $\text{ft}^3=7.48$ gallons]


395 A concrete footing is a cylinder that is placed in the ground to support a building structure. The cylinder is 4 feet tall and 12 inches in diameter. A contractor is installing 10 footings.



If a bag of concrete mix makes $\frac{2}{3}$ of a cubic foot of concrete, determine and state the minimum number of bags of concrete mix needed to make all 10 footings.


- 396 A child-sized swimming pool can be modeled by a cylinder. The pool has a diameter of $6\frac{1}{2}$ feet and a height of 12 inches. The pool is filled with water to $\frac{2}{3}$ of its height. Determine and state the volume of the water in the pool, to the *nearest cubic foot*. One cubic foot equals 7.48 gallons of water. Determine and state, to the *nearest gallon*, the number of gallons of water in the pool.
- 397 Theresa has a rectangular pool 30 ft long, 15 ft wide, and 4 ft deep. Theresa fills her pool using city water at a rate of \$3.95 per 100 gallons of water. Nancy has a circular pool with a diameter of 24 ft and a depth of 4 ft. Nancy fills her pool with a water delivery service at a rate of \$200 per 6000 gallons. If Theresa and Nancy both fill their pools 6 inches from the top of the pool, determine and state who paid more to fill her pool. [1ft³ water = 7.48 gallons]
- 398 A large water basin is in the shape of a right cylinder. The inside of the basin has a diameter of $8\frac{1}{4}$ feet and a height of 3 feet. Determine and state, to the *nearest cubic foot*, the number of cubic feet of water that it will take to fill the basin to a level of $\frac{1}{2}$ foot from the top.
- 399 A small can of soup is a right circular cylinder with a base diameter of 7 cm and a height of 9 cm. A large container is also a right circular cylinder with a base diameter of 9 cm and a height of 13cm. Determine and state the volume of the small can and the volume of the large container to the *nearest cubic centimeter*. What is the minimum number of small cans that must be opened to fill the large container? Justify your answer.

400 A manufacturer is designing a new container for their chocolate-covered almonds. Their original container was a cylinder with a height of 18 cm and a diameter of 14 cm. The new container can be modeled by a rectangular prism with a square base and will contain the same amount of chocolate-covered almonds.



If the new container's height is 16 cm, determine and state, to the *nearest tenth of a centimeter*, the side length of the new container if both containers contain the same amount of almonds. A store owner who sells the chocolate-covered almonds displays them on a shelf whose dimensions are 80 cm long and 60 cm wide. The shelf can only hold one layer of new containers when each new container sits on its square base. Determine and state the maximum number of new containers the store owner can fit on the shelf.


401 As shown in the diagram below, a regular pyramid has a square base whose side measures 6 inches.



If the altitude of the pyramid measures 12 inches, its volume, in cubic inches, is

- 1) 72
- 2) 144
- 3) 288
- 4) 432

402 The pyramid shown below has a square base, a height of 7, and a volume of 84.



What is the length of the side of the base?

- 1) 6
- 2) 12
- 3) 18
- 4) 36
- 403 The Pyramid of Memphis, in Tennessee, stands 107 yards tall and has a square base whose side is 197 yards long.



What is the volume of the Pyramid of Memphis, to the *nearest cubic yard*?

- 1) 751,818
- 2) 1,384,188
- 3) 2,076,212
- 4) 4,152,563

- 404 A regular pyramid has a square base. The perimeter of the base is 36 inches and the height of the pyramid is 15 inches. What is the volume of the pyramid in cubic inches?
 - 1) 180
 - 2) 405
 - 3) 540
 - 4) 1215
- 405 A child's tent can be modeled as a pyramid with a square base whose sides measure 60 inches and whose height measures 84 inches. What is the volume of the tent, to the *nearest cubic foot*?
 - 1) 35
 - 2) 58
 - 3) 82
 - 4) 175
- 406 A tent is in the shape of a right pyramid with a square floor. The square floor has side lengths of 8 feet. If the height of the tent at its center is 6 feet, what is the volume of the tent, in cubic feet?
 - 1) 48
 - 2) 128
 - 3) 192
 - 4) 384
- 407 What is the volume, in cubic centimeters, of a right square pyramid with base edges that are 64 cm long and a slant height of 40 cm?
 - 1) 8192.0
 - 2) 13,653.3
 - 3) 32,768.0
 - 4) 54,613.3
- 408 The Great Pyramid of Giza was constructed as a regular pyramid with a square base. It was built with an approximate volume of 2,592,276 cubic meters and a height of 146.5 meters. What was the length of one side of its base, to the *nearest meter*?
 - 1) 73
 - 2) 77
 - 3) 133
 - 4) 230


- 409 The base of a pyramid is a rectangle with a width of 4.6 cm and a length of 9 cm. What is the height, in centimeters, of the pyramid if its volume is 82.8 cm³?
 - 1) 6
 - 2) 2
 - 3) 9
 - 4) 18
- 410 As shown in the diagram below, the radius of a cone is 2.5 cm and its slant height is 6.5 cm.



How many cubic centimeters are in the volume of the cone?


- 1) 12.5π
- 2) 13.5*π*
- 3) 30.0*π*
- 4) 37.5*π*

411 In the diagram below, a cone has a diameter of 16 inches and a slant height of 17 inches.



What is the volume of the cone, in cubic inches?

- 1) 320*π*
- 2) 363π
- 3) 960*π*
- 4) 1280π
- 412 The funnel shown below can be used to decorate cookies with melted chocolate. The funnel can be modeled by a cone whose radius is 6 cm and height is 13 cm.




The baker uses 2 cubic centimeters of chocolate to decorate each cookie. When the funnel is completely filled, what is the maximum number of cookies that can be decorated with the melted chocolate?

- 1) 78
- 2) 245
- 3) 490
- 4) 735

- 413 What is the volume of a right circular cone that has a height of 7.2 centimeters and a radius of 2.5 centimeters, to the *nearest tenth of a cubic centimeter*?
 - 1) 37.7
 - 2) 47.1
 - 3) 113.1
 - 4) 141.4
- 414 A water cup in the shape of a cone has a height of 4 inches and a maximum diameter of 3 inches. What is the volume of the water in the cup, to the *nearest tenth of a cubic inch*, when the cup is filled to half its height?
 - 1) 1.2
 - 2) 3.5
 - 3) 4.7
 - 4) 14.1
- 415 An ice cream waffle cone can be modeled by a right circular cone with a base diameter of 6.6 centimeters and a volume of 54.45π cubic centimeters. What is the number of centimeters in the height of the waffle cone?
 - 1) $3\frac{3}{4}$
 - 2) 5
 - 3) 15
 - 4) $24\frac{3}{4}$
- 416 A cone has a volume of 108π and a base diameter of 12. What is the height of the cone?
 - 1) 27
 - 2) 9
 - 3) 3
 - 4) 4

- 417 The area of the base of a cone is 9π square inches. The volume of the cone is 36π cubic inches. What is the height of the cone in inches?
 - 1) 12
 - 2) 8
 - 3) 3
 - 4) 4
- 418 Jaden is comparing two cones. The radius of the base of cone *A* is twice as large as the radius of the base of cone *B*. The height of cone *B* is twice the height of cone *A*. The volume of cone *A* is
 - 1) twice the volume of cone B
 - 2) four times the volume of cone B
 - 3) equal to the volume of cone B
 - 4) equal to half the volume of cone B
- 419 In the diagram below, a right circular cone has a diameter of 10 and a slant height of 13.




Determine and state the volume of the cone, in terms of π .

420 A candle maker uses a mold to make candles like the one shown below.




The height of the candle is 13 cm and the circumference of the candle at its widest measure is 31.416 cm. Use modeling to approximate how much wax, to the *nearest cubic centimeter*, is needed to make this candle. Justify your answer.

421 A water glass can be modeled by a truncated right cone (a cone which is cut parallel to its base) as shown below.




The diameter of the top of the glass is 3 inches, the diameter at the bottom of the glass is 2 inches, and the height of the glass is 5 inches. The base with a diameter of 2 inches must be parallel to the base with a diameter of 3 inches in order to find the height of the cone. Explain why. Determine and state, in inches, the height of the larger cone. Determine and state, to the *nearest tenth of a cubic inch*, the volume of the water glass.

422 Sally and Mary both get ice cream from an ice cream truck. Sally's ice cream is served as a cylinder with a diameter of 4 cm and a total height of 8 cm. Mary's ice cream is served as a cone with a diameter of 7 cm and a total height of 12.5 cm. Assume that ice cream fills Sally's cylinder and Mary's cone.



Who was served more ice cream, Sally or Mary? Justify your answer. Determine and state how much more is served in the larger ice cream than the smaller ice cream, to the *nearest cubic centimeter*.

423 In the diagram below, a sphere is inscribed inside a cube. The cube has edge lengths of 18.



What is the volume of the sphere, in terms of π ?

- 1) 108π
- 2) 432*π*
- 3) 972*π*
- 4) 7776*π*
- 424 The diameter of a basketball is approximately 9.5 inches and the diameter of a tennis ball is approximately 2.5 inches. The volume of the basketball is about how many times greater than the volume of the tennis ball?
 - 1) 3591
 - 2) 65
 - 3) 55
 - 4) 4
- 425 What is the volume of a hemisphere that has a diameter of 12.6 cm, to the *nearest tenth of a cubic centimeter*?
 - 1) 523.7
 - 2) 1047.4
 - 3) 4189.6
 - 4) 8379.2


- 426 If the circumference of a standard lacrosse ball is 19.9 cm, what is the volume of this ball, to the *nearest cubic centimeter*?
 - 1) 42
 - 2) 133
 - 3) 415
 - 4) 1065
- 427 Izzy is making homemade clay pendants in the shape of a solid hemisphere, as modeled below. Each pendant has a radius of 2.8 cm.



How much clay, to the *nearest cubic centimeter*, does Izzy need to make 100 pendants?

- 428 Randy's basketball is in the shape of a sphere with a maximum circumference of 29.5 inches. Determine and state the volume of the basketball, to the *nearest cubic inch*.
- 429 A large snowman is made of three spherical snowballs with radii of 1 foot, 2 feet, and 3 feet, respectively. Determine and state the amount of snow, in cubic feet, that is used to make the snowman. [Leave your answer in terms of π .]
- 430 When volleyballs are purchased, they are not fully inflated. A partially inflated volleyball can be modeled by a sphere whose volume is approximately 180 in³. After being fully inflated, its volume is approximately 294 in³. To the *nearest tenth of an inch*, how much does the radius increase when the volleyball is fully inflated?


- 431 A company is creating an object from a wooden cube with an edge length of 8.5 cm. A right circular cone with a diameter of 8 cm and an altitude of 8 cm will be cut out of the cube. Which expression represents the volume of the remaining wood?
 - 1) $(8.5)^3 \pi(8)^2(8)$ 2) $(8.5)^3 - \pi(4)^2(8)$ 3) $(8.5)^3 - \frac{1}{3}\pi(8)^2(8)$
 - 4) $(8.5)^3 \frac{1}{3}\pi(4)^2(8)$
- 432 A solid metal prism has a rectangular base with sides of 4 inches and 6 inches, and a height of 4 inches. A hole in the shape of a cylinder, with a radius of 1 inch, is drilled through the entire length of the rectangular prism.



What is the approximate volume of the remaining solid, in cubic inches?


- 1) 19
- 2) 77
- 3) 93
- 4) 96

433 A fabricator is hired to make a 27-foot-long solid metal railing for the stairs at the local library. The railing is modeled by the diagram below. The railing is 2.5 inches high and 2.5 inches wide and is comprised of a rectangular prism and a half-cylinder.



How much metal, to the *nearest cubic inch*, will the railing contain?


- 1) 151
- 2) 795
- 3) 1808
- 4) 2025
- 434 The greenhouse pictured below can be modeled as a rectangular prism with a half-cylinder on top. The rectangular prism is 20 feet wide, 12 feet high, and 45 feet long. The half-cylinder has a diameter of 20 feet.



To the *nearest cubic foot*, what is the volume of the greenhouse?


- 1) 17,869
- 2) 24,937
- 3) 39,074
- 4) 67,349

435 A vendor is using an 8-ft by 8-ft tent for a craft fair. The legs of the tent are 9 ft tall and the top forms a square pyramid with a height of 3 ft.



What is the volume, in cubic feet, of space the tent occupies?


- 1) 256
- 2) 640
- 3) 672
- 4) 768
- 436 The diagram below models a countertop designed for a kitchen. The countertop is made of solid oak and is 3 inches thick.



If oak weighs approximately 44 pounds per cubic foot, the approximate weight, in pounds, of the countertop is


- 1) 630
- 2) 730
- 3) 750
- 4) 870

437 A rectangular in-ground pool is modeled by the prism below. The inside of the pool is 16 feet wide and 35 feet long. The pool has a shallow end and a deep end, with a sloped floor connecting the two ends. Without water, the shallow end is 9 feet long and 4.5 feet deep, and the deep end of the pool is 12.5 feet long.



If the sloped floor has an angle of depression of 16.5 degrees, what is the depth of the pool at the deep end, to the *nearest tenth of a foot*? Find the volume of the inside of the pool to the *nearest cubic foot*. A garden hose is used to fill the pool. Water comes out of the hose at a rate of 10.5 gallons per minute. How much time, to the *nearest hour*, will it take to fill the pool 6 inches from the top? [1 ft³=7.48 gallons]


438 A storage building is modeled below by a hemisphere on top of a cylinder. The diameter of both the cylinder and hemisphere is 12 feet. The total height of the storage building is 30 feet.



To the *nearest cubic foot*, what is the volume of the storage building?


- 1) 942
- 2) 2488
- 3) 3167
- 4) 3845

439 A storage tank is in the shape of a cylinder with a hemisphere on the top. The highest point on the inside of the storage tank is 13 meters above the floor of the storage tank, and the diameter inside the cylinder is 8 meters. Determine and state, to the *nearest cubic meter*, the total volume inside the storage tank.




440 A cargo trailer, pictured below, can be modeled by a rectangular prism and a triangular prism. Inside the trailer, the rectangular prism measures 6 feet wide and 10 feet long. The walls that form the triangular prism each measure 4 feet wide inside the trailer. The diagram below is of the floor, showing the inside measurements of the trailer.






If the inside height of the trailer is 6.5 feet, what is the total volume of the inside of the trailer, to the *nearest cubic foot*?

441 Josh is making a square-based fire pit out of concrete for his backyard, as modeled by the right prism below. He plans to make the outside walls of the fire pit 3.5 feet on each side with a height of 1.5 feet. The concrete walls of the fire pit are going to be 9 inches thick.



If a bag of concrete mix will fill 0.6 ft³, determine and state the minimum number of bags needed to build the fire pit.

442 A building is composed of a rectangular pyramid on top of a rectangular prism, as shown in the diagram below. The rectangular prism has a length of 38 feet, a width of 15 feet, and a height of 22 feet. The rectangular pyramid sits directly on top of the rectangular prism, and its height is 12 feet.




An air purification filter was installed that will clean all the air in the building at a rate of 2400 cubic feet per minute. Determine and state how long it will take, to the *nearest tenth of a minute*, for the filter to clean the air contained in the building.

Geometry Regents Exam Questions by State Standard: Topic

G.MG.A.2: DENSITY


443 A rectangular fish tank measures 24 inches long, 12 inches wide, and 16 inches high, as modeled in the diagram below.



If the empty tank weighs 25 pounds and the fish tank is filled with water to a height of 14 inches, what is the approximate weight of the tank and water? $[27.7 \text{ in.}^3=1 \text{ pound of water}]$

- 1) 146
- 2) 166
- 3) 171
- 4) 191
- 444 A shipping container is in the shape of a right rectangular prism with a length of 12 feet, a width of 8.5 feet, and a height of 4 feet. The container is completely filled with contents that weigh, on average, 0.25 pound per cubic foot. What is the weight, in pounds, of the contents in the container?
 - 1) 1,632
 - 2) 408
 - 3) 102
 - 4) 92

445 The square pyramid below models a toy block made of maple wood.



Each side of the base measures 4.5 cm and the height of the pyramid is 10 cm. If the density of maple is 0.676 g/cm^3 , what is the mass of the block, to the *nearest tenth of a gram*?

- 1) 45.6
- 2) 67.5
- 3) 136.9
- 4) 202.5
- 446 Lou has a solid clay brick in the shape of a rectangular prism with a length of 8 inches, a width of 3.5 inches, and a height of 2.25 inches. If the clay weighs 1.055 oz/in³, how much does Lou's brick weigh, to the *nearest ounce*?
 - 1) 66
 - 2) 64
 - 3) 63
 - 4) 60
- 447 The density of the American white oak tree is 752 kilograms per cubic meter. If the trunk of an American white oak tree has a circumference of 4.5 meters and the height of the trunk is 8 meters, what is the approximate number of kilograms of the trunk?
 - 1) 13
 - 2) 9694
 - 3) 13,536
 - 4) 30,456

- 448 A regular pyramid with a square base is made of solid glass. It has a base area of 36 cm² and a height of 10 cm. If the density of glass is 2.7 grams per cubic centimeter, the mass of the pyramid, in grams, is
 - 1) 120
 - 2) 324
 - 3) 360
 - 4) 972
- 449 A pyramid with a square base is made of solid glass. The pyramid has a base with a side length of 5.7 cm and a height of 7 cm. The density of the glass is 2.4 grams per cubic centimeter. Determine and state, to the *nearest gram*, the mass of the pyramid.
- 450 Molly wishes to make a lawn ornament in the form of a solid sphere. The clay being used to make the sphere weighs .075 pound per cubic inch. If the sphere's radius is 4 inches, what is the weight of the sphere, to the *nearest pound*?
 - 1) 34
 - 2) 20
 - 3) 15
 - 4) 4
- 451 A standard-size golf ball has a diameter of 1.680 inches. The material used to make the golf ball weighs 0.6523 ounce per cubic inch. What is the weight, to the *nearest hundredth of an ounce*, of one golf ball?
 - 1) 1.10
 - 2) 1.62
 - 3) 2.48
 - 4) 3.81

- 452 A hemispherical tank is filled with water and has a diameter of 10 feet. If water weighs 62.4 pounds per cubic foot, what is the total weight of the water in a full tank, to the *nearest pound*?
 - 1) 16,336
 - 2) 32,673
 - 3) 130,690
 - 4) 261,381
- 453 A hemispherical water tank has an inside diameter of 10 feet. If water has a density of 62.4 pounds per cubic foot, what is the weight of the water in a full tank, to the *nearest pound*?
 - 1) 16,336
 - 2) 32,673
 - 3) 130,690
 - 4) 261,381
- 454 Seawater contains approximately 1.2 ounces of salt per liter on average. How many gallons of seawater, to the *nearest tenth of a gallon*, would contain 1 pound of salt?
 - 1) 3.3
 - 2) 3.5
 - 3) 4.7
 - 4) 13.3
- 455 A jewelry company makes copper heart pendants. Each heart uses 0.75 in³ of copper and there is 0.323 pound of copper per cubic inch. If copper costs \$3.68 per pound, what is the total cost for 24 copper hearts?
 - 1) \$5.81
 - 2) \$21.40
 - 3) \$66.24
 - 4) \$205.08

456 The table below shows the population and land area, in square miles, of four counties in New York State at the turn of the century.

County	2000 Census Population	$\begin{array}{c} \textbf{2000}\\ \textbf{Land Area}\\ \left(\text{mi}^2\right) \end{array}$
Broome	200,536	706.82
Dutchess	280,150	801.59
Niagara	219,846	522.95
Saratoga	200,635	811.84

Which county had the greatest population density?

1)	Broome	3)	Niagara
2)	Dutchess	4)	Saratoga

457 The 2010 U.S. Census populations and population densities are shown in the table below.

State	Population Density $\left(\frac{\text{people}}{\text{mi}^2}\right)$	Population in 2010
Florida	350.6	18,801,310
Illinois	231.1	12,830,632
New York	411.2	19,378,102
Pennsylvania	283.9	12,702,379


Based on the table above, which list has the states' areas, in square miles, in order from largest to smallest?

- 1) Illinois, Florida, New York, Pennsylvania
- 2) New York, Florida, Illinois, Pennsylvania
- 3) New York, Florida, Pennsylvania, Illinois
- 4) Pennsylvania, New York, Florida, Illinois
- 458 A machinist creates a solid steel part for a wind turbine engine. The part has a volume of 1015 cubic centimeters. Steel can be purchased for \$0.29 per kilogram, and has a density of 7.95 g/cm³. If the machinist makes 500 of these parts, what is the cost of the steel, to the *nearest dollar*?

459 A wooden cube has an edge length of 6 centimeters and a mass of 137.8 grams. Determine the density of the cube, to the *nearest thousandth*. State which type of wood the cube is made of, using the density table below.

Type of Wood	Density	
Type of wood	(g/cm^3)	
Pine	0.373	
Hemlock	0.431	
Elm	0.554	
Birch	0.601	
Ash	0.638	
Maple	0.676	
Oak	0.711	

460 During an experiment, the same type of bacteria is grown in two petri dishes. Petri dish *A* has a diameter of 51 mm and has approximately 40,000 bacteria after 1 hour. Petri dish *B* has a diameter of 75 mm and has approximately 72,000 bacteria after 1 hour.




Determine and state which petri dish has the greater population density of bacteria at the end of the first hour.


461 A rectangular tabletop will be made of maple wood that weighs 43 pounds per cubic foot. The tabletop will have a length of eight feet, a width of three feet, and a thickness of one inch. Determine and state the weight of the tabletop, in pounds.

- 462 A contractor needs to purchase 500 bricks. The dimensions of each brick are 5.1 cm by 10.2 cm by 20.3 cm, and the density of each brick is 1920 kg/m³. The maximum capacity of the contractor's trailer is 900 kg. Can the trailer hold the weight of 500 bricks? Justify your answer.
- 463 Trees that are cut down and stripped of their branches for timber are approximately cylindrical. A timber company specializes in a certain type of tree that has a typical diameter of 50 cm and a typical height of about 10 meters. The density of the wood is 380 kilograms per cubic meter, and the wood can be sold by mass at a rate of \$4.75 per kilogram. Determine and state the minimum number of whole trees that must be sold to raise at least \$50,000.

- 464 New streetlights will be installed along a section of the highway. The posts for the streetlights will be 7.5 m tall and made of aluminum. The city can choose to buy the posts shaped like cylinders or the posts shaped like rectangular prisms. The cylindrical posts have a hollow core, with aluminum 2.5 cm thick, and an outer diameter of 53.4 cm. The rectangular-prism posts have a hollow core, with aluminum 2.5 cm thick, and a square base that measures 40 cm on each side. The density of aluminum is 2.7 g/cm3, and the cost of aluminum is \$0.38 per kilogram. If all posts must be the same shape, which post design will cost the town less? How much money will be saved per streetlight post with the less expensive design?
- 465 A candle in the shape of a right pyramid is modeled below. Each side of the square base measures 12 centimeters. The slant height of the pyramid measures 16 centimeters.




Determine and state the volume of the candle, to the *nearest cubic centimeter*. The wax used to make the candle weighs 0.032 ounce per cubic centimeter. Determine and state the weight of the candle, to the *nearest ounce*. 466 Shae has recently begun kickboxing and purchased training equipment as modeled in the diagram below. The total weight of the bag, pole, and unfilled base is 270 pounds. The cylindrical base is 18 inches tall with a diameter of 20 inches. The dry sand used to fill the base weighs 95.46 lbs per cubic foot.




To the *nearest pound*, determine and state the total weight of the training equipment if the base is filled to 85% of its capacity.

467 Walter wants to make 100 candles in the shape of a cone for his new candle business. The mold shown below will be used to make the candles. Each mold will have a height of 8 inches and a diameter of 3 inches. To the *nearest cubic inch*, what will be the total volume of 100 candles?




Walter goes to a hobby store to buy the wax for his candles. The wax costs \$0.10 per ounce. If the weight of the wax is 0.52 ounce per cubic inch, how much will it cost Walter to buy the wax for 100 candles? If Walter spent a total of \$37.83 for the molds and charges \$1.95 for each candle, what is Walter's profit after selling 100 candles?

468 A snow cone consists of a paper cone completely filled with shaved ice and topped with a hemisphere of shaved ice, as shown in the diagram below. The inside diameter of both the cone and the hemisphere is 8.3 centimeters. The height of the cone is 10.2 centimeters.



The desired density of the shaved ice is 0.697 g/cm^3 , and the cost, per kilogram, of ice is \$3.83. Determine and state the cost of the ice needed to make 50 snow cones.


469 The water tower in the picture below is modeled by the two-dimensional figure beside it. The water tower is composed of a hemisphere, a cylinder, and a cone. Let C be the center of the hemisphere and let D be the center of the base of the cone.



If AC = 8.5 feet, BF = 25 feet, and m $\angle EFD = 47^{\circ}$, determine and state, to the *nearest cubic foot*, the volume of the water tower. The water tower was constructed to hold a maximum of 400,000 pounds of water. If water weighs 62.4 pounds per cubic foot, can the water tower be filled to 85% of its volume and *not* exceed the weight limit? Justify your answer.

- 470 Ali made six solid spherical decorations out of modeling clay. Each decoration has a radius of 2.5 inches. The weight of clay is 68 pounds per cubic foot. Determine and state, to the *nearest pound*, the total weight of the six decorations.
- 471 A bakery sells hollow chocolate spheres. The larger diameter of each sphere is 4 cm. The thickness of the chocolate of each sphere is 0.5 cm. Determine and state, to the *nearest tenth of a cubic centimeter*, the amount of chocolate in each hollow sphere. The bakery packages 8 of them into a box. If the density of the chocolate is 1.308 g/cm³, determine and state, to the *nearest gram*, the total mass of the chocolate in the box.

472 A packing box for baseballs is the shape of a rectangular prism with dimensions of $2 \text{ ft} \times 1 \text{ ft} \times 18 \text{ in}$. Each baseball has a diameter of 2.94 inches.



Determine and state the maximum number of baseballs that can be packed in the box if they are stacked in layers and each layer contains an equal number of baseballs. The weight of a baseball is approximately 0.025 pound per cubic inch. Determine and state, to the *nearest pound*, the total weight of all the baseballs in the fully packed box.

TRANSFORMATIONS G.SRT.A.1: LINE DILATIONS

- 473 A three-inch line segment is dilated by a scale factor of 6 and centered at its midpoint. What is the length of its image?
 - 1) 9 inches
 - 2) 2 inches
 - 3) 15 inches
 - 4) 18 inches

474 Line segment A'B', whose endpoints are (4, -2) and


(16, 14), is the image of \overline{AB} after a dilation of $\frac{1}{2}$

centered at the origin. What is the length of AB?

- 1) 5
- 2) 10
- 3) 20
- 4) 40

Geometry Regents Exam Questions by State Standard: Topic www.jmap.org

475 In the diagram below, \overline{CD} is the image of \overline{AB} after a dilation of scale factor k with center E.




Which ratio is equal to the scale factor k of the dilation?

- $\frac{EC}{EA}$ 1)
- BA 2)
- EA
- EA 3) BA
- $\frac{EA}{EC}$ 4)
- 476 After a dilation centered at the origin, the image of \overline{CD} is $\overline{C'D'}$. If the coordinates of the endpoints of these segments are C(6,-4), D(2,-8), C'(9,-6), and D'(3,-12), the scale factor of the dilation is
 - $\frac{\frac{3}{2}}{\frac{2}{3}}$ 1)

 - 2)
 - 3 3)
 - $\frac{1}{3}$ 4)

- 477 After a dilation with center (0,0), the image of \overline{DB} is D'B'. If DB = 4.5 and D'B' = 18, the scale factor of this dilation is
 - 1)
 - $\frac{1}{5}$ 5 2)
 - $\frac{1}{4}$ 3)
 - 4) 4
- 478 The line represented by 2y = x + 8 is dilated by a scale factor of k centered at the origin, such that the image of the line has an equation of $y - \frac{1}{2}x = 2$. What is the scale factor?
 - 1) $k = \frac{1}{2}$ 2) k = 23) $k = \frac{1}{4}$
 - 4) k = 4


479 On the set of axes below, \overline{AB} , \overline{CD} , \overline{EF} , \overline{GH} , and \overline{IJ} are drawn.



Which segment is the image of \overline{AB} after a dilation with a scale factor of 2 centered at (-2, -1)?

- 1) *CD*
- 2) \overline{EF}
- 3) \overline{GH}
- 4) *IJ*


480 On the graph below, point A(3,4) and \overline{BC} with coordinates B(4,3) and C(2,1) are graphed.



What are the coordinates of *B*' and *C*' after \overline{BC} undergoes a dilation centered at point *A* with a scale factor of 2?

- 1) B'(5,2) and C'(1,-2)
- 2) B'(6,1) and C'(0,-1)
- 3) B'(5,0) and C'(1,-2)
- 4) B'(5,2) and C'(3,0)


481 On the set of axes below, the endpoints of *AB* have coordinates A(-3,4) and B(5,2).



If *AB* is dilated by a scale factor of 2 centered at (3,5), what are the coordinates of the endpoints of its image, $\overline{A'B'}$?

- 1) A'(-7,5) and B'(9,1)
- 2) A'(-1,6) and B'(7,4)
- 3) A'(-6,8) and B'(10,4)
- 4) A'(-9,3) and B'(7,-1)

482 On the set of axes below, \overrightarrow{AB} is drawn and passes through A(-2, 6) and B(4, 0).



If \overrightarrow{CD} is the image of \overrightarrow{AB} after a dilation with a scale factor of $\frac{1}{2}$ centered at the origin, which

equation represents \overrightarrow{CD} ?

- 1) y = -x + 42) y = -x + 23) $y = -\frac{1}{2}x + 4$ 4) $y = -\frac{1}{2}x + 2$
- 483 The line represented by the equation y = 4x + 15 is dilated by a scale factor of 2 centered at the origin. Which equation represents its image?
 - 1) y = 4x + 15
 - $2) \quad y = 4x + 30$
 - 3) y = 8x + 15
 - 4) y = 8x + 30
- 484 The equation of line *h* is 2x + y = 1. Line *m* is the image of line *h* after a dilation of scale factor 4 with respect to the origin. What is the equation of the line *m*?
 - 1) y = -2x + 1
 - 2) y = -2x + 4
 - $3) \quad y = 2x + 4$
 - $4) \quad y = 2x + 1$

Geometry Regents Exam Questions by State Standard: Topic www.jmap.org

485 The equation of line t is 3x - y = 6. Line m is the image of line t after a dilation with a scale factor of

 $\frac{1}{2}$ centered at the origin. What is an equation of the line *m*?

- 1) $y = \frac{3}{2}x 3$
- $2) \quad y = \frac{3}{2}x 6$
- 3) y = 3x + 3
- 4) y = 3x 3

486 The line y = 2x - 4 is dilated by a scale factor of $\frac{3}{2}$

and centered at the origin. Which equation represents the image of the line after the dilation?


- 1) y = 2x 4
- $2) \quad y = 2x 6$
- 3) y = 3x 4
- $4) \quad y = 3x 6$
- 487 What is an equation of the image of the line $y = \frac{3}{2}x - 4$ after a dilation of a scale factor of $\frac{3}{4}$ centered at the origin?
 - 1) $y = \frac{9}{8}x 4$ 2) $y = \frac{9}{8}x - 3$ 3) $y = \frac{3}{2}x - 4$ 4) $y = \frac{3}{2}x - 3$
- 488 The line whose equation is 6x + 3y = 3 is dilated by a scale factor of 2 centered at the point (0,0). An equation of its image is
 - 1) y = -2x + 1
 - 2) y = -2x + 2
 - 3) y = -4x + 1
 - 4) y = -4x + 2

- 489 Line y = 3x 1 is transformed by a dilation with a scale factor of 2 and centered at (3,8). The line's image is
 - 1) y = 3x 8
 - 2) y = 3x 4
 - 3) y = 3x 24) y = 3x - 1
- 490 Line *MN* is dilated by a scale factor of 2 centered at the point (0,6). If \overrightarrow{MN} is represented by

y = -3x + 6, which equation can represent M'N',the image of MN? 1) y = -3x + 122) y = -3x + 63) y = -6x + 124) y = -6x + 6

- 491 A line whose equation is y = -2x + 3 is dilated by a scale factor of 4 centered at (0,3). Which equation represents the image of the line after the dilation?
 - $1) \quad y = -2x + 3$
 - 2) y = -2x + 123) y = -8x + 3
 - 4) y = -8x + 12

492 On the set of axes below, \overline{AB} is dilated by a scale factor of $\frac{5}{2}$ centered at point *P*.



Which statement is always true?

- 1) $PA \cong AA'$
- 2) $\overline{AB} \parallel \overline{A'B'}$
- $3) \quad AB = A'B'$
- $4) \quad \frac{5}{2}(A'B') = AB$
- 493 A line segment is dilated by a scale factor of 2 centered at a point not on the line segment. Which statement regarding the relationship between the given line segment and its image is true?
 - 1) The line segments are perpendicular, and the image is one-half of the length of the given line segment.
 - 2) The line segments are perpendicular, and the image is twice the length of the given line segment.
 - 3) The line segments are parallel, and the image is twice the length of the given line segment.
 - The line segments are parallel, and the image is one-half of the length of the given line segment.

- 494 The line whose equation is 3x 5y = 4 is dilated by a scale factor of $\frac{5}{3}$ centered at the origin. Which statement is correct?
 - 1) The image of the line has the same slope as the pre-image but a different *y*-intercept.
 - 2) The image of the line has the same *y*-intercept as the pre-image but a different slope.
 - 3) The image of the line has the same slope and the same *y*-intercept as the pre-image.
 - 4) The image of the line has a different slope and a different *y*-intercept from the pre-image.
- 495 If the line represented by $y = -\frac{1}{4}x 2$ is dilated by a scale factor of 4 centered at the origin, which statement about the image is true?
 - 1) The slope is $-\frac{1}{4}$ and the *y*-intercept is -8.
 - 2) The slope is $-\frac{1}{4}$ and the *y*-intercept is -2.
 - 3) The slope is -1 and the *y*-intercept is -8.
 - 4) The slope is -1 and the *y*-intercept is -2.
- 496 A line that passes through the points whose coordinates are (1, 1) and (5, 7) is dilated by a scale factor of 3 and centered at the origin. The image of the line
 - 1) is perpendicular to the original line
 - 2) is parallel to the original line
 - 3) passes through the origin
 - 4) is the original line

Geometry Regents Exam Questions by State Standard: Topic www.jmap.org

- 497 A line is dilated by a scale factor of $\frac{1}{3}$ centered at a point on the line. Which statement is correct about the image of the line?
 - 1) Its slope is changed by a scale factor of $\frac{1}{3}$.
 - 2) Its y-intercept is changed by a scale factor of $\frac{1}{3}$.
 - 3) Its slope and y-intercept are changed by a scale factor of $\frac{1}{3}$.
 - 4) The image of the line and the pre-image are the same line.
- 498 An equation of line *p* is $y = \frac{1}{3}x + 4$. An equation of line *q* is $y = \frac{2}{3}x + 8$. Which statement about lines *p* and *q* is true?
 - 1) A dilation of $\frac{1}{2}$ centered at the origin will map line *q* onto line *p*.
 - 2) A dilation of 2 centered at the origin will map line *p* onto line *q*.
 - 3) Line q is not the image of line p after a dilation because the lines are not parallel.
 - 4) Line q is not the image of line p after a dilation because the lines do not pass through the origin.
- 499 The line -3x + 4y = 8 is transformed by a dilation centered at the origin. Which linear equation could represent its image?
 - 1) $y = \frac{4}{3}x + 8$

2)
$$y = \frac{3}{4}x + 8$$

3)
$$y = -\frac{3}{4}x - 8$$

4)
$$y = -\frac{4}{3}x - 8$$

- 500 The line 3y = -2x + 8 is transformed by a dilation centered at the origin. Which linear equation could be its image?
 - 1) 2x + 3y = 5
 - $2) \quad 2x 3y = 5$
 - $3) \quad 3x + 2y = 5$
 - $4) \quad 3x 2y = 5$
- 501 The line represented by the equation 4y = 3x + 7 is transformed by a dilation centered at the origin. Which linear equation could represent its image? 1) 3x - 4y = 9
 - 2) 3x + 4y = 9
 - 3) 4x 3y = 9
 - 4) 4x + 3y = 9
- 502 Line ℓ is mapped onto line *m* by a dilation centered at the origin with a scale factor of 2. The equation of line ℓ is 3x y = 4. Determine and state an equation for line *m*.
- 503 Line *AB* is dilated by a scale factor of 2 centered at point *A*.




Evan thinks that the dilation of \overline{AB} will result in a line parallel to \overline{AB} , not passing through points *A* or *B*. Nathan thinks that the dilation of \overline{AB} will result in the same line, \overline{AB} . Who is correct? Explain why.


504 The coordinates of the endpoints of \overline{AB} are A(2,3)and B(5,-1). Determine the length of $\overline{A'B'}$, the image of \overline{AB} , after a dilation of $\frac{1}{2}$ centered at the origin. [The use of the set of axes below is optional.]

x

505 Aliyah says that when the line 4x + 3y = 24 is dilated by a scale factor of 2 centered at the point (3,4), the equation of the dilated line is $y = -\frac{4}{3}x + 16$. Is Aliyah correct? Explain why. [The use of the set of axes below is optional.]




506 Line *n* is represented by the equation 3x + 4y = 20. Determine and state the equation of line *p*, the image of line *n*, after a dilation of scale factor $\frac{1}{3}$ centered at the point (4,2). [The use of the set of axes below is optional.] Explain your answer.




G.CO.A.5: ROTATIONS

507 Which point shown in the graph below is the image of point *P* after a counterclockwise rotation of 90° about the origin?




508 The grid below shows $\triangle ABC$ and $\triangle DEF$.



Let $\triangle A'B'C'$ be the image of $\triangle ABC$ after a rotation about point *A*. Determine and state the location of *B'* if the location of point *C'* is (8,-3). Explain your answer. Is $\triangle DEF$ congruent to $\triangle A'B'C'$? Explain your answer.


G.CO.A.5: REFLECTIONS

- 509 What is the image of (4,3) after a reflection over the line y = 1?
 - 1) (-2,3)
 - 2) (-4,3)
 - 3) (4,-1)
 - 4) (4,-3)
- 510 Triangle *ABC* is graphed on the set of axes below. Graph and label $\triangle A'B'C'$, the image of $\triangle ABC$ after a reflection over the line x = 1.



G.SRT.A.2: DILATIONS

511 In the diagram below, $\triangle GHJ$ is dilated by a scale factor of $\frac{1}{2}$ centered at point *B* to map onto $\triangle CDF$.






If $m \angle DFC = 40^\circ$, what is $m \angle HJG$?

- 1) 20°
- 2) 40°
- 3) 60°
- 4) 80°

512 Triangle *A'B'C'* is the image of $\triangle ABC$ after a dilation centered at the origin. The coordinates of the vertices of $\triangle ABC$ are *A*(-2, 1), *B*(2, 4), and *C*(2, -3).




If the coordinates of A' are (-4,2), the coordinates of B' are

- 1) (8,4)
- 2) (4,8)
- 3) (4,-6)
- 4) (1,2)
- 513 If $\triangle TAP$ is dilated by a scale factor of 0.5, which statement about the image, $\triangle T'A'P'$, is true?
 - 1) $m \angle T'A'P' = \frac{1}{2}(m \angle TAP)$
 - 2) $m \angle T'A'P' = 2(m \angle TAP)$
 - $3) \quad TA = 2(T'A')$

$$4) \quad TA = \frac{1}{2} \left(T'A' \right)$$

- 514 If $\triangle ABC$ is dilated by a scale factor of 3, which statement is true of the image $\triangle A'B'C'$?
 - 1) 3A'B' = AB
 - 2) B'C' = 3BC
 - 3) $m \angle A' = 3(m \angle A)$
 - 4) $3(m \angle C') = m \angle C$
- 515 The image of $\triangle ABC$ after a dilation of scale factor *k* centered at point *A* is $\triangle ADE$, as shown in the diagram below.




Which statement is always true?

- 1) $\underline{2AB} = \underline{AD}$
- 2) $\overline{AD} \perp DE$
- 3) $\underline{AC} = \underline{CE}$
- 4) $\overline{BC} \parallel \overline{DE}$
- 516 Triangle *KLM* is dilated by a scale factor of 3 to map onto triangle *DRS*. Which statement is *not* always true?
 - 1) $\angle K \cong \angle D$
 - $2) \quad KM = \frac{1}{3}DS$
 - 3) The area of $\triangle DRS$ is 3 times the area of $\triangle KLM$.
 - 4) The perimeter of $\triangle DRS$ is 3 times the perimeter of $\triangle KLM$.

- 517 A triangle is dilated by a scale factor of 3 with the center of dilation at the origin. Which statement is true?
 - 1) The area of the image is nine times the area of the original triangle.
 - 2) The perimeter of the image is nine times the perimeter of the original triangle.
 - 3) The slope of any side of the image is three times the slope of the corresponding side of the original triangle.
 - 4) The measure of each angle in the image is three times the measure of the corresponding angle of the original triangle.
- 518 Rectangle *A'B'C'D'* is the image of rectangle *ABCD* after a dilation centered at point *A* by a scale factor
 - of $\frac{2}{3}$. Which statement is correct?
 - 1) Rectangle A'B'C'D' has a perimeter that is $\frac{2}{3}$ the perimeter of rectangle *ABCD*.
 - 2) Rectangle A'B'C'D' has a perimeter that is $\frac{3}{2}$ the perimeter of rectangle *ABCD*.
 - 3) Rectangle A'B'C'D' has an area that is $\frac{2}{3}$ the area of rectangle *ABCD*.
 - 4) Rectangle A'B'C'D' has an area that is $\frac{3}{2}$ the area of rectangle *ABCD*.
- 519 Triangle *RJM* has an area of 6 and a perimeter of 12. If the triangle is dilated by a scale factor of 3 centered at the origin, what are the area and perimeter of its image, triangle *R'J'M'*?
 - 1) area of 9 and perimeter of 15
 - 2) area of 18 and perimeter of 36
 - 3) area of 54 and perimeter of 36
 - 4) area of 54 and perimeter of 108


- 520 Given square *RSTV*, where RS = 9 cm. If square *RSTV* is dilated by a scale factor of 3 about a given center, what is the perimeter, in centimeters, of the image of *RSTV* after the dilation?
 - 1) 12
 - 2) 27
 - 3) 36
 - 4) 108
- 521 A rectangle has a width of 3 and a length of 4. The rectangle is dilated by a scale factor of 1.8. What is the area of its image, to the *nearest tenth*?
 - 1) 3.7
 - 2) 6.7
 - 3) 21.6
 - 4) 38.9
- 522 In the diagram below, $\triangle ABE$ is the image of $\triangle ACD$ after a dilation centered at the origin. The coordinates of the vertices are A(0,0), B(3,0), C(4.5,0), D(0,6), and E(0,4).



The ratio of the lengths of BE to CD is

1) $\frac{2}{3}$ 2) $\frac{3}{2}$ 3) $\frac{3}{4}$ 4) $\frac{4}{3}$ Geometry Regents Exam Questions by State Standard: Topic www.jmap.org


523 On the set of axes below, $\triangle RST$ is the image of $\triangle ABC$ after a dilation centered at point *P*.



The scale factor of the dilation that maps $\triangle ABC$ onto $\triangle RST$ is

- $\frac{1}{3}$ 1)
- 2) 2 3) 3
- $\frac{2}{3}$ 4)


524 On the set of axes below, $\triangle DEF$ is the image of $\triangle ABC$ after a dilation of scale factor $\frac{1}{3}$.




The center of dilation is at

- 1) (0,0)
- 2) (2,-3)
- 3) (0,-2)
- 4) (-4,0)
- 525 Triangle *A'B'C'* is the image of triangle *ABC* after a dilation with a scale factor of $\frac{1}{2}$ and centered at point A. Is triangle ABC congruent to triangle A'B'C'? Explain your answer.

526 Triangle *QRS* is graphed on the set of axes below.




- On the same set of axes, graph and label $\triangle Q' R' S'$, the image of $\triangle QRS$ after a dilation with a scale factor of $\frac{3}{2}$ centered at the origin. Use slopes to explain why $Q'R' \parallel QR$.
- 527 Triangle *ABC* and triangle *ADE* are graphed on the set of axes below.



Describe a transformation that maps triangle *ABC* onto triangle *ADE*. Explain why this transformation makes triangle *ADE* similar to triangle *ABC*.


528 Triangle *ABC* and point D(1,2) are graphed on the set of axes below.



Graph and label $\triangle A'B'C'$, the image of $\triangle ABC$, after a dilation of scale factor 2 centered at point *D*.

G.CO.A.3: MAPPING A POLYGON ONTO ITSELF


529 A regular pentagon is shown in the diagram below.



If the pentagon is rotated clockwise around its center, the minimum number of degrees it must be rotated to carry the pentagon onto itself is

- 1) 54°
- 2) 72°
- 3) 108°
- 4) 360°


530 The regular polygon below is rotated about its center.



Which angle of rotation will carry the figure onto itself?


- 1) 60°
- 2) 108°
- 3) 216°
- 4) 540°
- 531 A regular pentagon is rotated about its center. What is the minimum number of degrees needed to carry the pentagon onto itself?
 - 1) 72°
 - 2) 108°
 - 3) 144°
 - 4) 360°
- 532 What is the minimum number of degrees that a regular hexagon must rotate about its center to carry it onto itself?
 - 1) 45°
 - 2) 72°
 - 3) 60°
 - 4) 120°
- 533 A regular hexagon is rotated about its center. Which degree measure will carry the regular hexagon onto itself?
 - 1) 45°
 - 2) 90°
 - 3) 120°
 - 4) 135°

- 534 Which rotation about its center will carry a regular decagon onto itself?
 - 1) 54°
 - 2) 162°
 - 3) 198°
 - 4) 252°
- 535 A regular decagon is rotated n degrees about its center, carrying the decagon onto itself. The value of n could be
 - 1) 10°
 - 2) 150°
 - 3) 225°
 - 4) 252°
- 536 Which polygon always has a minimum rotation of 180° about its center to carry it onto itself?




- 537 Which regular polygon has a minimum rotation of 36° about its center that carries the polygon onto itself?
 - 1) pentagon
 - 2) octagon
 - 3) nonagon
 - 4) decagon
- 538 Which regular polygon has a minimum rotation of 45° to carry the polygon onto itself?
 - 1) octagon
 - 2) decagon
 - 3) hexagon
 - 4) pentagon
- 539 Which regular polygon will carry onto itself after a 135° rotation about its center?
 - 1) triangle
 - 2) pentagon
 - 3) hexagon
 - 4) octagon
- 540 Which regular polygon would carry onto itself after a rotation of 300° about its center?
 - 1) decagon
 - 2) nonagon
 - 3) octagon
 - 4) hexagon
- 541 Which figure will *not* carry onto itself after a 120-degree rotation about its center?
 - 1) equilateral triangle
 - 2) regular hexagon
 - 3) regular octagon
 - 4) regular nonagon
- 542 Which figure always has exactly four lines of reflection that map the figure onto itself?
 - 1) square
 - 2) rectangle
 - 3) regular octagon
 - 4) equilateral triangle

543 A rhombus is graphed on the set of axes below.



Which transformation would carry the rhombus onto itself?


- 1) 180° rotation counterclockwise about the origin
- 2) reflection over the line $y = \frac{1}{2}x + 1$
- 3) reflection over the line y = 0
- 4) reflection over the line x = 0
- 544 The figure below shows a rhombus with noncongruent diagonals.



Which transformation would *not* carry this rhombus onto itself?

- 1) a reflection over the shorter diagonal
- 2) a reflection over the longer diagonal
- 3) a clockwise rotation of 90° about the intersection of the diagonals
- 4) a counterclockwise rotation of 180° about the intersection of the diagonals


545 In the diagram below, a square is graphed in the coordinate plane.



A reflection over which line does *not* carry the square onto itself?

- 1) x = 5
- 2) *y* = 2
- $3) \quad y = x$
- $4) \quad x+y=4$

546 A rectangle is graphed on the set of axes below.



A reflection over which line would carry the rectangle onto itself?

1)
$$y = 2$$


2) $y = 10$

$$y = 10$$

3)
$$y = \frac{1}{2}x - 3$$

4)
$$y = -\frac{1}{2}x + 7$$


547 A square is graphed on the set of axes below, with vertices at (-1,2), (-1,-2), (3,-2), and (3,2).



Which transformation would *not* carry the square onto itself?

- 1) reflection over the *y*-axis
- 2) reflection over the *x*-axis
- 3) rotation of 180 degrees around point (1,0)
- 4) reflection over the line y = x 1


548 As shown in the graph below, the quadrilateral is a rectangle.



Which transformation would *not* map the rectangle onto itself?

- 1) a reflection over the *x*-axis
- 2) a reflection over the line x = 4
- 3) a rotation of 180° about the origin
- 4) a rotation of 180° about the point (4,0)


549 In the diagram below, rectangle *ABCD* has vertices whose coordinates are A(7,1), B(9,3), C(3,9), and D(1,7).



Which transformation will *not* carry the rectangle onto itself?

- 1) a reflection over the line y = x
- 2) a reflection over the line y = -x + 10
- 3) a rotation of 180° about the point (6,6)
- 4) a rotation of 180° about the point (5,5)


550 Which transformation carries the parallelogram below onto itself?



- 1) a reflection over y = x
- 2) a reflection over y = -x
- a rotation of 90° counterclockwise about the origin
- 4) a rotation of 180° counterclockwise about the origin
- 551 Which transformation would *not* carry a square onto itself?
 - 1) a reflection over one of its diagonals
 - 2) a 90° rotation clockwise about its center
 - 3) a 180° rotation about one of its vertices
 - 4) a reflection over the perpendicular bisector of one side
- 552 A regular hexagon is rotated in a counterclockwise direction about its center. Determine and state the minimum number of degrees in the rotation such that the hexagon will coincide with itself.

G.CO.A.5: COMPOSITIONS OF TRANFORMATIONS


553 Triangle *PQR* is shown on the set of axes below.



Which quadrant will contain point R'', the image of point R, after a 90° clockwise rotation centered at (0,0) followed by a reflection over the *x*-axis?

- 1) I
- 2) II
- 3) III
- 4) IV


554 On the set of axes below, triangle *ABC* is graphed. Triangles *A*'*B*'*C*' and *A*"*B*"*C*", the images of triangle *ABC*, are graphed after a sequence of rigid motions.



Identify which sequence of rigid motions maps $\triangle ABC$ onto $\triangle A'B'C'$ and then maps $\triangle A'B'C'$ onto $\triangle A'B'C''$.

- 1) a rotation followed by another rotation
- 2) a translation followed by a reflection
- 3) a reflection followed by a translation
- 4) a reflection followed by a rotation


555 Triangle *ABC* and triangle *DEF* are graphed on the set of axes below.



Which sequence of transformations maps triangle *ABC* onto triangle *DEF*?

- a reflection over the *x*-axis followed by a reflection over the *y*-axis
- 2) a 180° rotation about the origin followed by a reflection over the line y = x
- a 90° clockwise rotation about the origin followed by a reflection over the *y*-axis
- a translation 8 units to the right and 1 unit up followed by a 90° counterclockwise rotation about the origin


556 On the set of axes below, congruent triangles *ABC* and *DEF* are drawn.



Which sequence of transformations maps $\triangle ABC$ onto $\triangle DEF$?

- 1) A counterclockwise rotation of 90 degrees about the origin, followed by a translation 8 units to the right.
- 2) A counterclockwise rotation of 90 degrees about the origin, followed by a reflection over the *y*-axis.
- A counterclockwise rotation of 90 degrees about the origin, followed by a translation 4 units down.
- 4) A clockwise rotation of 90 degrees about the origin, followed by a reflection over the *x*-axis.


557 In the diagram below, $\triangle ABC \cong \triangle DEF$.



Which sequence of transformations maps $\triangle ABC$ onto $\triangle DEF$?

- 1) a reflection over the *x*-axis followed by a translation
- 2) a reflection over the *y*-axis followed by a translation
- 3) a rotation of 180° about the origin followed by a translation
- 4) a counterclockwise rotation of 90° about the origin followed by a translation


558 Triangles *ABC* and *RST* are graphed on the set of axes below.



Which sequence of rigid motions will prove $\triangle ABC \cong \triangle RST$?

- 1) a line reflection over y = x
- 2) a rotation of 180° centered at (1,0)
- 3) a line reflection over the *x*-axis followed by a translation of 6 units right
- a line reflection over the *x*-axis followed by a line reflection over y = 1


559 On the set of axes below, $\triangle LET$ and $\triangle L"E"T"$ are graphed in the coordinate plane where $\triangle LET \cong \triangle L"E"T"$.



Which sequence of rigid motions maps $\triangle LET$ onto $\triangle L"E"T"$?

- 1) a reflection over the *y*-axis followed by a reflection over the *x*-axis
- 2) a rotation of 180° about the origin
- 3) a rotation of 90° counterclockwise about the origin followed by a reflection over the *y*-axis
- 4) a reflection over the *x*-axis followed by a rotation of 90° clockwise about the origin


560 In the diagram below, *ABCD* is a rectangle, and diagonal \overline{BD} is drawn. Line ℓ , a vertical line of symmetry, and line *m*, a horizontal line of symmetry, intersect at point *E*.



Which sequence of transformations will map $\triangle ABD$ onto $\triangle CDB$?


- 1) a reflection over line ℓ followed by a 180° rotation about point *E*
- 2) a reflection over line ℓ followed by a reflection over line *m*
- 3) a 180° rotation about point *B*
- 4) a reflection over *DB*

561 A sequence of transformations maps rectangle *ABCD* onto rectangle *A"B"C"D"*, as shown in the diagram below.




Which sequence of transformations maps *ABCD* onto *A'B'C'D'* and then maps *A'B'C'D'* onto *A''B''C''D''*?

- 1) a reflection followed by a rotation
- 2) a reflection followed by a translation
- 3) a translation followed by a rotation
- 4) a translation followed by a reflection
- 562 Identify which sequence of transformations could map pentagon *ABCDE* onto pentagon *A"B"C"D"E"*, as shown below.



- 1) dilation followed by a rotation
- 2) translation followed by a rotation
- 3) line reflection followed by a translation
- 4) line reflection followed by a line reflection


563 On the set of axes below, pentagon *ABCDE* is congruent to *A"B"C"D"E"*.



Which describes a sequence of rigid motions that maps *ABCDE* onto *A"B"C"D"E"*?


- 1) a rotation of 90° counterclockwise about the origin followed by a reflection over the *x*-axis
- 2) a rotation of 90° counterclockwise about the origin followed by a translation down 7 units
- a reflection over the *y*-axis followed by a reflection over the *x*-axis
- 4) a reflection over the *x*-axis followed by a rotation of 90° counterclockwise about the origin

564 In the diagram below, congruent figures 1, 2, and 3 are drawn.



Which sequence of transformations maps figure 1 onto figure 2 and then figure 2 onto figure 3?


- 1) a reflection followed by a translation
- 2) a rotation followed by a translation
- 3) a translation followed by a reflection
- 4) a translation followed by a rotation
- 565 In regular hexagon *ABCDEF* shown below, *AD*, \overline{BE} , and \overline{CF} all intersect at *G*.



When $\triangle ABG$ is reflected over *BG* and then rotated 180° about point *G*, $\triangle ABG$ is mapped onto


- 1) $\triangle FEG$
- 2) $\triangle AFG$
- 3) $\triangle CBG$
- 4) $\triangle DEG$

566 On the set of axes below, $\triangle ABC$ is graphed with coordinates A(-2,-1), B(3,-1), and C(-2,-4). Triangle *QRS*, the image of $\triangle ABC$, is graphed with coordinates Q(-5,2), R(-5,7), and S(-8,2).




Describe a sequence of transformations that would map $\triangle ABC$ onto $\triangle QRS$.

567 Describe a sequence of transformations that will map $\triangle ABC$ onto $\triangle DEF$ as shown below.




568 The graph below shows $\triangle ABC$ and its image, $\triangle A"B"C"$.




Describe a sequence of rigid motions which would map $\triangle ABC$ onto $\triangle A"B"C"$.

569 On the set of axes below, $\triangle ABC \cong \triangle STU$.




Describe a sequence of rigid motions that maps $\triangle ABC$ onto $\triangle STU$.

570 On the set of axes below, $\triangle ABC \cong \triangle DEF$.




Describe a sequence of rigid motions that maps $\triangle ABC$ onto $\triangle DEF$.

571 On the set of axes below, $\triangle DOG \cong \triangle CAT$.




Describe a sequence of transformations that maps $\triangle DOG$ onto $\triangle CAT$.

572 On the set of axes below, $\triangle ABC$ and $\triangle DEF$ are graphed.




Describe a sequence of rigid motions that would map $\triangle ABC$ onto $\triangle DEF$.

573 Triangles *ABC* and *DEF* are graphed on the set of axes below.




Describe a sequence of transformations that maps $\triangle ABC$ onto $\triangle DEF$.

574 Triangle *ABC* and triangle *DEF* are drawn below.




- If $\overline{AB} \cong \overline{DE}$, $\overline{AC} \cong \overline{DF}$, and $\angle A \cong \angle D$, write a sequence of transformations that maps triangle *ABC* onto triangle *DEF*.
- 575 Quadrilateral *MATH* and its image *M"A"T"H"* are graphed on the set of axes below.




Describe a sequence of transformations that maps quadrilateral *MATH* onto quadrilateral *M"A"T"H"*.

576 Quadrilaterals *BIKE* and *GOLF* are graphed on the set of axes below.




Describe a sequence of transformations that maps quadrilateral *BIKE* onto quadrilateral *GOLF*.

577 On the set of axes below, congruent quadrilaterals *ROCK* and *R'O'C'K'* are graphed.




Describe a sequence of transformations that would map quadrilateral ROCK onto quadrilateral R'O'C'K'.

578 Trapezoids *ABCD* and *A"B"C"D"* are graphed on the set of axes below.




Describe a sequence of transformations that maps trapezoid *ABCD* onto trapezoid *A"B"C"D"*.

579 Quadrilateral *DEAR* and its image, quadrilateral D'E'A'R', are graphed on the set of axes below.



Describe a sequence of transformations that maps quadrilateral DEAR onto quadrilateral D'E'A'R'.

580 In the diagram below, $\triangle ABC$ has coordinates A(1,1), B(4,1), and C(4,5). Graph and label $\triangle A"B"C"$, the image of $\triangle ABC$ after the translation five units to the right and two units up followed by the reflection over the line y = 0.




G.SRT.A.2: COMPOSITIONS OF TRANSFORMATIONS

- 581 Triangle A'B'C' is the image of $\triangle ABC$ after a dilation followed by a translation. Which statement(s) would always be true with respect to this sequence of transformations?
 - I. $\triangle ABC \cong \triangle A'B'C'$
 - II. $\triangle ABC \sim \triangle A'B'C'$
 - III. $\overline{AB} \parallel \overline{A'B'}$
 - IV. AA' = BB'
 - 1) II, only
 - 2) I and II
 - 3) II and III
 - 4) II, III, and IV

Geometry Regents Exam Questions by State Standard: Topic www.jmap.org


582 In the diagram below, $\triangle DEF$ is the image of $\triangle ABC$ after a clockwise rotation of 180° and a dilation where AB = 3, BC = 5.5, AC = 4.5, DE = 6, FD = 9, and EF = 11.



Which relationship must always be true?

- $\frac{m\angle A}{m\angle D} = \frac{1}{2}$ 1)
- $\frac{\mathbf{m}\angle C}{\mathbf{m}\angle F} = \frac{2}{1}$ 2)
- $\frac{\mathbf{m}\angle A}{\mathbf{m}\angle C} = \frac{\mathbf{m}\angle F}{\mathbf{m}\angle D}$ 3)
- $\frac{\mathbf{m}\angle B}{\mathbf{m}\angle E} = \frac{\mathbf{m}\angle C}{\mathbf{m}\angle F}$ 4)

583 In the diagram below, $\triangle ADE$ is the image of $\triangle ABC$ after a reflection over the line AC followed by a dilation of scale factor $\frac{AE}{AC}$ centered at point Α.




Which statement must be true?

- 1) $m \angle BAC \cong m \angle AED$
- 2) $m \angle ABC \cong m \angle ADE$

3)
$$m \angle DAE \cong \frac{1}{2} m \angle BAC$$


4)
$$m \angle ACB \cong \frac{1}{2} m \angle DAB$$

584 Which sequence of transformations will map $\triangle ABC$ onto $\triangle A'B'C'$?



- 1) reflection and translation
- 2) rotation and reflection
- 3) translation and dilation
- 4) dilation and rotation


585 Given: $\triangle AEC$, $\triangle DEF$, and $\overline{FE} \perp \overline{CE}$



What is a correct sequence of similarity transformations that shows $\triangle AEC \sim \triangle DEF$?

- 1) a rotation of 180 degrees about point E followed by a horizontal translation
- 2) a counterclockwise rotation of 90 degrees about point *E* followed by a horizontal translation
- a rotation of 180 degrees about point *E* followed by a dilation with a scale factor of 2 centered at point *E*
- a counterclockwise rotation of 90 degrees about point *E* followed by a dilation with a scale factor of 2 centered at point *E*

586 On the set of axes below, $\triangle ABC$ has vertices at A(-2,0), B(2,-4), C(4,2), and $\triangle DEF$ has vertices at D(4,0), E(-4,8), F(-8,-4).




Which sequence of transformations will map $\triangle ABC$ onto $\triangle DEF$?

- 1) a dilation of $\triangle ABC$ by a scale factor of 2 centered at point *A*
- 2) a dilation of $\triangle ABC$ by a scale factor of $\frac{1}{2}$ centered at point *A*
- 3) a dilation of $\triangle ABC$ by a scale factor of 2 centered at the origin, followed by a rotation of 180° about the origin
- 4) a dilation of $\triangle ABC$ by a scale factor of $\frac{1}{2}$

centered at the origin, followed by a rotation of 180° about the origin


587 In the diagram below, triangles *XYZ* and *UVZ* are drawn such that $\angle X \cong \angle U$ and $\angle XZY \cong \angle UZV$.



Describe a sequence of similarity transformations that shows $\triangle XYZ$ is similar to $\triangle UVZ$.

G.CO.B.6: PROPERTIES OF TRANSFORMATIONS


588 In right triangle *LMN* below, LN = 8, MN = 15, and LM = 17.



If triangle *LMN* is translated such that it maps onto triangle *XYZ*, which statement is always true?


- 1) XY = 15
- 2) YZ = 17
- 3) $m \angle Z = 90^{\circ}$
- 4) $m \angle X = 90^{\circ}$

589 In the diagram below, $\triangle ABC$ is reflected over line ℓ to create $\triangle DEF$.



If $m \angle A = 40^\circ$ and $m \angle B = 95^\circ$, what is $m \angle F$?


- 1) 40°
- 2) 45°
- 3) 85°
- 4) 95°
- 590 In the diagram below, $\triangle ABC$ with sides 13, 15, and 16, is mapped onto $\triangle DEF$ after a clockwise rotation of 90° about point *P*.



If DE = 2x - 1, what is the value of x?


- 1) 7
- 2) 7.5
- 3) 8
- 4) 8.5

591 In the diagram below, $\triangle CAR$ is mapped onto $\triangle BUS$ after a sequence of rigid motions.



If AR = 3x + 4, RC = 5x - 10, CA = 2x + 6, and SB = 4x - 4, what is the length of \overline{SB} ?


- 1) 6
- 2) 16
- 3) 20
- 4) 28
- 592 Rhombus *ABCD* can be mapped onto rhombus *KLMN* by a rotation about point *P*, as shown below.



What is the measure of $\angle KNM$ if the measure of $\angle CAD = 35$?

- 1) 35°
- 2) 55°
- 3) 70°
- 4) 110°


593 In the diagram below, a sequence of rigid motions maps *ABCD* onto *JKLM*.



If $m \angle A = 82^\circ$, $m \angle B = 104^\circ$, and $m \angle L = 121^\circ$, the measure of $\angle M$ is


- 1) 53°
- 2) 82°
- 3) 104°
- 4) 121°

594 Quadrilateral *ABCD* is graphed on the set of axes below.



When *ABCD* is rotated 90° in a counterclockwise direction about the origin, its image is quadrilateral A'B'C'D'. Is distance preserved under this rotation, and which coordinates are correct for the given vertex?


- 1) no and C'(1,2)
- 2) no and D'(2,4)
- 3) yes and A'(6,2)
- 4) yes and B'(-3,4)
- 595 The image of $\triangle ABC$ after a rotation of 90° clockwise about the origin is $\triangle DEF$, as shown below.



Which statement is true?

- 1) $\overline{BC} \cong \overline{DE}$
- 2) $\overline{AB} \cong \overline{DF}$
- 3) $\angle C \cong \angle E$
- 4) $\angle A \cong \angle D$


596 After a counterclockwise rotation about point X, scalene triangle ABC maps onto $\triangle RST$, as shown in the diagram below.



Which statement must be true?

- 1) $\angle A \cong \angle R$
- 2) $\angle A \cong \angle S$
- 3) $\overline{CB} \cong \overline{TR}$
- 4) $\overline{CA} \cong \overline{TS}$


597 In $\triangle RHM$ below, m $\angle R = 110^\circ$ and m $\angle M = 40^\circ$.



If $\triangle RHM$ is reflected over side HM to form quadrilateral RHR'M, which statement is always true?


- 1) Quadrilateral *RHR'M* is a parallelogram.
- 2) m $\angle MHR' = 40^{\circ}$
- 3) m $\angle HMR' = 40^{\circ}$
- 4) $\overline{MR} \cong \overline{HR'}$

598 Trapezoid *ABCD* is drawn such that $\overline{AB} \parallel \overline{DC}$. Trapezoid *A'B'C'D'* is the image of trapezoid *ABCD* after a rotation of 110° counterclockwise about point *P*.



Which statement is always true?


- 1) $\angle A \cong \angle D'$
- 2) $\overline{AC} \cong \overline{B'D'}$
- 3) $\overline{A'B'} \parallel \overline{D'C'}$
- 4) $\overline{B'A'} \cong \overline{C'D'}$
- 599 In the diagram below, a line reflection followed by a rotation maps $\triangle ABC$ onto $\triangle DEF$.



Which statement is always true?


- 1) $BC \cong EF$
- 2) $\overline{AC} \cong \overline{DE}$
- 3) $\angle A \cong \angle F$
- 4) $\angle B \cong \angle D$

600 In the diagram below, $\triangle BRI$ is the image of $\triangle JOE$ after a translation. Triangle *CAT* is the image of $\triangle BRI$ after a line reflection.




Which statement is always true?

- 1) $\angle R \cong \angle T$
- 2) $\angle J \cong \angle A$
- 3) $\overline{JE} \cong \overline{RI}$
- 4) $\overline{OE} \cong \overline{AT}$
- 601 Triangle *MNP* is the image of triangle *JKL* after a 120° counterclockwise rotation about point *Q*. If the measure of angle *L* is 47° and the measure of angle *N* is 57° , determine the measure of angle *M*. Explain how you arrived at your answer.




602 In the diagram below, $\triangle TAN$ is the image of $\triangle SUN$ after a reflection over \overline{NZ} .



Use the properties of rigid motions to explain why $\triangle TAN \cong \triangle SUN$.

603 In the diagram below, parallelogram *EFGH* is mapped onto parallelogram *IJKH* after a reflection over line ℓ .




Use the properties of rigid motions to explain why parallelogram *EFGH* is congruent to parallelogram *IJKH*.

- 604 If $\triangle ABC$ is mapped onto $\triangle DEF$ after a line reflection and $\triangle DEF$ is mapped onto $\triangle XYZ$ after a translation, the relationship between $\triangle ABC$ and $\triangle XYZ$ is that they are always
 - 1) congruent and similar
 - 2) congruent but not similar
 - 3) similar but not congruent
 - 4) neither similar nor congruent

- 605 Quadrilateral *MATH* is congruent to quadrilateral *WXYZ*. Which statement is always true?
 - 1) MA = XY
 - 2) $m \angle H = m \angle W$
 - 3) Quadrilateral *WXYZ* can be mapped onto quadrilateral *MATH* using a sequence of rigid motions.
 - 4) Quadrilateral *MATH* and quadrilateral *WXYZ* are the same shape, but not necessarily the same size.
- 606 Triangle *A'B'C'* is the image of triangle *ABC* after a translation of 2 units to the right and 3 units up. Is triangle *ABC* congruent to triangle *A'B'C'*? Explain why.


G.CO.A.2: IDENTIFYING TRANSFORMATIONS

607 In the diagram below, which single transformation was used to map triangle *A* onto triangle *B*?




- 1) line reflection
- 2) rotation
- 3) dilation
- 4) translation

608 In the diagram below, line *m* is parallel to line *n*. Figure 2 is the image of Figure 1 after a reflection over line *m*. Figure 3 is the image of Figure 2 after a reflection over line *n*.



Which single transformation would carry Figure 1 onto Figure 3?


- 1) a dilation
- 2) a rotation
- 3) a reflection
- 4) a translation
- 609 In the diagram below, $\triangle ABC \cong \triangle DEC$.




Which transformation will map $\triangle ABC$ onto $\triangle DEC$?

- 1) a rotation
- 2) a line reflection
- 3) a translation followed by a dilation
- 4) a line reflection followed by a second line reflection

610 Which transformation of OA would result in an image parallel to \overline{OA} ?




- 1) a translation of two units down
- 2) a reflection over the *x*-axis
- 3) a reflection over the *y*-axis
- 4) a clockwise rotation of 90° about the origin
- 611 Triangles *ABC* and *DEF* are graphed on the set of axes below.



Which sequence of rigid motions maps $\triangle ABC$ onto $\triangle DEF$?

- 1) A reflection over y = -x + 2.
- 2) A point reflection through (0,2).
- 3) A translation 2 units left followed by a reflection over the *x*-axis.
- 4) A translation 4 units down followed by a reflection over the *y*-axis.


612 The graph below shows two congruent triangles, ABC and A'B'C'.



Which rigid motion would map $\triangle ABC$ onto $\triangle A'B'C'$?


- 1) a rotation of 90 degrees counterclockwise about the origin
- 2) a translation of three units to the left and three units up
- 3) a rotation of 180 degrees about the origin
- 4) a reflection over the line y = x

613 On the set of axes below, $\triangle ABC \cong \triangle A'B'C'$.




Triangle *ABC* maps onto $\triangle A'B'C'$ after a

- 1) reflection over the line y = -x
- 2) reflection over the line y = -x + 2
- 3) rotation of 180° centered at (1,1)
- 4) rotation of 180° centered at the origin
- 614 On the set of axes below, rectangle *ABCD* can be proven congruent to rectangle *KLMN* using which transformation?



- 1) rotation
- 2) translation
- 3) reflection over the *x*-axis
- 4) reflection over the *y*-axis

615 Trapezoid *ABCD* is graphed on the set of axes below.




Which transformation would map point *A* onto A'(3,-7)?

- 1) reflection over y = x
- 2) reflection over the *y*-axis
- 3) rotation of 180° about (0,0)
- 4) rotation of 90° counterclockwise about (0,0)
- 616 Which transformation would *not* always produce an image that would be congruent to the original figure?
 - 1) translation
 - 2) dilation
 - 3) rotation
 - 4) reflection
- 617 The vertices of $\triangle JKL$ have coordinates J(5,1), K(-2,-3), and L(-4,1). Under which transformation is the image $\triangle J'K'L'$ not congruent to $\triangle JKL$?
 - 1) a translation of two units to the right and two units down
 - 2) a counterclockwise rotation of 180 degrees around the origin
 - 3) a reflection over the *x*-axis
 - 4) a dilation with a scale factor of 2 and centered at the origin


- 618 If $\triangle A'B'C'$ is the image of $\triangle ABC$, under which transformation will the triangles *not* be congruent?
 - 1) reflection over the *x*-axis
 - 2) translation to the left 5 and down 4
 - dilation centered at the origin with scale factor
 2
 - 4) rotation of 270° counterclockwise about the origin
- 619 Under which transformation would $\triangle A'B'C'$, the image of $\triangle ABC$, *not* be congruent to $\triangle ABC$?
 - 1) reflection over the *y*-axis
 - 2) rotation of 90° clockwise about the origin
 - 3) translation of 3 units right and 2 units down
 - 4) dilation with a scale factor of 2 centered at the origin
- 620 The image of $\triangle DEF$ is $\triangle D'E'F'$. Under which transformation will he triangles *not* be congruent?
 - 1) a reflection through the origin
 - 2) a reflection over the line y = x
 - 3) a dilation with a scale factor of 1 centered at (2,3)
 - 4) a dilation with a scale factor of $\frac{3}{2}$ centered at the origin

621 On the set of axes below, congruent triangles *ABC* and *DEF* are graphed.



Describe a sequence of rigid motions that maps $\triangle ABC$ onto $\triangle DEF$.


622 Triangle *ABC* has vertices at A(-5,2), B(-4,7), and C(-2,7), and triangle *DEF* has vertices at D(3,2), E(2,7), and F(0,7). Graph and label $\triangle ABC$ and $\triangle DEF$ on the set of axes below. Determine and state the single transformation where $\triangle DEF$ is the image of $\triangle ABC$. Use your transformation to explain why $\triangle ABC \cong \triangle DEF$.



G.CO.A.2: ANALYTICAL REPRESENTATIONS OF TRANSFORMATIONS


- 623 Which transformation would result in the perimeter of a triangle being different from the perimeter of its image?
 - 1) $(x,y) \rightarrow (y,x)$
 - 2) $(x,y) \rightarrow (x,-y)$
 - 3) $(x,y) \rightarrow (4x,4y)$
 - 4) $(x,y) \rightarrow (x+2,y-5)$

- 624 The vertices of $\triangle PQR$ have coordinates P(2,3), Q(3,8), and R(7,3). Under which transformation of $\triangle PQR$ are distance and angle measure preserved?
 - 1) $(x,y) \rightarrow (2x,3y)$
 - $2) \quad (x,y) \to (x+2,3y)$
 - $3) \quad (x,y) \to (2x,y+3)$
 - $4) \quad (x,y) \to (x+2,y+3)$
- 625 Which transformation does *not* always preserve distance?
 - 1) $(x,y) \rightarrow (x+2,y)$
 - $2) \quad (x,y) \to (-y,-x)$
 - 3) $(x,y) \rightarrow (2x,y-1)$
 - 4) $(x,y) \rightarrow (3-x,2-y)$
- 626 A triangle with vertices at (-2,3), (3,6), and (2,1), is graphed on the set of axes below. A horizontal stretch of scale factor 2 with respect to x = 0, is represented by $(x,y) \rightarrow (2x,y)$. Graph the image of this triangle, after the horizontal stretch on the same set of axes.



G.SRT.B.4: SIMILARITY


627 In the diagram shown below, altitude \overline{CD} is drawn to the hypotenuse of right triangle *ABC*.



Which equation can always be used to find the length of \overline{AC} ?

,	8
1)	$\frac{AC}{CD} = \frac{CD}{AD}$
2)	$\frac{CD}{AC} = \frac{AC}{AB}$
3)	$\frac{AC}{CD} = \frac{CD}{BC}$
4)	$\frac{AB}{AC} = \frac{AC}{AD}$


628 In right triangle *SNO* below, altitude \overline{NW} is drawn to hypotenuse \overline{SO} .



Which statement is *not* always true?


1) $\frac{SO}{SN} = \frac{SN}{SW}$ 2) $\frac{SW}{NS} = \frac{NS}{OW}$ 3) $\frac{SO}{ON} = \frac{ON}{OW}$ 4) $\frac{OW}{NW} = \frac{NW}{SW}$ Geometry Regents Exam Questions by State Standard: Topic www.jmap.org

629 In the diagram of $\triangle CAT$ below, m $\angle A = 90^{\circ}$ and altitude AE is drawn from vertex A.



Which statement is always true?

- $\frac{CE}{AE} = \frac{AE}{ET}$ 1) 2) $\frac{AE}{CE} = \frac{AE}{ET}$ 3) $\frac{AC}{CE} = \frac{AT}{ET}$
- 4) $\frac{CE}{AC} = \frac{AC}{ET}$
- 630 In the diagram below of right triangle ABC, altitude CD intersects hypotenuse AB at D.




Which equation is always true?

- $\frac{AD}{AC} = \frac{CD}{BC}$ 1) $2) \quad \frac{AD}{CD} = \frac{BD}{CD}$
- $\frac{AC}{CD} = \frac{BC}{CD}$ 3)


4)
$$\frac{AD}{AC} = \frac{AC}{BD}$$

631 In the accompanying diagram of right triangle ABC, altitude BD is drawn to hypotenuse AC.



Which statement must always be true?


- $\frac{AD}{AB} = \frac{BC}{AC}$ 1) $\frac{AD}{AB} = \frac{AB}{AC}$ 2) $\frac{BD}{BC} = \frac{AB}{AD}$ 3) $\frac{AB}{BC} = \frac{BD}{AC}$ 4)
- 632 In the diagram below of right triangle KMI, altitude IG is drawn to hypotenuse KM.



If KG = 9 and IG = 12, the length of \overline{IM} is


- 15 1)
- 2) 16
- 3) 20
- 4) 25

633 In the diagram below of right triangle *ABC*, altitude \overline{BD} is drawn to hypotenuse \overline{AC} .



If BD = 4, AD = x - 6, and CD = x, what is the length of \overline{CD} ?


- 1) 5
- 2) 2
- 3) 8
- 4) 11
- 634 In the diagram below of right triangle *MET*, altitude \overline{ES} is drawn to hypotenuse \overline{MT} .



If ME = 6 and SM = 4, what is MT?


- 1) 9
- 2) 8
- 3) 5
- 4) 4

635 In the diagram below of right triangle EFG, altitude \overline{FH} intersects hypotenuse \overline{EG} at H.



If *FH* = 9 and *EF* = 15, what is *EG*? 1) 6.75 2) 12 3) 18.75

- 3) 18.7
 4) 25
- 636 In right triangle *RST* below, altitude \overline{SV} is drawn to hypotenuse \overline{RT} .




If RV = 4.1 and TV = 10.2, what is the length of \overline{ST} , to the *nearest tenth*? 1) 6.5

- 1) 6. 2) 7.
- 2) 7.7
 3) 11.0
- 3) 11.0
 4) 12.1


148

637 In the diagram below of $\triangle ABC$, $\angle ABC$ is a right angle, AC = 12, AD = 8, and altitude \overline{BD} is drawn.



What is the length of \overline{BC} ?


- 1) $4\sqrt{2}$
- 2) $4\sqrt{3}$
- 3) $4\sqrt{5}$
- 4) $4\sqrt{6}$
- 638 In the diagram below of right triangle MDL, altitude \overline{DG} is drawn to hypotenuse \overline{ML} .



- If MG = 3 and GL = 24, what is the length of \overline{DG} ?
- 1) 8
- 2) 9
- 3) $\sqrt{63}$
- 4) $\sqrt{72}$


- 639 In right triangle *ABC*, altitude \overline{CD} is drawn to hypotenuse \overline{AB} . If AD = 4 and CD = 8, the length of \overline{BD} is 1) $\sqrt{48}$
 - 2) $\sqrt{80}$
 - 3) 12
 - 4) 16
- 640 Line segment *CD* is the altitude drawn to hypotenuse *EF* in right triangle *ECF*. If *EC* = 10 and *EF* = 24, then, to the *nearest tenth*, *ED* is
 1) 4.2
 2) 5.4
 3) 15.5
 - 4) 21.8
- 641 In right triangle *RST*, altitude \overline{TV} is drawn to hypotenuse \overline{RS} . If RV = 12 and RT = 18, what is the length of \overline{SV} ?
 - 1) $6\sqrt{5}$
 - 2) 15
 - 3) $6\sqrt{6}$
 - 4) 27

642 Kirstie is testing values that would make triangle KLM a right triangle when \overline{LN} is an altitude, and KM = 16, as shown below.



Which lengths would make triangle *KLM* a right triangle?


- 1) LM = 13 and KN = 6
- 2) LM = 12 and NM = 9
- 3) KL = 11 and KN = 7
- 4) LN = 8 and NM = 10
- 643 In the diagram below, CD is the altitude drawn to the hypotenuse \overline{AB} of right triangle ABC.



Which lengths would *not* produce an altitude that measures $6\sqrt{2}$?


- 1) AD = 2 and DB = 36
- 2) AD = 3 and AB = 24
- 3) AD = 6 and DB = 12
- 4) AD = 8 and AB = 17

644 In $\triangle RST$ shown below, altitude \overline{SU} is drawn to \overline{RT} at U.



If SU = h, UT = 12, and RT = 42, which value of h will make $\triangle RST$ a right triangle with $\angle RST$ as a right angle?


- 1) $6\sqrt{3}$
- 2) $6\sqrt{10}$
- 3) $6\sqrt{14}$
- 4) $6\sqrt{35}$
- 645 In the diagram of right triangle ABC, \overline{CD} intersects hypotenuse \overline{AB} at D.



If AD = 4 and DB = 6, which length of \overline{AC} makes $\overline{CD} \perp \overline{AB}$? 1) $2\sqrt{6}$ 2) $2\sqrt{10}$ 3) $2\sqrt{15}$


4) $4\sqrt{2}$

646 In the diagram below of right triangle *ACB*, altitude \overline{CD} is drawn to hypotenuse \overline{AB} , AD = 2 and AC = 6.




Determine and state the length of *AB*.

647 In the diagram below of right triangle *BAL*, altitude \overline{AD} is drawn to hypotenuse \overline{BDL} . The length of \overline{AD} is 6.




If the length of \overline{DL} is four times the length of \overline{BD} , determine and state the length of \overline{BD} .

648 Right triangle *STR* is shown below, with $m \angle T = 90^{\circ}$. Altitude \overline{TQ} is drawn to \overline{SQR} , and TQ = 8.




If the ratio SQ:QR is 1:4, determine and state the length of \overline{SR} .

649 In right triangle *PRT*, $\underline{m} \angle P = 90^\circ$, altitude \overline{PQ} is drawn to hypotenuse \overline{RT} , RT = 17, and PR = 15.




Determine and state, to the *nearest tenth*, the length of \overline{RQ} .

650 In right triangle *ABC* shown below, altitude \overline{CD} is drawn to hypotenuse \overline{AB} . Explain why $\triangle ABC \sim \triangle ACD$.



651 In the diagram below, the line of sight from the park ranger station, *P*, to the lifeguard chair, *L*, on the beach of a lake is perpendicular to the path joining the campground, *C*, and the first aid station, *F*. The campground is 0.25 mile from the lifeguard chair. The straight paths from both the campground and first aid station to the park ranger station are perpendicular.




If the path from the park ranger station to the campground is 0.55 mile, determine and state, to the *nearest hundredth of a mile*, the distance between the park ranger station and the lifeguard chair. Gerald believes the distance from the first aid station to the campground is at least 1.5 miles. Is Gerald correct? Justify your answer.

G.SRT.B.5: SIMILARITY


- 652 Triangle *JGR* is similar to triangle *MST*. Which statement is *not* always true?
 - 1) $\angle J \cong \angle M$
 - 2) $\angle G \cong \angle T$
 - 3) $\angle R \cong \angle T$
 - 4) $\angle G \cong \angle S$

653 In the diagram below, \overline{AB} and \overline{CD} intersect at *E*, and \overline{CA} and \overline{DB} are drawn.



If $CA \parallel BD$, which statement is always true?

- 1) $\overline{AE} \cong \overline{BE}$
- 2) $\overline{CA} \cong \overline{DB}$
- 3) $\triangle AEC \sim \triangle BED$
- 4) $\triangle AEC \cong \triangle BED$
- 654 Given right triangle *ABC* with a right angle at *C*, $m\angle B = 61^{\circ}$. Given right triangle *RST* with a right angle at *T*, $m\angle R = 29^{\circ}$.




Which proportion in relation to $\triangle ABC$ and $\triangle RST$ is *not* correct?

1)
$$\frac{AB}{RS} = \frac{RT}{AC}$$

2) $\frac{BC}{ST} = \frac{AB}{RS}$
3) $\frac{BC}{ST} = \frac{AC}{RT}$
4) $\frac{AB}{AC} = \frac{RS}{RT}$

Geometry Regents Exam Questions by State Standard: Topic www.jmap.org


655 As shown in the diagram below, AB and CD intersect at *E*, and $\overline{AC} \parallel \overline{BD}$.



Given $\triangle AEC \sim \triangle BED$, which equation is true?


- $\frac{CE}{DE} = \frac{EB}{EA}$ 1)
- $2) \quad \frac{AE}{BE} = \frac{AC}{BD}$
- 3) $\frac{EC}{AE} = \frac{BE}{ED}$
- 4) $\frac{ED}{EC} = \frac{AC}{BD}$

656 In the diagram below of isosceles triangle AHE with the vertex angle at *H*, $CB \perp AE$ and $FD \perp AE$.



Which statement is always true?

- $\frac{AH}{AC} = \frac{EH}{EF}$ 1) $\frac{AC}{EF} = \frac{AB}{ED}$ 2) $\frac{AB}{ED} = \frac{CB}{FE}$ 3) $\frac{AD}{AB} = \frac{BE}{DE}$ 4)
- 657 In the diagram below of $\triangle ABC$, X and Y are points on \overline{AB} and \overline{AC} , respectively, such that $m \angle AYX = m \angle B$.




Which statement is not always true?

- $\frac{AX}{AC} = \frac{XY}{CB}$ 1) $\frac{AY}{AB} = \frac{AX}{AC}$ 2)
- (AY)(CB) = (XY)(AB)3)
- $4) \quad (AY)(AB) = (AC)(AX)$


Geometry Regents Exam Questions by State Standard: Topic www.jmap.org

658 In the diagram below, \overline{XS} and \overline{YR} intersect at Z. Segments XY and RS are drawn perpendicular to YR to form triangles XYZ and SRZ.



Which statement is always true?

- (XY)(SR) = (XZ)(RZ)1)
- 2) $\triangle XYZ \cong \triangle SRZ$
- $\overline{XS} \cong \overline{YR}$ 3)
- $\frac{XY}{SR} = \frac{YZ}{RZ}$ 4)
- 659 Triangles ABC and DEF are drawn below.




If AB = 9, BC = 15, DE = 6, EF = 10, and $\angle B \cong \angle E$, which statement is true?

- $\angle CAB \cong \angle DEF$ 1)
- AB FE2)
- \overline{DE} CB
- $\triangle ABC \sim \triangle DEF$ 3)


4)
$$\frac{AB}{DE} = \frac{FE}{CB}$$

660 In the diagram below, $\triangle ABC \sim \triangle DEF$.



If AB = 6 and AC = 8, which statement will justify similarity by SAS?


- 1) DE = 9, DF = 12, and $\angle A \cong \angle D$
- 2) DE = 8, DF = 10, and $\angle A \cong \angle D$
- 3) DE = 36, DF = 64, and $\angle C \cong \angle F$
- DE = 15, DF = 20, and $\angle C \cong \angle F$ 4)
- 661 In the diagram below, AC = 7.2 and CE = 2.4.




Which statement is not sufficient to prove $\triangle ABC \sim \triangle EDC?$

- $\overline{AB} \parallel \overline{ED}$ 1)
- DE = 2.7 and AB = 8.12)
- 3) CD = 3.6 and BC = 10.8
- DE = 3.0, AB = 9.0, CD = 2.9, and BC = 8.74)

662 Using the information given below, which set of triangles can *not* be proven similar?




663 In the diagram below, \overline{AD} intersects \overline{BE} at C, and $\overline{AB} \parallel \overline{DE}$.



If CD = 6.6 cm, DE = 3.4 cm, CE = 4.2 cm, and BC = 5.25 cm, what is the length of \overline{AC} , to the *nearest hundredth of a centimeter*?

- 1) 2.70
- 2) 3.34
- 3) 5.28
- 4) 8.25
- 664 In the diagram below, \overline{EM} intersects \overline{HA} at J, $\overline{EA} \perp \overline{HA}$, and $\overline{EM} \perp \overline{HM}$.




If EA = 7.2, EJ = 9, AJ = 5.4, and HM = 3.29, what is the length of \overline{MJ} , to the *nearest hundredth*? 1) 2.47

- 2) 2.63
- 3) 4.11
- 4) 4.39


Geometry Regents Exam Questions by State Standard: Topic www.jmap.org

665 In $\triangle SCU$ shown below, points T and O are on \overline{SU} and \overline{CU} , respectively. Segment OT is drawn so that $\angle C \cong \angle OTU$.



If TU = 4, OU = 5, and OC = 7, what is the length of \overline{ST} ?


- 1) 5.6
- 2) 8.75
- 3) 11
- 15 4)
- 666 In triangle *CHR*, *O* is on \overline{HR} , and *D* is on \overline{CR} so that $\angle H \cong \angle RDO$.



If RD = 4, RO = 6, and OH = 4, what is the length of \overline{CD} ?


- $2\frac{2}{3}$ 1)
- $6\frac{2}{3}$ 2)
- 3) 11
- 4) 15

667 In $\triangle ABC$ shown below, $\angle ACB$ is a right angle, E is a point on \overline{AC} , and \overline{ED} is drawn perpendicular to hypotenuse AB.




If AB = 9, BC = 6, and DE = 4, what is the length of AE?

- 1) 5
- 2) 6
- 7 3)
- 4) 8
- 668 In the diagram below, \overline{AF} , and \overline{DB} intersect at *C*, and AD and FBE are drawn such that $m \angle D = 65^\circ$, $m \angle CBE = 115^{\circ}, DC = 7.2, AC = 9.6, and$ FC = 21.6.




- What is the length of \overline{CB} ?
- 1) 3.2
- 2) 4.8
- 3) 16.2
- 19.2 4)

669 In the diagram below, $\overline{EF} \parallel \overline{HG}$, EF = 5, HG = 12, FI = 1.4x + 3, and HI = 6.1x - 6.5.




What is the length of \overline{HI} ?

- 1) 1
- 2) 5
- 3) 10
- 4) 24
- 670 The ratio of similarity of $\triangle BOY$ to $\triangle GRL$ is 1:2. If BO = x + 3 and GR = 3x - 1, then the length of \overline{GR} is 1) 5
 - 1) 5
 - 2) 7
 - 3) 10
 - 4) 20
- 671 Triangles *RST* and *XYZ* are drawn below. If RS = 6, ST = 14, XY = 9, YZ = 21, and $\angle S \cong \angle Y$, is $\triangle RST$ similar to $\triangle XYZ$? Justify your answer.




672 In $\triangle ADC$ below, \overline{EB} is drawn such that AB = 4.1, AE = 5.6, BC = 8.22, and ED = 3.42.




Is $\triangle ABE$ similar to $\triangle ADC$? Explain why.

673 In the diagram below, $\triangle SUV \sim \triangle TRE$.




If SU = 5, UV = 7, TR = 14, and TE = 21, determine and state the length of \overline{SV} .

674 In the diagram below, $\triangle ABC \sim \triangle DEF$.




- If AB = 4, BC = x 1, DE = x + 3, and EF = 15, determine and state the length of \overline{DE} .
- 675 To find the distance across a pond from point B to point C, a surveyor drew the diagram below. The measurements he made are indicated on his diagram.



Use the surveyor's information to determine and state the distance from point *B* to point *C*, to the *nearest yard*.


676 A flagpole casts a shadow 16.60 meters long. Tim stands at a distance of 12.45 meters from the base of the flagpole, such that the end of Tim's shadow meets the end of the flagpole's shadow. If Tim is 1.65 meters tall, determine and state the height of the flagpole to the *nearest tenth of a meter*.

- 677 The aspect ratio (the ratio of screen width to height) of a rectangular flat-screen television is 16:9. The length of the diagonal of the screen is the television's screen size. Determine and state, to the *nearest inch*, the screen size (diagonal) of this flat-screen television with a screen height of 20.6 inches.
- 678 In the model below, a support wire for a telephone pole is attached to the pole and anchored to a stake in the ground 15 feet from the base of the telephone pole. Jamal places a 6-foot wooden pole under the support wire parallel to the telephone pole, such that one end of the pole is on the ground and the top of the pole is touching the support wire. He measures the distance between the bottom of the pole and the stake in the ground.



Jamal says he can approximate how high the support wire attaches to the telephone pole by using similar triangles. Explain why the triangles are similar. Geometry Regents Exam Questions by State Standard: Topic www.jmap.org

679 In the diagram below, $\triangle ABC \sim \triangle DEC$.




If AC = 12, DC = 7, DE = 5, and the perimeter of $\triangle ABC$ is 30, what is the perimeter of $\triangle DEC$? 1) 12.5

- 2) 14.0
- 3) 14.8
- 4) 17.5
- 680 In right triangles ABC and RST, hypotenuse AB = 4and hypotenuse RS = 16. If $\triangle ABC \sim \triangle RST$, then 1:16 is the ratio of the corresponding

 - 1) legs
 - 2) areas
 - 3) volumes
 - perimeters 4)

TRIGONOMETRY G.SRT.C.6: TRIGONOMETRIC RATIOS


681 In the diagram of right triangle ADE below, $\overline{BC} \parallel \overline{DE}$.



Which ratio is always equivalent to the sine of $\angle A$?

1)	$\frac{AD}{DE}$
2)	$\frac{AE}{AD}$
3)	$\frac{BC}{AB}$
4)	$\frac{AB}{AC}$

682 In the diagram below of right triangle ABC, altitude BD is drawn.




Which ratio is always equivalent to $\cos A$?

$$\begin{array}{rcl}
1) & \frac{AB}{BC} \\
2) & \frac{BD}{BC} \\
3) & \frac{BD}{AB} \\
4) & \frac{BC}{AC} \end{array}$$

Geometry Regents Exam Questions by State Standard: Topic


683 In right triangle *LMN* shown below, $m \angle M = 90^{\circ}$, MN = 12, and LM = 16.



The ratio of $\cos N$ is

- 1) $\frac{12}{20}$ 2) $\frac{16}{20}$
- 2) 12
- 3) $\frac{12}{16}$
- 4) $\frac{16}{12}$


684 In the diagram below of right triangle *ABC*, AC = 8, and AB = 17.



Which equation would determine the value of angle *A*?

1) $\sin A = \frac{8}{17}$ 2) $\tan A = \frac{8}{15}$ 3) $\cos A = \frac{15}{17}$ 4) $\tan A = \frac{15}{8}$


685 In the diagram below, $\triangle ERM \sim \triangle JTM$.



Which statement is always true?

1) $\cos J = \frac{RM}{RE}$ 2) $\cos R = \frac{JM}{JT}$ 3) $\tan T = \frac{RM}{EM}$ 4) $\tan E = \frac{TM}{JM}$ Geometry Regents Exam Questions by State Standard: Topic www.jmap.org

686 In the diagram below, $\triangle CDE$ is the image of $\triangle CAB$ after a dilation of $\frac{DE}{AB}$ centered at *C*.



Which statement is always true?


1) $\sin A = \frac{CE}{CD}$ 2) $\cos A = \frac{CD}{CE}$

3)
$$\sin A = \frac{DL}{CD}$$

4) $\cos A = \frac{DE}{CE}$

G.SRT.C.7: COFUNCTIONS


687 In scalene triangle ABC shown in the diagram below, $m \angle C = 90^{\circ}$.



Which equation is always true?

- 1) $\sin A = \sin B$
- 2) $\cos A = \cos B$
- 3) $\cos A = \sin C$
- 4) $\sin A = \cos B$


688 In $\triangle ABC$ below, angle C is a right angle.



Which statement must be true?


- 1) $\sin A = \cos B$
- 2) $\sin A = \tan B$
- 3) $\sin B = \tan A$
- 4) $\sin B = \cos B$

689 Right triangle ABC is shown below.



Which trigonometric equation is always true for triangle *ABC*?

- 1) $\sin A = \cos C$
- 2) $\cos A = \sin A$
- 3) $\cos A = \cos C$
- 4) $\tan A = \tan C$
- 690 In the diagram below, $\triangle DOG \sim \triangle CAT$, where $\angle G$ and $\angle T$ are right angles.



Which expression is always equivalent to $\sin D$?

- 1) $\cos A$
- 2) sinA
- 3) tanA
- 4) $\cos C$

- 691 In right triangle *DAN*, $m \angle A = 90^{\circ}$. Which statement must always be true?
 - 1) $\cos D = \cos N$
 - 2) $\cos D = \sin N$
 - 3) $\sin A = \cos N$
 - 4) $\cos A = \tan N$
- 692 Right triangle *TMR* is a scalene triangle with the right angle at *M*. Which equation is true?
 - 1) $\sin M = \cos T$
 - 2) $\sin R = \cos R$
 - 3) $\sin T = \cos R$
 - 4) $\sin T = \cos M$
- 693 In $\triangle ABC$, the complement of $\angle B$ is $\angle A$. Which statement is always true?
 - 1) $\tan \angle A = \tan \angle B$
 - 2) $\sin \angle A = \sin \angle B$
 - 3) $\cos \angle A = \tan \angle B$
 - 4) $\sin \angle A = \cos \angle B$
- 694 If scalene triangle XYZ is similar to triangle QRS and $m \angle X = 90^\circ$, which equation is always true?
 - 1) $\sin Y = \sin S$
 - 2) $\cos R = \cos Z$
 - 3) $\cos Y = \sin Q$
 - 4) $\sin R = \cos Z$
- 695 In right triangle ABC, $m \angle C = 90^{\circ}$ and $AC \neq BC$. Which trigonometric ratio is equivalent to $\sin B$?
 - 1) $\cos A$
 - 2) $\cos B$
 - 3) tanA
 - 4) $\tan B$
- 696 Right triangle *ACT* has $m \angle A = 90^\circ$. Which expression is always equivalent to $\cos T$?
 - 1) $\cos C$
 - 2) $\sin C$
 - 3) $\tan T$
 - 4) $\sin T$

- 697 In right triangle ABC, m $\angle C = 90^{\circ}$. If $\cos B = \frac{5}{13}$,
 - which function also equals $\frac{5}{13}$?
 - 1) tanA
 - 2) tan*B*
 - 3) sinA
 - 4) $\sin B$

698 In
$$\triangle ABC$$
, where $\angle C$ is a right angle,

$$\cos A = \frac{\sqrt{21}}{5}.$$
 What is $\sin B$?
1) $\frac{\sqrt{21}}{5}$
2) $\frac{\sqrt{21}}{2}$
3) $\frac{2}{5}$
4) $\frac{5}{\sqrt{21}}$


- 699 Which expression is always equivalent to $\sin x$ when $0^\circ < x < 90^\circ$?
 - 1) $\cos(90^{\circ} x)$
 - 2) $\cos(45^\circ x)$
 - 3) $\cos(2x)$
 - 4) $\cos x$
- 700 Which expression is equal to $\sin 30^\circ$?
 - 1) tan 30°
 - 2) $\sin 60^{\circ}$
 - 3) $\cos 60^{\circ}$
 - 4) cos 30°
- 701 The expression sin 57° is equal to
 - 1) tan 33°
 - 2) cos 33°
 - 3) tan 57°
 - 4) cos 57°

- 702 In a right triangle, the acute angles have the relationship sin(2x + 4) = cos(46). What is the value of *x*?
 - 1) 20
 - 2) 21
 - 3) 24
 - 4) 25
- 703 For the acute angles in a right triangle, $\sin(4x)^\circ = \cos(3x+13)^\circ$. What is the number of degrees in the measure of the *smaller* angle?
 - 1) 11°
 - 2) 13°
 - 3) 44°
 - 4) 52°
- 704 In a right triangle, $sin(40-x)^\circ = cos(3x)^\circ$. What is the value of x?
 - 1) 10
 - 2) 15
 - 3) 20
 - 4) 25

705 If $\sin(2x+7)^\circ = \cos(4x-7)^\circ$, what is the value of x?


- 1) 7
- 2) 15
- 3) 21
- 4) 30
- 706 If $\sin(3x+9)^\circ = \cos(5x-7)^\circ$, what is the value of x?
 - 1) 8
 - 2) 11
 - 3) 33
 - 4) 42
- 707 Find the value of *R* that will make the equation $\sin 73^\circ = \cos R$ true when $0^\circ < R < 90^\circ$. Explain your answer.

- 708 In right triangle *ABC* with the right angle at *C*, $\sin A = 2x + 0.1$ and $\cos B = 4x - 0.7$. Determine and state the value of *x*. Explain your answer.
- 709 Explain why cos(x) = sin(90 x) for x such that 0 < x < 90.
- 710 Given: Right triangle ABC with right angle at C. If $\sin A$ increases, does $\cos B$ increase or decrease? Explain why.
- 711 When instructed to find the length of \overline{HJ} in right triangle HJG, Alex wrote the equation $\sin 28^\circ = \frac{HJ}{20}$ while Marlene wrote $\cos 62^\circ = \frac{HJ}{20}$. Are both students' equations correct? Explain why.



G.SRT.C.8: USING TRIGONOMETRY TO FIND A SIDE

712 In right triangle ABC below, $m\angle C = 90^\circ$, AC = 12, and $m\angle A = 25^\circ$.




Which equation is correct for $\triangle ABC$?

1)
$$a = \frac{12}{\tan 25^{\circ}}$$

2) $a = 12 \tan 25^{\circ}$


$$c = \frac{12}{\tan 25^\circ}$$

- 4) $c = 12 \tan 25^{\circ}$
- 713 Given the right triangle in the diagram below, what is the value of *x*, to the *nearest foot*?




- 1) 11
- 2) 17
- 3) 18
- 4) 22

714 A vertical mine shaft is modeled in the diagram below. At a point on the ground 50 feet from the top of the mine, a ventilation tunnel is dug at an angle of 47° .



What is the length of the tunnel, to the *nearest foot*?


- 1) 47
- 2) 54
- 3) 68
- 4) 73
- 715 As shown in the diagram below, the angle of elevation from a point on the ground to the top of the tree is 34° .



If the point is 20 feet from the base of the tree, what is the height of the tree, to the *nearest tenth of a foot*?

- 1) 29.7
- 2) 16.6
- 3) 13.5
- 4) 11.2


716 A tipping platform is a ramp used to unload trucks, as shown in the diagram below.



The truck is on a 75-foot-long ramp. The ramp is tipped at an angle of 30° . What is the height of the upper end of the ramp, *x*, to the *nearest tenth of a foot*?


- 1) 68.7
- 2) 65.0
- 3) 43.3
- 4) 37.5

717 A man was parasailing above a lake at an angle of elevation of 32° from a boat, as modeled in the diagram below.



If 129.5 meters of cable connected the boat to the parasail, approximately how many meters above the lake was the man?

- 1) 68.6
- 2) 80.9
- 3) 109.8
- 4) 244.4
- 718 Yolanda is making a springboard to use for gymnastics. She has 8-inch-tall springs and wants to form a 16.5° angle with the base, as modeled in the diagram below.




To the *nearest tenth of an inch*, what will be the length of the springboard, *x*?

- 1) 2.3
- 2) 8.3
- 3) 27.0
- 4) 28.2


Geometry Regents Exam Questions by State Standard: Topic www.jmap.org

719 The diagram below shows a tree growing vertically on a hillside. The angle formed by the tree trunk and the hillside is 100°. The distance from the base of the tree to the bottom of the hill is 140 feet.



What is the vertical drop, *x*, to the base of the hill, to the *nearest foot*?

- 1) 24
- 2) 25
- 3) 70
- 138 4)
- 720 The diagram below shows two similar triangles.




If $\tan \theta = \frac{3}{7}$, what is the value of *x*, to the *nearest* tenth?


- 1)
- 1.2 2) 5.6
- 3) 7.6
- 4) 8.8
- 721 In right triangle *ABC*, $m \angle A = 90^\circ$, $m \angle B = 18^\circ$, and AC = 8. To the *nearest tenth*, the length of BC is 1) 2.5
 - 2) 8.4
 - 3) 24.6
 - 4) 25.9

- 722 In right triangle *ABC*, $m \angle A = 32^\circ$, $m \angle B = 90^\circ$, and AC = 6.2 cm. What is the length of BC, to the nearest tenth of a centimeter? 3.3 1)
 - 2) 3.9
 - 3) 5.3
 - 4) 11.7
- 723 A 20-foot support post leans against a wall, making a 70° angle with the ground. To the *nearest tenth* of a foot, how far up the wall will the support post reach?
 - 1) 6.8
 - 2) 6.9
 - 3) 18.7
 - 18.8 4)
- 724 A ladder 20 feet long leans against a building, forming an angle of 71° with the level ground. To the nearest foot, how high up the wall of the building does the ladder touch the building?
 - 1) 15
 - 2) 16
 - 18 3)
 - 4) 19
- 725 A 15-foot ladder leans against a wall and makes an angle of 65° with the ground. What is the horizontal distance from the wall to the base of the ladder, to the nearest tenth of a foot?
 - 1) 6.3
 - 7.0 2)
 - 12.9 3)
 - 13.6 4)
- 726 Chelsea is sitting 8 feet from the foot of a tree. From where she is sitting, the angle of elevation of her line of sight to the top of the tree is 36° . If her line of sight starts 1.5 feet above ground, how tall is the tree, to the *nearest foot*?
 - 1) 8
 - 2) 7
 - 6 3)
 - 4) 4


- 727 From a point on the ground one-half mile from the base of a historic monument, the angle of elevation to its top is 11.87°. To the *nearest foot*, what is the height of the monument?
 - 1) 543
 - 2) 555
 - 3) 1086
 - 4) 1110
- 728 In rectangle *ABCD*, diagonal \overline{AC} is drawn. The measure of $\angle ACD$ is 37° and the length of \overline{BC} is 7.6 cm. What is the length of \overline{AC} , to the *nearest* tenth of a centimeter?
 - 1) 4.6
 - 2) 9.5
 - 3) 10.1
 - 4) 12.6
- 729 A carpenter leans an extension ladder against a house to reach the bottom of a window 30 feet above the ground. As shown in the diagram below, the ladder makes a 70° angle with the ground. To the *nearest foot*, determine and state the length of the ladder.




730 In the diagram below, a window of a house is 15 feet above the ground. A ladder is placed against the house with its base at an angle of 75° with the ground. Determine and state the length of the ladder to the *nearest tenth of a foot*.



731 Diego needs to install a support beam to hold up his new birdhouse, as modeled below. The base of the birdhouse is $24\frac{1}{2}$ inches long. The support beam will form an angle of 38° with the vertical post. Determine and state the approximate length of the support beam, *x*, to the *nearest inch*.





732 The Leaning Tower of Pisa in Italy is known for its slant, which occurred after its construction began. The angle of the slant is 86.03° from the ground. The low side of the tower reaches a height of 183.27 feet from the ground.




Determine and state the slant height, *x*, of the low side of the tower, to the *nearest hundredth of a foot*.

733 A person observes a kite at an angle of elevation of 32° from a line of sight that begins 4 feet above the ground, as modeled in the diagram below. At the moment of observation, the kite is 70 feet above the ground.






Determine and state, to the *nearest hundredth*, the number of meters in the length of the section of the wall that is slanted (hypotenuse).




Determine and state the horizontal distance, x, between the person and the point on the ground directly below the kite, to the *nearest foot*.

735 As shown in the diagram below, an island (*I*) is due north of a marina (*M*). A boat house (*H*) is 4.5 miles due west of the marina. From the boat house, the island is located at an angle of 54° from the marina.



Determine and state, to the *nearest tenth of a mile*, the distance from the boat house (H) to the island (I). Determine and state, to the *nearest tenth of a mile*, the distance from the island (I) to the marina (M).

736 A telephone pole 11 meters tall needs to be stabilized with a support beam, as modeled below.




Two conditions for proper support are:

The beam reaches the telephone pole at 70% of the telephone pole's height above the ground.
The beam forms a 65° angle with the ground. Determine and state, to the *nearest tenth of a meter*, the length of the support beam that meets these conditions for this telephone pole. Determine


these conditions for this telephone pole. Determine and state, to the *nearest tenth of a meter*, how far the support beam must be placed from the base of the pole to meet the conditions.

737 Barry wants to find the height of a tree that is modeled in the diagram below, where $\angle C$ is a right angle. The angle of elevation from point *A* on the ground to the top of the tree, *H*, is 40°. The angle of elevation from point *B* on the ground to the top of the tree, *H*, is 80°. The distance between points *A* and *B* is 85 feet.




Barry claims that $\triangle ABH$ is isosceles. Explain why Barry is correct. Determine and state, to the *nearest foot*, the height of the tree.

738 A drone is used to measure the size of a brush fire on the ground. Segment *AB* represents the width of the fire, as shown below. The drone calculates the distance to point *B* to be 1076 feet at an angle of depression of 25° . At the same point, the drone calculates the distance to point *A* to be 774 feet at an angle of depression of 36° .




Determine and state the width of the fire, *AB*, to the *nearest foot*.

739 Cathy wants to determine the height of the flagpole shown in the diagram below. She uses a survey instrument to measure the angle of elevation to the top of the flagpole, and determines it to be 34.9°. She walks 8 meters closer and determines the new measure of the angle of elevation to be 52.8°. At each measurement, the survey instrument is 1.7 meters above the ground.




Determine and state, to the *nearest tenth of a meter*, the height of the flagpole.

740 Cape Canaveral, Florida is where NASA launches rockets into space. As modeled in the diagram below, a person views the launch of a rocket from observation area A, 3280 feet away from launch pad B. After launch, the rocket was sighted at Cwith an angle of elevation of 15°. The rocket was later sighted at D with an angle of elevation of 31°.




Determine and state, to the *nearest foot*, the distance the rocket traveled between the two sightings, *C* and *D*.

741 A homeowner is building three steps leading to a deck, as modeled by the diagram below. All three step rises, \overline{HA} , \overline{FG} , and \overline{DE} , are congruent, and all three step runs, \overline{HG} , \overline{FE} , and \overline{DC} , are congruent. Each step rise is perpendicular to the step run it joins. The measure of $\angle CAB = 36^\circ$ and $\angle CBA = 90^\circ$.




If each step run is parallel to AB and has a length of 10 inches, determine and state the length of each step rise, to the *nearest tenth of an inch*. Determine and state the length of \overline{AC} , to the *nearest inch*.

742 As modeled in the diagram below, an access ramp starts on flat ground and ends at the beginning of the top step. Each step is 6 inches tall and 8 inches deep.




If the angle of elevation of the ramp is 4.76° , determine and state the length of the ramp, to the *nearest tenth of a foot*. Determine and state, to the *nearest tenth of a foot*, the horizontal distance, *d*, from the bottom of the stairs to the bottom of the ramp.

743 As shown below, a canoe is approaching a lighthouse on the coastline of a lake. The front of the canoe is 1.5 feet above the water and an observer in the lighthouse is 112 feet above the water.




At 5:00, the observer in the lighthouse measured the angle of depression to the front of the canoe to be 6° . Five minutes later, the observer measured and saw the angle of depression to the front of the canoe had increased by 49° . Determine and state, to the *nearest foot per minute*, the average speed at which the canoe traveled toward the lighthouse.

744 The map below shows the three tallest mountain peaks in New York State: Mount Marcy, Algonquin Peak, and Mount Haystack. Mount Haystack, the shortest peak, is 4960 feet tall. Surveyors have determined the horizontal distance between Mount Haystack and Mount Marcy is 6336 feet and the horizontal distance between Mount Marcy and Algonquin Peak is 20,493 feet.




As shown in the diagram below, a ship is heading directly toward a lighthouse whose beacon is 125 feet above sea level. At the first sighting, point *A*, the angle of elevation from the ship to the light was 7°. A short time later, at point *D*, the angle of elevation was 16°.



To the *nearest foot*, determine and state how far the ship traveled from point *A* to point *D*.


The angle of depression from the peak of Mount Marcy to the peak of Mount Haystack is 3.47 degrees. The angle of elevation from the peak of Algonquin Peak to the peak of Mount Marcy is 0.64 degrees. What are the heights, to the *nearest foot*, of Mount Marcy and Algonquin Peak? Justify your answer.

746 In the diagram below, a boat at point *A* is traveling toward the most powerful waterfall in North America, the Horseshoe Falls. The Horseshoe Falls has a vertical drop of 188 feet. The angle of elevation from point *A* to the top of the waterfall is 15° .




After the boat travels toward the falls, the angle of elevation at point *B* to the top of the waterfall is 23° . Determine and state, to the *nearest foot*, the distance the boat traveled from point *A* to point *B*.

747 The map of a campground is shown below. Campsite *C*, first aid station *F*, and supply station *S* lie along a straight path. The path from the supply station to the tower, *T*, is perpendicular to the path from the supply station to the campsite. The length of path \overline{FS} is 400 feet. The angle formed by path \overline{TF} and path \overline{FS} is 72°. The angle formed by path \overline{TC} and path \overline{CS} is 55°.




Determine and state, to the *nearest foot*, the distance from the campsite to the tower.

748 Nick wanted to determine the length of one blade of the windmill pictured below. He stood at a point on the ground 440 feet from the windmill's base. Using surveyor's tools, Nick measured the angle between the ground and the highest point reached by the top blade and found it was 38.8°. He also measured the angle between the ground and the lowest point of the top blade, and found it was 30°.




Determine and state a blade's length, *x*, to the *nearest foot*.

749 Trish is a surveyor who was asked to estimate the distance across a pond. She stands at point *C*, 85 meters from point *D*, and locates points *A* and *B* on either side of the pond such that *A*, *D*, and *B* are collinear.




Trish approximates the measure of angle *DCB* to be 35° and the measure of angle *ACD* to be 75°. Determine and state the distance across the pond, \overline{AB} , to the *nearest meter*.

750 David has just finished building his treehouse and still needs to buy a ladder to be attached to the ledge of the treehouse and anchored at a point on the ground, as modeled below. David is standing 1.3 meters from the stilt supporting the treehouse. This is the point on the ground where he has decided to anchor the ladder. The angle of elevation from his eye level to the bottom of the treehouse is 56 degrees. David's eye level is 1.5 meters above the ground.



Determine and state the minimum length of a ladder, to the *nearest tenth of a meter*, that David will need to buy for his treehouse.

751 As modeled in the diagram below, a building has a height of 50 meters. The angle of depression from the top of the building to the top of the tree, T, is 13.3°. The angle of depression from the top of the building to the bottom of the tree, B, is 22.2°.




Determine and state, to the nearest meter, the height of the tree.

- 752 A flagpole casts a shadow on the ground 91 feet long, with a 53° angle of elevation from the end of the shadow to the top of the flagpole. Determine and state, to the *nearest tenth of a foot*, the height of the flagpole.
- 753 A support wire reaches from the top of a pole to a clamp on the ground. The pole is perpendicular to the level ground and the clamp is 10 feet from the base of the pole. The support wire makes a 68° angle with the ground. Find the length of the support wire to the *nearest foot*.
- 754 Freda, who is training to use a radar system, detects an airplane flying at a constant speed and heading in a straight line to pass directly over her location. She sees the airplane at an angle of elevation of 15° and notes that it is maintaining a constant altitude of 6250 feet. One minute later, she sees the airplane at an angle of elevation of 52° . How far has the airplane traveled, to the *nearest foot*? Determine and state the speed of the airplane, to the *nearest mile per hour*.

<u>G.SRT.C.8: USING TRIGONOMETRY TO FIND</u> <u>AN ANGLE</u>


755 In the diagram of right triangle *ABC* shown below, AB = 14 and AC = 9.



What is the measure of $\angle A$, to the *nearest degree*?


- 1) 33
- 2) 40
- 3) 50
- 4) 57

756 In the diagram of $\triangle ABC$ below, m $\angle C = 90^{\circ}$, CB = 13, and AB = 16.



What is the measure of $\angle A$, to the *nearest degree*?


- 1) 36°
- 2) 39°
- 3) 51°
- 4) 54°
- 757 In the diagram of $\triangle RST$ below, m $\angle T = 90^{\circ}$, RS = 65, and ST = 60.



What is the measure of $\angle S$, to the *nearest degree*?

- 1) 23°
- 2) 43°
- 3) 47°
- 4) 67°

758 In the diagram below of right triangle *SUN*, where $\angle N$ is a right angle, *SU* = 13.6 and *SN* = 12.3.



What is $\angle S$, to the *nearest degree*?


- 1) 25°
- 2) 42°
- 3) 48°
- 4) 65°
- 759 To build a handicapped-access ramp, the building code states that for every 1 inch of vertical rise in height, the ramp must extend out 12 inches horizontally, as shown in the diagram below.



What is the angle of inclination, *x*, of this ramp, to the *nearest hundredth of a degree*?

- 1) 4.76
- 2) 4.78
- 3) 85.22
- 4) 85.24


760 Many roofs are slanted to prevent the buildup of snow. As modeled below, the length of a roof is 5.5 meters and it rises to a height of 2.5 meters.




The angle of elevation of the roof, to the *nearest degree*, is

- 1) 24°
- 2) 25°
- 3) 27°
- 4) 28°
- 761 A 12-foot ladder leans against a building and reaches a window 10 feet above ground. What is the measure of the angle, to the *nearest degree*, that the ladder forms with the ground?
 - 1) 34
 - 2) 40
 - 3) 50
 - 4) 56
- 762 Zach placed the foot of an extension ladder 8 feet from the base of the house and extended the ladder 25 feet to reach the house. To the *nearest degree*, what is the measure of the angle the ladder makes with the ground?
 - 1) 18
 - 2) 19
 - 3) 71
 - 4) 72


- 763 In right triangle ABC, hypotenuse AB has a length of 26 cm, and side BC has a length of 17.6 cm. What is the measure of angle B, to the *nearest degree*?
 - 1) 48°
 - 2) 47°
 - 3) 43°
 - 4) 34°
- 764 A man who is 5 feet 9 inches tall casts a shadow of 8 feet 6 inches. Assuming that the man is standing perpendicular to the ground, what is the angle of elevation from the end of the shadow to the top of the man's head, to the *nearest tenth of a degree*?
 - 1) 34.1
 - 2) 34.5
 - 3) 42.6
 - 4) 55.9
- 765 In the diagram below of $\triangle HAR$ and $\triangle NTY$, angles *H* and *N* are right angles, and $\triangle HAR \sim \triangle NTY$.






- 1) 23°
- 2) 25°
- 3) 65°
- 4) 67°

766 Kayla was cutting right triangles from wood to use for an art project. Two of the right triangles she cut are shown below.




If $\triangle ABC \sim \triangle DEF$, with right angles *B* and *E*, *BC* = 15 cm, and *AC* = 17 cm, what is the measure of $\angle F$, to the *nearest degree*?

- 1) 28°
- 2) 41°
- 3) 62°
- 4) 88°
- 767 In $\triangle ABC$ below, m $\angle C = 90^\circ$, AC = 11, and AB = 18.




Determine and state the measure of angle *A*, to the *nearest degree*.

768 In the diagram below, $\triangle SBC \sim \triangle CMJ$ and $\cos J = \frac{3}{5}$.




Determine and state $m \angle S$, to the *nearest degree*.

769 The diagram below shows a ramp connecting the ground to a loading platform 4.5 feet above the ground. The ramp measures 11.75 feet from the ground to the top of the loading platform.




Determine and state, to the *nearest degree*, the angle of elevation formed by the ramp and the ground.

770 An airplane took off at a constant angle of elevation. After the plane traveled for 25 miles, it reached an altitude of 5 miles, as modeled below.




To the *nearest tenth of a degree*, what was the angle of elevation?

771 As shown in the diagram below, a symmetrical roof frame rises 4 feet above a house and has a width of 24 feet.




Determine and state, to the *nearest degree*, the angle of elevation of the roof frame.

- 772 A ladder leans against a building. The top of the ladder touches the building 10 feet above the ground. The foot of the ladder is 4 feet from the building. Find, to the *nearest degree*, the angle that the ladder makes with the level ground.
- 773 Bob places an 18-foot ladder 6 feet from the base of his house and leans it up against the side of his house. Find, to the *nearest degree*, the measure of the angle the bottom of the ladder makes with the ground.
- As modeled below, a movie is projected onto a large outdoor screen. The bottom of the 60-foot-tall screen is 12 feet off the ground. The projector sits on the ground at a horizontal distance of 75 feet from the screen.



Determine and state, to the *nearest tenth of a* degree, the measure of θ , the projection angle.


775 As modeled below, a projector mounted on a ceiling is 3.74 m from a wall, where a whiteboard is displayed. The vertical distance from the ceiling to the top of the whiteboard is 0.41 m, and the height of the whiteboard is 1.17 m.



Determine and state the projection angle, θ , to the *nearest tenth of a degree*.

G.SRT.D.9: USING TRIGONOMETRY TO FIND AREA

776 In non-right triangle ABC shown below, AC = 5 in, BC = 8 in, and $m \angle C = 57^{\circ}$.



What is the area of $\triangle ABC$, to the *nearest tenth of a square inch*?


- 1) 10.9
- 2) 16.8
- 3) 21.8
- 4) 33.5

Geometry Regents Exam Questions by State Standard: Topic www.jmap.org


- 777 In $\triangle ABC$, m $\angle A = 120$, b = 10, and c = 18. What is the area of $\triangle ABC$ to the *nearest square inch*? 52
 - 1)
 - 2) 78 90 3)

 - 4) 156
- 778 In parallelogram *BFLO*, OL = 3.8, LF = 7.4, and $m \angle O = 126$. If diagonal *BL* is drawn, what is the area of $\triangle BLF$?
 - 11.4 1)
 - 2) 14.1
 - 22.7 3)
 - 28.1 4)
- 779 Two sides of a triangular-shaped sandbox measure 22 feet and 13 feet. If the angle between these two sides measures 55°, what is the area of the sandbox, to the *nearest square foot*?
 - 1) 82
 - 2) 117
 - 3) 143
 - 4) 234
- 780 In $\triangle RST$, m $\angle S = 135$, r = 27, and t = 19. What is the area of $\triangle RST$ to the *nearest tenth of a square* unit?
 - 1) 90.7
 - 2) 181.4
 - 3) 256.5
 - 362.7 4)
- 781 What is the best approximation for the area of a triangle with consecutive sides of 4 and 5 and an included angle of 59°?
 - 1) 5.0
 - 2) 8.6
 - 3) 10.0
 - 4) 17.1

- 782 The area of triangle ABC is 42. If AB = 8 and $m \angle B = 61$, the length of *BC* is approximately 1) 5.1
 - 9.2 2)
 - 3) 12.0
 - 21.7 4)
- 783 Determine the area, to the *nearest integer*, of $\triangle SRO$ shown below.



784 The accompanying diagram shows the floor plan for a kitchen. The owners plan to carpet all of the kitchen except the "work space," which is represented by scalene triangle ABC. Find the area of this work space to the *nearest tenth of a square* foot.




- 785 In $\triangle ABC$, a = 12, b = 20.5, and m $\angle C = 73$. Find the area of $\triangle ABC$, to the *nearest tenth*.
- 786 Find, to the *nearest tenth*, the area of $\triangle ABC$ if $a = 6, b = 10, \text{ and } m \angle C = 18.$

- 787 In $\triangle DEF$, m $\angle D = 40$, DE = 12 meters, and DF = 8 meters. Find the area of $\triangle DEF$ to the *nearest tenth of a square meter*.
- 788 Two sides of a triangular-shaped pool measure 16 feet and 21 feet, and the included angle measures 58° . What is the area, to the *nearest tenth of a square foot*, of a nylon cover that would exactly cover the surface of the pool?
- 789 A landscape architect is designing a triangular garden to fit in the corner of a lot. The corner of the lot forms an angle of 70°, and the sides of the garden including this angle are to be 11 feet and 13 feet, respectively. Find, to the *nearest integer*, the number of square feet in the area of the garden.


LOGIC G.CO.B.7: TRIANGLE CONGRUENCY

790 Which statement is sufficient evidence that $\triangle DEF$ is congruent to $\triangle ABC$?




- 1) AB = DE and BC = EF
- 2) $\angle D \cong \angle A, \angle B \cong \angle E, \angle C \cong \angle F$
- 3) There is a sequence of rigid motions that maps \overline{AB} onto \overline{DE} , \overline{BC} onto \overline{EF} , and \overline{AC} onto \overline{DF} .
- 4) There is a sequence of rigid motions that maps point *A* onto point *D*, \overline{AB} onto \overline{DE} , and $\angle B$ onto $\angle E$.

- 791 Triangles *JOE* and *SAM* are drawn such that $\angle E \cong \angle M$ and $\overline{EJ} \cong \overline{MS}$. Which mapping would *not* always lead to $\triangle JOE \cong \triangle SAM$?
 - 1) $\angle J$ maps onto $\angle S$
 - 2) $\angle O$ maps onto $\angle A$
 - 3) \overline{EO} maps onto \overline{MA}
 - 4) \overline{JO} maps onto \overline{SA}
- 792 In the two distinct acute triangles *ABC* and *DEF*, $\angle B \cong \angle E$. Triangles *ABC* and *DEF* are congruent when there is a sequence of rigid motions that maps 1) $\angle A$ onto $\angle D$, and $\angle C$ onto $\angle F$
 - 2) \overline{AC} onto \overline{DF} , and \overline{BC} onto \overline{EF}
 - 3) $\angle C$ onto $\angle F$, and \overline{BC} onto \overline{EF}
 - 4) point A onto point D, and AB onto DE
- 793 Triangles *YEG* and *POM* are two distinct non-right triangles such that $\angle G \cong \angle M$. Which statement is sufficient to prove $\triangle YEG$ is always congruent to $\triangle POM$?
 - 1) $\angle E \cong \angle O$ and $\angle Y \cong \angle P$
 - 2) $\overline{YG} \cong \overline{PM}$ and $\overline{YE} \cong \overline{PO}$
 - 3) There is a sequence of rigid motions that maps $\angle E$ onto $\angle O$ and \overline{YE} onto \overline{PO} .
 - 4) There is a sequence of rigid motions that maps point *Y* onto point *P* and \overline{YG} onto \overline{PM} .
- 794 In the diagram below, right triangle *PQR* is transformed by a sequence of rigid motions that maps it onto right triangle *NML*.




Write a set of three congruency statements that would show *ASA* congruency for these triangles.

795 Given right triangles <u>ABC</u> and <u>DEF</u> where $\angle C$ and $\angle F$ are right angles, $\overline{AC} \cong \overline{DF}$ and $\overline{CB} \cong \overline{FE}$. Describe a precise sequence of rigid motions which would show $\triangle ABC \cong \triangle DEF$.




796 In the diagram below, $\triangle ABC$ and $\triangle XYZ$ are graphed.




Use the properties of rigid motions to explain why $\triangle ABC \cong \triangle XYZ$.

797 As graphed on the set of axes below, $\triangle A'B'C'$ is the image of $\triangle ABC$ after a sequence of transformations.



Is $\triangle A'B'C'$ congruent to $\triangle ABC$? Use the properties of rigid motion to explain your answer.


798 In the diagram below, $\overline{AC} \cong \overline{DF}$ and points A, C, D, and F are collinear on line ℓ .




Let $\Delta D' E' F'$ be the image of ΔDEF after a translation along ℓ , such that point *D* is mapped onto point *A*. Determine and state the location of *F'*. Explain your answer. Let $\Delta D''E''F''$ be the image of $\Delta D' E' F'$ after a reflection across line ℓ . Suppose that *E''* is located at *B*. Is ΔDEF congruent to ΔABC ? Explain your answer.

799 Given: *D* is the image of *A* after a reflection over \overleftrightarrow{CH} .

 $\overrightarrow{CH} \text{ is the perpendicular bisector of } \overrightarrow{BCE}$ $\triangle ABC \text{ and } \triangle DEC \text{ are drawn}$ Prove: $\triangle ABC \cong \triangle DEC$




- 800 After a reflection over a line, $\triangle A'B'C'$ is the image of $\triangle ABC$. Explain why triangle *ABC* is congruent to triangle $\triangle A'B'C'$.
- 801 In the diagram below of $\triangle ABC$ and $\triangle XYZ$, a sequence of rigid motions maps $\angle A$ onto $\angle X$, $\angle C$ onto $\angle Z$, and \overline{AC} onto \overline{XZ} .



Determine and state whether $\overline{BC} \cong \overline{YZ}$. Explain why.


802 In the graph below, $\triangle ABC$ has coordinates A(-9,2), B(-6,-6), and C(-3,-2), and $\triangle RST$ has coordinates R(-2,9), S(5,6), and T(2,3).



Is $\triangle ABC$ congruent to $\triangle RST$? Use the properties of rigid motions to explain your reasoning.

G.CO.B.8: TRIANGLE CONGRUENCY


803 In the diagram of $\triangle LAC$ and $\triangle DNC$ below, $\overline{LA} \cong \overline{DN}, \overline{CA} \cong \overline{CN}, \text{ and } \overline{DAC} \perp \overline{LCN}.$



a) Prove that $\triangle LAC \cong \triangle DNC$. b) Describe a sequence of rigid motions that will map $\triangle LAC$ onto $\triangle DNC$.


G.SRT.B.5: TRIANGLE CONGRUENCY

804 In the diagram below of quadrilateral *ADBE*, *DE* is the perpendicular bisector of \overline{AB} .



Which statement is always true?


- 1) $\angle ADC \cong \angle BDC$
- 2) $\angle EAC \cong \angle DAC$
- 3) $\overline{AD} \cong \overline{BE}$
- 4) $\overline{AE} \cong \overline{AD}$
- 805 Triangle HUS is shown below.



If point G is located on US and HG is drawn, which additional information is sufficient to prove $\triangle HUG \cong \triangle HSG$ by SAS?


- 1) \overline{HG} bisects \overline{US}
- 2) \overline{HG} is an altitude
- 3) \overline{HG} bisects $\angle UHS$
- 4) \overline{HG} is the perpendicular bisector of \overline{US}
- 806 Given $\triangle ABC \cong \triangle DEF$, which statement is *not* always true?
 - 1) $\overline{BC} \cong \overline{DF}$
 - 2) $m \angle A = m \angle D$
 - 3) area of $\triangle ABC$ = area of $\triangle DEF$
 - 4) perimeter of $\triangle ABC$ = perimeter of $\triangle DEF$

807 Given the information marked on the diagrams below, which pair of triangles can *not* always be proven congruent?



4)
$$\triangle NOP$$
 and $\triangle RSP$


808 Skye says that the two triangles below are congruent. Margaret says that the two triangles are similar.



Are Skye and Margaret both correct? Explain why.

G.CO.C.10: TRIANGLE PROOFS


809 Line segment *EA* is the perpendicular bisector of \overline{ZT} , and \overline{ZE} and \overline{TE} are drawn.




Which conclusion can *not* be proven?

- 1) EA bisects angle ZET.
- 2) Triangle *EZT* is equilateral.
- 3) \overline{EA} is a median of triangle *EZT*.
- 4) Angle Z is congruent to angle T.


810 Given: $\triangle XYZ$, $\overline{XY} \cong \overline{ZY}$, and \overline{YW} bisects $\angle XYZ$ Prove that $\angle YWZ$ is a right angle.



811 Prove the sum of the exterior angles of a triangle is 360° .



812 Given the theorem, "The sum of the measures of the interior angles of a triangle is 180°," complete the proof for this theorem.




Given: $\triangle ABC$ Prove: $m \angle 1 + m \angle 2 + m \angle 3 = 180^{\circ}$ Fill in the missing reasons below.

Reasons			
(1) Given			
(2)			
(3)			
(4)			
(5)			

G.SRT.B.5: TRIANGLE PROOFS


813 Parallelogram ABCD with diagonal DB is drawn below. Line segment EF is drawn such that it bisects \overline{DB} at M.



Which triangle congruence method would prove that $\triangle EMB \sim \triangle FMD$?


- 1) ASA, only
- 2) AAS, only
- 3) both ASA and AAS
- 4) neither ASA nor AAS
- 814 Given: $\triangle ABE$ and $\triangle CBD$ shown in the diagram below with $\overline{DB} \cong \overline{BE}$

815 In the diagram below, \overline{AKS} , \overline{NKC} , \overline{AN} , and \overline{SC} are drawn such that $\overline{AN} \cong \overline{SC}$.




Which additional statement is sufficient to prove $\triangle KAN \cong \triangle KSC$ by AAS?

- 1) \overline{AS} and \overline{NC} bisect each other.
- 2) *K* is the midpoint of \overline{NC} .
- 3) $AS \perp CN$
- 4) $\overline{AN} \parallel \overline{SC}$
- 816 In the diagram below, \overline{AC} and \overline{BD} intersect at E.



Which information is always sufficient to prove $\triangle ABE \cong \triangle CDE$?


- 1) $AB \parallel CD$
- 2) $\overline{AB} \cong \overline{CD}$ and $\overline{BE} \cong \overline{DE}$
- 3) *E* is the midpoint of \overline{AC} .
- 4) \overline{BD} and AC bisect each other.



Which statement is needed to prove $\triangle ABE \cong \triangle CBD$ using only SAS \cong SAS?


- 1) $\angle CDB \cong \angle AEB$
- 2) $\angle AFD \cong \angle EFC$
- 3) $AD \cong CE$
- 4) $AE \cong \overline{CD}$

817 In the diagram of triangles *ABD* and *CBE* below, sides \overline{AD} and \overline{CE} intersect at *F*, and $\angle ADB \cong \angle CEB$.



Which statement can *not* be proven?


- 1) $\triangle ADB \cong \triangle CEB$
- 2) $\angle EAF \cong \angle DCF$
- 3) $\triangle ADB \sim \triangle CEB$
- 4) $\triangle EAF \sim \triangle DCF$
- 818 Kelly is completing a proof based on the figure below.




She was given that $\angle A \cong \angle EDF$, and has already proven $\overline{AB} \cong \overline{DE}$. Which pair of corresponding parts and triangle congruency method would *not* prove $\triangle ABC \cong \triangle DEF$?


- 1) $\overline{AC} \cong \overline{DF}$ and SAS
- 2) $BC \cong EF$ and SAS
- 3) $\angle C \cong \angle F$ and AAS
- 4) $\angle CBA \cong \angle FED$ and ASA
- 819 Two right triangles must be congruent if
 - 1) an acute angle in each triangle is congruent
 - 2) the lengths of the hypotenuses are equal
 - 3) the corresponding legs are congruent
 - 4) the areas are equal

- 820 In $\triangle ABC$, AB = 5, AC = 12, and $m \angle A = 90^{\circ}$. In $\triangle DEF$, $m \angle D = 90^{\circ}$, DF = 12, and EF = 13. Brett claims $\triangle ABC \cong \triangle DEF$ and $\triangle ABC \sim \triangle DEF$. Is Brett correct? Explain why.
- 821 In the diagram below, $\triangle ABE \cong \triangle CBD$.






822 Given: $\triangle AEB$ and $\triangle DFC$, \overline{ABCD} , $\overline{AE} \parallel \overline{DF}$, $\overline{EB} \parallel \overline{FC}$, $\overline{AC} \cong \overline{DB}$




Prove: $\triangle EAB \cong \triangle FDC$


823 Given: $\triangle ABC$, $\triangle DEF$, $\overline{AB} \perp \overline{BC}$, $\overline{DE} \perp \overline{EF}$, $\overline{AE} \cong \overline{DB}$, and $\overline{AC} \parallel \overline{FD}$



Prove: $\triangle ABC \cong \triangle DEF$

824 Given: $\triangle ABC$, \overline{AEC} , \overline{BDE} with $\angle ABE \cong \angle CBE$, and $\angle ADE \cong \angle CDE$






Fill in the missing statement and reasons below.

Statements	Reasons		
$1 \triangle ABC, \overline{AEC}, \overline{BDE}$	1 Given		
with $\angle ABE \cong \angle CBE$,			
and $\angle ADE \cong \angle CDE$			
$2 \overline{BD} \cong \overline{BD}$	2		
$3 \angle BDA$ and $\angle ADE$	3 Linear pairs of		
are supplementary.	angles are		
$\angle BDC$ and $\angle CDE$ are	supplementary.		
supplementary.			
4	4 Supplements of		
	congruent angles		
	are congruent.		
$5 \triangle ABD \cong \triangle CBD$	5 ASA		
$6 \overline{AD} \cong \overline{CD}, \overline{AB} \cong \overline{CB}$	6		
7 \overline{BDE} is the	7		
perpendicular bisector			
of \overline{AC} .			


825 Given: \overline{RS} and \overline{TV} bisect each other at point X \overline{TR} and \overline{SV} are drawn



Prove: $\overline{TR} \parallel \overline{SV}$


G.CO.C.11: QUADRILATERAL PROOFS

826 In parallelogram *ABCD* shown below, diagonals \overline{AC} and \overline{BD} intersect at *E*.




Prove: $\angle ACD \cong \angle CAB$

827 Given: Parallelogram *ABCD*, $BF \perp AFD$, and $\overline{DE} \perp \overline{BEC}$



Prove: *BEDF* is a rectangle


828 Given: Quadrilateral *ABCD* with diagonals \overline{AC} and \overline{BD} that bisect each other, and $\angle 1 \cong \angle 2$



Prove: $\triangle ACD$ is an isosceles triangle and $\triangle AEB$ is a right triangle


G.SRT.B.5: QUADRILATERAL PROOFS

829 Given: Parallelogram *ABCD* with diagonal *AC* drawn




Prove: $\triangle ABC \cong \triangle CDA$

830 Given: Parallelogram ANDR with \overline{AW} and \overline{DE} bisecting \overline{NWD} and \overline{REA} at points W and E, respectively




Prove that $\triangle ANW \cong \triangle DRE$. Prove that quadrilateral *AWDE* is a parallelogram.

831 Given: Quadrilateral *ABCD* is a parallelogram with diagonals \overline{AC} and \overline{BD} intersecting at *E*




Prove: $\triangle AED \cong \triangle CEB$ Describe a single rigid motion that maps $\triangle AED$ onto $\triangle CEB$.

832 Given: Quadrilateral *ABCD*, $\overline{AB} \cong \overline{CD}$, $\overline{AB} \parallel \overline{CD}$, diagonal \overline{AC} intersects \overline{EF} at *G*, and $\overline{DE} \cong \overline{BF}$




Prove: *G* is the midpoint of \overline{EF}

833 In quadrilateral *ABCD*, $\overline{AB} \cong \overline{CD}$, $\overline{AB} \parallel \overline{CD}$, and \overline{BF} and \overline{DE} are perpendicular to diagonal \overline{AC} at points *F* and *E*.




Prove: $\overline{AE} \cong \overline{CF}$

834 In quadrilateral *HOPE* below, $\overline{EH} \cong \overline{OP}$, $\overline{EP} \cong \overline{OH}, \overline{EJ} \cong \overline{OG}$, and \overline{TG} and \overline{YJ} are perpendicular to diagonal \overline{EO} at points *G* and *J*, respectively.




Prove that $\overline{TG} \cong \overline{YJ}$.

835 In the diagram of quadrilateral *ABCD* with diagonal \overline{AC} shown below, segments \overline{GH} and \overline{EF} are drawn, $\overline{AE} \cong \overline{CG}$, $\overline{BE} \cong \overline{DG}$, $\overline{AH} \cong \overline{CF}$, and $\overline{AD} \cong \overline{CB}$.




Prove: $\overline{EF} \cong \overline{GH}$

836 In the diagram of quadrilateral *ABCD* below, $\overline{AB} \cong \overline{CD}$, and $\overline{AB} \parallel \overline{CD}$. Segments *CE* and *AF* are drawn to diagonal \overline{BD} such that $\overline{BE} \cong \overline{DF}$.




Prove: $\overline{CE} \cong \overline{AF}$


837 In quadrilateral *ABCD*, *E* and *F* are points on \overline{BC} and \overline{AD} , respectively, and \overline{BGD} and \overline{EGF} are drawn such that $\angle ABG \cong \angle CDG$, $\overline{AB} \cong \overline{CD}$, and $\overline{CE} \cong \overline{AF}$.




Prove: $\overline{FG} \cong \overline{EG}$

838 Given: Parallelogram PQRS, $\overline{QT} \perp \overline{PS}$, $\overline{SU} \perp \overline{QR}$






839 Given: Quadrilateral *MATH*, $\overline{HM} \cong \overline{AT}$, $\overline{HT} \cong \overline{AM}$, $\overline{HE} \perp \overline{MEA}$, and $\overline{HA} \perp \overline{AT}$




Prove: $TA \bullet HA = HE \bullet TH$

840 Given: Quadrilateral ABCD, \overline{AC} and \overline{EF} intersect at H, $\overline{EF} || \overline{AD}$, $\overline{EF} || \overline{BC}$, and $\overline{AD} \cong \overline{BC}$.




Prove: (EH)(CH) = (FH)(AH)

841 In the diagram of parallelogram ABCD below, $\overline{BE} \perp \overline{CED}, \overline{DF} \perp \overline{BFC}, \overline{CE} \cong \overline{CF}.$



Prove ABCD is a rhombus.


842 Isosceles trapezoid *ABCD* has bases \overline{DC} and \overline{AB} with nonparallel legs \overline{AD} and \overline{BC} . Segments AE, *BE*, *CE*, and *DE* are drawn in trapezoid *ABCD* such that $\angle CDE \cong \angle DCE$, $\overline{AE} \perp \overline{DE}$, and $\overline{BE} \perp \overline{CE}$.



Prove $\triangle ADE \cong \triangle BCE$ and prove $\triangle AEB$ is an isosceles triangle.


G.SRT.B.5: CIRCLE PROOFS

843 In the diagram below, secant \overline{ACD} and tangent \overline{AB} are drawn from external point A to circle O.




Prove the theorem: If a secant and a tangent are drawn to a circle from an external point, the product of the lengths of the secant segment and its external segment equals the length of the tangent segment squared. $(AC \cdot AD = AB^2)$

844 Given: Circle *O*, chords \overline{AB} and \overline{CD} intersect at *E*




Theorem: If two chords intersect in a circle, the product of the lengths of the segments of one chord is equal to the product of the lengths of the segments of the other chord. Prove this theorem by proving $AE \cdot EB = CE \cdot ED$.

845 In the diagram below of circle O, tangent \overrightarrow{EC} is drawn to diameter \overrightarrow{AC} . Chord \overrightarrow{BC} is parallel to secant \overrightarrow{ADE} , and chord \overrightarrow{AB} is drawn.




G.SRT.A.3: SIMILARITY PROOFS

846 In the diagram below of $\triangle ABC$, *D* and *E* are the midpoints of \overline{AB} and \overline{AC} , respectively, and \overline{DE} is drawn.



I. AA similarity II. SSS similarity III. SAS similarity Which methods could be used to prove $\triangle ABC \sim \triangle ADE$?


- 1) I and II, only
- 2) II and III, only
- 3) I and III, only
- 4) I, II, and III
- 847 In the diagram below, $\overline{AB} \parallel \overline{DFC}$, $\overline{EDA} \parallel \overline{CBG}$, and \overline{EFB} and \overline{AG} are drawn.



Which statement is always true?


- 1) $\triangle DEF \cong \triangle CBF$
- 2) $\triangle BAG \cong \triangle BAE$
- 3) $\triangle BAG \sim \triangle AEB$
- 4) $\triangle DEF \sim \triangle AEB$

848 In the diagram below, $\angle GRS \cong \angle ART$, GR = 36, SR = 45, AR = 15, and RT = 18.




Which triangle similarity statement is correct?

- 1) $\triangle GRS \sim \triangle ART$ by AA.
- 2) $\triangle GRS \sim \triangle ART$ by SAS.
- 3) $\triangle GRS \sim \triangle ART$ by SSS.
- 4) $\triangle GRS$ is not similar to $\triangle ART$.
- 849 In the diagram below, $\triangle A'B'C'$ is the image of $\triangle ABC$ after a transformation.




Describe the transformation that was performed. Explain why $\Delta A'B'C' \sim \Delta ABC$.

850 In the diagram below, \overline{GI} is parallel to \overline{NT} , and \overline{IN} intersects \overline{GT} at A.




Prove: $\triangle GIA \sim \triangle TNA$

851 Given: Parallelogram *ABCD*, \overline{EFG} , and diagonal \overline{DFB}



Prove: $\triangle DEF \sim \triangle BGF$


852 In the diagram below of quadrilateral *FACT*, \overline{BR} intersects diagonal \overline{AT} at $E, \overline{AF} \parallel \overline{CT}$, and $\overline{AF} \cong \overline{CT}$.



Prove: (AB)(TE) = (AE)(TR)

G.C.A.1: SIMILARITY PROOFS

853 As shown in the diagram below, circle *A* has a radius of 3 and circle *B* has a radius of 5.



Use transformations to explain why circles *A* and *B* are similar.

Geometry Regents Exam Questions by State Standard: Topic **Answer Section**

1	ANS:	3	PTS:	2	REF:	061601geo	NAT:	G.GMD.B.4	
				mensional Obje					
2	ANS:	4	PTS:	2	REF:	081503geo	NAT:	G.GMD.B.4	
		Rotations of Two-Dimensional Objects							
3	ANS:	3	PTS:	2	REF:	082307geo	NAT:	G.GMD.B.4	
	TOP:	Rotations of Two-Dimensional Objects							
4	ANS:	4	PTS:	2	REF:	061501geo	NAT:	G.GMD.B.4	
	TOP:	Rotations of Two-Dimensional Objects							
5	ANS:	4	PTS:	2	REF:	011810geo	NAT:	G.GMD.B.4	
	TOP:	Rotations of Two-Dimensional Objects							
6	ANS:	2	PTS:	2	REF:	061903geo	NAT:	G.GMD.B.4	
		Rotations of Two-Dimensional Objects							
7	ANS:	1	PTS:	2	REF:	081603geo	NAT:	G.GMD.B.4	
	TOP:	Rotations of Two-Dimensional Objects							
8	ANS:	3	PTS:	2	REF:	012302geo	NAT:	G.GMD.B.4	
	TOP:	Rotations of Two-Dimensional Objects							
9	ANS:	1	PTS:	2	REF:	062208geo	NAT:	G.GMD.B.4	
	TOP:	Rotations of 7	[wo-Di	mensional Obje	ects				
10	ANS:	4	PTS:	2	REF:	081803geo	NAT:	G.GMD.B.4	
	TOP:	Rotations of Two-Dimensional Objects							
11	ANS:	4	PTS:	2	REF:	081911geo	NAT:	G.GMD.B.4	
				mensional Obje					
12	ANS:	2	PTS:	2	REF:	062415geo	NAT:	G.GMD.B.4	
	TOP:	Rotations of 7	[wo-Di	mensional Obje	ects				
13	ANS:	3	PTS:	2	REF:	011911geo	NAT:	G.GMD.B.4	
	TOP:	Rotations of 7	[wo-Di	mensional Obje	ects				
14	ANS:	1							
	$V = \frac{1}{2}$	$\pi(4)^2(6) = 327$	7						
$V = \frac{1}{3} \pi (4)^2 (6) = 32\pi$									
	PTS∙	2	REF	061718geo	NAT·	G GMD B 4	TOP	Rotations of Two-	

REF: 061718geo NAT: G.GMD.B.4 TOP: Rotations of Two-Dimensional Objects PTS: 2 15 ANS: 3


 $v = \pi r^2 h$ (1) $6^2 \cdot 10 = 360$ $150\pi = \pi r^2 h$ (2) $10^2 \cdot 6 = 600$ $150 = r^2 h \quad (3) \ 5^2 \cdot 6 = 150$ (4) $3^2 \cdot 10 = 900$

PTS: 2 NAT: G.GMD.B.4 TOP: Rotations of Two-Dimensional Objects REF: 081713geo 16 ANS: 3 PTS: 2 REF: 061816geo NAT: G.GMD.B.4

TOP: Rotations of Two-Dimensional Objects

17 ANS: $\frac{1}{2}\pi \times 8^2 \times 5 \approx 335.1$ PTS: 2 REF: 082226geo NAT: G.GMD.B.4 TOP: Rotations of Two-Dimensional Objects 18 ANS: $\frac{1}{3}\pi \times 5^2 \times 12 = 100\pi \approx 314$ PTS: 2 REF: 012425geo NAT: G.GMD.B.4 TOP: Rotations of Two-Dimensional Objects 19 ANS: 1 PTS: 2 REF: 082211geo NAT: G.GMD.B.4 TOP: Cross-Sections of Three-Dimensional Objects REF: 082422geo 20 ANS: 4 PTS: 2 NAT: G.GMD.B.4 TOP: Cross-Sections of Three-Dimensional Objects 21 ANS: 2 PTS: 2 REF: 011805geo NAT: G.GMD.B.4 TOP: Cross-Sections of Three-Dimensional Objects 22 ANS: 2 PTS: 2 REF: 062202geo NAT: G.GMD.B.4 TOP: Cross-Sections of Three-Dimensional Objects 23 ANS: 2 PTS: 2 REF: 062301geo NAT: G.GMD.B.4 TOP: Cross-Sections of Three-Dimensional Objects 24 ANS: 3 PTS: 2 REF: 081805geo NAT: G.GMD.B.4 TOP: Cross-Sections of Three-Dimensional Objects 25 ANS: 2 PTS: 2 REF: 062402geo NAT: G.GMD.B.4 TOP: Cross-Sections of Three-Dimensional Objects 26 ANS: 3 PTS: 2 REF: 081613geo NAT: G.GMD.B.4 TOP: Cross-Sections of Three-Dimensional Objects 27 ANS: 4 PTS: 2 REF: 011723geo NAT: G.GMD.B.4 TOP: Cross-Sections of Three-Dimensional Objects 28 ANS: 4 **PTS:** 2 REF: 082301geo NAT: G.GMD.B.4 TOP: Cross-Sections of Three-Dimensional Objects 29 ANS: 2 PTS: 2 REF: 081701geo NAT: G.GMD.B.4 TOP: Cross-Sections of Three-Dimensional Objects 30 ANS: 4 PTS: 2 REF: 012019geo NAT: G.GMD.B.4 TOP: Cross-Sections of Three-Dimensional Objects 31 ANS: 2 PTS: 2 REF: 061506geo NAT: G.GMD.B.4 TOP: Cross-Sections of Three-Dimensional Objects 32 ANS: 4 PTS: 2 REF: 012415geo NAT: G.GMD.B.4 TOP: Cross-Sections of Three-Dimensional Objects 33 ANS: 1 PTS: 2 REF: 011601geo NAT: G.GMD.B.4 TOP: Cross-Sections of Three-Dimensional Objects

34 ANS:




PTS: 2 REF: 012325geo NAT: G.CO.D.12 TOP: Constructions KEY: angle bisector


35 ANS:



PTS: 2 REF: spr2406geo NAT: G.CO.D.12 TOP: Constructions KEY: line bisector




PTS: 2 REF: 081628geo NAT: G.CO.D.12 TOP: Constructions KEY: line bisector




PTS: 2 REF: 061829geo NAT: G.CO.D.12 TOP: Constructions KEY: line bisector

38 ANS:




PTS: 2 REF: 082329geo NAT: G.CO.D.12 TOP: Constructions KEY: line bisector

39 ANS:




PTS: 2 REF: 011725geo NAT: G.CO.D.12 TOP: Constructions KEY: line bisector


40 ANS:



PTS: 2 REF: 082426geo NAT: G.CO.D.12 TOP: Constructions KEY: line bisector




PTS: 2 REF: 012029geo NAT: G.CO.D.12 TOP: Constructions KEY: parallel and perpendicular lines 42 ANS:




PTS: 2 REF: 062231geo NAT: G.CO.D.12 TOP: Constructions KEY: parallel and perpendicular lines





PTS: 2 REF: fall1409geo NAT: G.CO.D.12 TOP: Constructions KEY: parallel and perpendicular lines 44 ANS:






PTS: 2 REF: 062325geo NAT: G.CO.D.12 TOP: Constructions KEY: parallel and perpendicular lines 45 ANS:




PTS: 2 REF: 061725geo NAT: G.CO.D.12 TOP: Constructions KEY: parallel and perpendicular lines

46 ANS:



PTS: 2 REF: 061631geo KEY: parallel and perpendicular lines 47 ANS:




NAT: G.CO.D.12 TOP: Constructions

PTS: 2 REF: 081825geo NAT: G.CO.D.12 TOP: Constructions KEY: parallel and perpendicular lines 48 ANS:


 $30^{\circ} \triangle CAD$ is an equilateral triangle, so $\angle CAB = 60^{\circ}$. Since \overrightarrow{AD} is an angle bisector, $\angle CAD = 30^{\circ}$.

PTS: 2 REF: 081929geo NAT: G.CO.D.12 TOP: Constructions KEY: polygons

49 ANS:




PTS: 2 REF: 012427geo NAT: G.CO.D.12 TOP: Constructions KEY: polygons





PTS: 2 REF: 082227geo NAT: G.CO.D.12 TOP: Constructions

PTS: 2 REF: 082227geo NAT: G.CO.D.12 TOP: Constructions KEY: congruent and similar figures










Yes, because a dilation preserves angle measure.


PTS: 4 REF: 081932geo NAT: G.CO.D.12 **TOP:** Constructions KEY: congruent and similar figures




PTS: 2


REF: 061931geo NAT: G.CO.D.13 TOP: Constructions

56 ANS:






PTS: 2 REF: 062426geo NAT: G.CO.D.13 TOP: Constructions 58 ANS:




PTS: 2


REF: 061525geo NAT: G.CO.D.13 TOP: Constructions








the square are diameters of the circle. Therefore, each angle of the square is an inscribed angle in the circle that intercepts the circle at the endpoints of the diameters. Each angle of the square, which is an inscribed angle, measures 90 degrees. Therefore, the measure of the arc intercepted by two adjacent sides of the square is 180 degrees because it is twice the measure of its inscribed angle.





Right triangle because $\angle CBF$ is inscribed in a semi-circle.

PTS: 4 REF: 011733geo NAT: G.CO.D.13 TOP: Constructions 63 ANS: 1 $x = -5 + \frac{1}{3}(4 - 5) = -5 + 3 = -2$ $y = 2 + \frac{1}{3}(-10 - 2) = 2 - 4 = -2$

PTS: 2 REF: 011806geo NAT: G.GPE.B.6 TOP: Directed Line Segments 64 ANS: 4

$$-8 + \frac{2}{3}(10 - 8) = -8 + \frac{2}{3}(18) = -8 + 12 = 4 + \frac{2}{3}(-2 - 4) = 4 + \frac{2}{3}(-6) = 4 - 4 = 0$$

PTS: 2 REF: 061919geo NAT: G.GPE.B.6 TOP: Directed Line Segments 65 ANS: 3 $-9 + \frac{1}{3}(9 - -9) = -9 + \frac{1}{3}(18) = -9 + 6 = -3 \ 8 + \frac{1}{3}(-4 - 8) = 8 + \frac{1}{3}(-12) = 8 - 4 = 4$

$$-7 + \frac{1}{3}(2 - 7) = -7 + \frac{1}{3}(9) = -7 + 3 = -4 + 3 + \frac{1}{3}(-6 - 3) = 3 + \frac{1}{3}(-9) = 3 - 3 = 0$$

PTS: 2 REF: 082213geo NAT: G.GPE.B.6 TOP: Directed Line Segments 67 ANS: 1 $-1 + \frac{1}{3}(8 - 1) = -1 + \frac{1}{3}(9) = -1 + 3 = 2 - 3 + \frac{1}{3}(9 - 3) = -3 + \frac{1}{3}(12) = -3 + 4 = 1$

PTS: 2 REF: 011915geo NAT: G.GPE.B.6 TOP: Directed Line Segments 68 ANS: 4 $-7 + \frac{1}{4}(5 - 7) = -7 + \frac{1}{4}(12) = -7 + 3 = -4 - 5 + \frac{1}{4}(3 - 5) = -5 + \frac{1}{4}(8) = -5 + 2 = -3$

PTS: 2 REF: 012005geo NAT: G.GPE.B.6 TOP: Directed Line Segments 69 ANS: 1 $-5 + \frac{1}{4}(7 - 5) = -5 + \frac{1}{4}(12) = -5 + 3 = -2$ $4 + \frac{1}{4}(-4 - 4) = 4 + \frac{1}{4}(-8) = 4 - 2 = 2$ PTS: 2 REF: 062418geo NAT: G.GPE.B.6 TOP: Directed Line Segments

70 ANS: 4

$$-5 + \frac{3}{4}(7-5) = -5 + \frac{3}{4}(12) = -5 + 9 = 4 + 3 + \frac{3}{4}(-5-3) = 3 + \frac{3}{4}(-8) = 3 - 6 = -3$$

PTS: 2 REF: 082302geo NAT: G.GPE.B.6 TOP: Directed Line Segments
 $3 + \frac{2}{5}(8-3) = 3 + \frac{2}{5}(5) = 3 + 2 = 5 + \frac{2}{5}(-5-5) = 5 + \frac{2}{5}(-10) = 5 - 4 = 1$
PTS: 2 REF: 011720geo NAT: G.GPE.B.6 TOP: Directed Line Segments
72 ANS: 4
 $5 + \frac{2}{5}(-10-5) = 5 + \frac{2}{5}(-15) = 5 - 6 = -1 + 7 + \frac{2}{5}(-8-7) = 7 + \frac{2}{5}(-15) = 7 - 6 = 1$
PTS: 2 REF: 012410geo NAT: G.GPE.B.6 TOP: Directed Line Segments
73 ANS: 2
 $-4 + \frac{2}{5}(6-4) = -4 + \frac{2}{5}(10) = -4 + 4 = 0 + 5 + \frac{2}{5}(20-5) = 5 + \frac{2}{5}(15) = 5 + 6 = 11$
PTS: 2 REF: 061715geo NAT: G.GPE.B.6 TOP: Directed Line Segments
74 ANS: 2
 $-4 + \frac{2}{5}(1-4) = -4 + \frac{2}{5}(5) = -4 + 2 = -2 + 2 + \frac{2}{5}(8-2) = -2 + \frac{2}{5}(10) = -2 + 4 = 2$
PTS: 2 REF: 061814geo NAT: G.GPE.B.6 TOP: Directed Line Segments
75 ANS: 2
 $-4 + \frac{2}{5}(6--4) = -4 + \frac{2}{5}(10) = -4 + 4 = 0 + 1 + \frac{2}{5}(4--1) = -1 + \frac{2}{5}(5) = -1 + 2 = 1$
PTS: 2 REF: 062222geo NAT: G.GPE.B.6 TOP: Directed Line Segments
76 ANS: 1
 $-8 + \frac{3}{5}(7-8) = -8 + 9 = 1 + 7 + \frac{3}{5}(-13-7) = 7 - 12 = -5$
PTS: 2 REF: 081815geo NAT: G.GPE.B.6 TOP: Directed Line Segments
77 ANS: 1
 $-8 + \frac{3}{5}(1--4) = -4 + 3 = -1 - 2 + \frac{3}{5}(8--2) = -2 + 6 = 4$
PTS: 2 REF: 081815geo NAT: G.GPE.B.6 TOP: Directed Line Segments
77 ANS: 1
 $-4 + \frac{3}{5}(1--4) = -4 + 3 = -1 - 2 + \frac{3}{5}(8--2) = -2 + 6 = 4$
PTS: 2 REF: 082402geo NAT: G.GPE.B.6 TOP: Directed Line Segments
78 ANS: 1
 $-4 + \frac{3}{5}(1--4) = -4 + 3 = -1 - 2 + \frac{3}{5}(8--2) = -2 + 6 = 4$


78 ANS: 4 $-5 + \frac{3}{5}(5 - -5) - 4 + \frac{3}{5}(1 - -4)$ $-5 + \frac{3}{5}(10) \qquad -4 + \frac{3}{5}(5)$ -5+6 -4+3 -1 1 PTS: 2 REF: spr1401geo NAT: G.GPE.B.6 TOP: Directed Line Segments 79 ANS: 4 $x = -6 + \frac{1}{6}(6 - 6) = -6 + 2 = -4$ $y = -2 + \frac{1}{6}(7 - 2) = -2 + \frac{9}{6} = -\frac{1}{2}$ PTS: 2 REF: 081618geo NAT: G.GPE.B.6 TOP: Directed Line Segments 80 ANS: 1 $-8 + \frac{3}{8}(16 - 8) = -8 + \frac{3}{8}(24) = -8 + 9 = 1 - 2 + \frac{3}{8}(6 - 2) = -2 + \frac{3}{8}(8) = -2 + 3 = 1$ NAT: G.GPE.B.6 TOP: Directed Line Segments PTS: 2 REF: 081717geo 81 ANS: 0(-0-5) $-6 + \frac{2}{5}(4 - -6) -5 + \frac{2}{5}(0 - -5)(-2, -3)$ $-6 + \frac{2}{5}(10) \qquad -5 + \frac{2}{5}(5)$

$$-6+4$$
 $-5+2$
 -2 -3


PTS: 2


REF: 061527geo NAT: G.GPE.B.6 TOP: Directed Line Segments

82 ANS:




PTS: 2 REF: 062327geo NAT: G.GPE.B.6 TOP: Directed Line Segments 83 ANS:





84 ANS:



PTS: 2 REF: 012328geo NAT: G.GPE.B.6 TOP: Directed Line Segments 85 ANS:

 $\frac{2}{5} \cdot (16 - 1) = 6 \ \frac{2}{5} \cdot (14 - 4) = 4 \ (1 + 6, 4 + 4) = (7, 8)$

PTS: 2 REF: 081531geo NAT: G.GPE.B.6 TOP: Directed Line Segments 86 ANS:

$$4 + \frac{4}{9}(22 - 4) + 2 + \frac{4}{9}(2 - 2) (12, 2)$$

$$4 + \frac{4}{9}(18) + 2 + \frac{4}{9}(0)$$

$$4 + 8 + 2 + 0$$

$$12 + 2$$


PTS: 2 REF: 061626geo NAT: G.GPE.B.6 TOP: Directed Line Segments 87 ANS: 1 Alternate interior angles

PTS: 2 NAT: G.CO.C.9 REF: 061517geo TOP: Lines and Angles 88 ANS: 1 PTS: 2 REF: 011606geo NAT: G.CO.C.9 TOP: Lines and Angles 89 ANS: 2 REF: 081601geo NAT: G.CO.C.9 PTS: 2 TOP: Lines and Angles 90 ANS: 4 NAT: G.CO.C.9 PTS: 2 REF: 081611geo TOP: Lines and Angles REF: 061802geo 91 ANS: 3 PTS: 2 NAT: G.CO.C.9 TOP: Lines and Angles

92 ANS: 1 $\frac{f}{4} = \frac{15}{6}$ f = 10

PTS: 2 REF: 061617geo NAT: G.CO.C.9 TOP: Lines and Angles 93 ANS: 1 180-2(75) = 30

PTS: 2 REF: 082407geo NAT: G.CO.C.9 TOP: Lines and Angles 94 ANS: 2



PTS: 2 REF: 011818geo 95 ANS: 4 PTS: 2 TOP: Lines and Angles

96 ANS: 4

NAT: G.CO.C.9 REF: 081801geo

```
TOP: Lines and Angles NAT: G.CO.C.9
```

PTS: 2 REF: 012421geo NAT: G.CO.C.9 TOP: Lines and Angles 97 ANS: 3 180-(48+66) = 180-114 = 66 PTS: 2 REF: 012001geo NAT: G.CO.C.9 TOP: Lines and Angles

PTS: 2REF: 012001geoNAT: G.CO.C.9TOP: Lines and Angles98ANS: 4PTS: 2REF: 062318geoNAT: G.CO.C.9TOP: Lines and Angles

Since linear angles are supplementary, $m\angle GIH = 65^{\circ}$. Since $\overline{GH} \cong \overline{IH}$, $m\angle GHI = 50^{\circ}$ (180 – (65 + 65)). Since $\angle EGB \cong \angle GHI$, the corresponding angles formed by the transversal and lines are congruent and $\overline{AB} \parallel \overline{CD}$.

PTS: 4 REF: 061532geo NAT: G.CO.C.9 TOP: Lines and Angles 100 ANS: 1 $m = -\frac{2}{3} \ 1 = \left(-\frac{2}{3}\right)6 + b$ 1 = -4 + b5 = b

PTS: 2 REF: 081510geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: write equation of parallel line

101 ANS: 3 y = mx + b

$$2 = \frac{1}{2}(-2) + b$$
$$3 = b$$

PTS: 2 REF: 011701geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: write equation of parallel line

102 ANS: 2

$$m = \frac{-(-2)}{3} = \frac{2}{3}$$

PTS: 2 REF: 061916geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: write equation of parallel line

103 ANS:

$$3y + 7 = 2x \quad y - 6 = \frac{2}{3}(x - 2)$$
$$3y = 2x - 7$$
$$y = \frac{2}{3}x - \frac{7}{3}$$

PTS: 2 REF: 011925geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: write equation of parallel line

104 ANS: 4

The slope of a line in standard form is $-\frac{A}{B}$ so the slope of this line is $\frac{3}{5}$ Perpendicular lines have slope that are the opposite and reciprocal of each other.

PTS: 2 REF: 012313geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: find slope of perpendicular line

The slope of 3x + 2y = 12 is $-\frac{3}{2}$, which is the opposite reciprocal of $\frac{2}{3}$.

NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines PTS: 2 REF: 081811geo KEY: identify perpendicular lines

106 ANS: 1

$$m = \frac{-A}{B} = \frac{-2}{-1} = 2$$

 $m_{\perp} = -\frac{1}{2}$

PTS: 2 REF: 061509geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: identify perpendicular lines

107 ANS: 1

$$m = \frac{-A}{B} = \frac{-3}{2} \quad m_{\perp} = \frac{2}{3}$$

NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines PTS: 2 REF: 081908geo KEY: identify perpendicular lines ΔNS· 1

$$y = 3x + 4, m = 3, m_{\perp} = -\frac{1}{3}$$

NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines PTS: 2 REF: 012405geo KEY: identify perpendicular lines

$$m = -\frac{1}{2}$$
 $-4 = 2(6) + b$
 $m_{\perp} = 2$ $-4 = 12 + b$
 $-16 = b$

PTS: 2 REF: 011602geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: write equation of perpendicular line

110 ANS: 2

$$m = \frac{3}{2} \quad . \quad 1 = -\frac{2}{3}(-6) + b$$
$$m_{\perp} = -\frac{2}{3} \quad \frac{1}{3} = 4 + b$$
$$-3 = b$$

NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines PTS: 2 REF: 061719geo KEY: write equation of perpendicular line

111 ANS: 1 $m = \frac{-4}{-6} = \frac{2}{3}$ $m_{\perp} = -\frac{3}{2}$

PTS: 2 REF: 011820geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: write equation of perpendicular line 112 ANS: 2

$$m = \frac{3}{2}$$
$$m_{\perp} = -\frac{2}{3}$$

PTS: 2 REF: 061812geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: write equation of perpendicular line

113 ANS: 2

$$m = \frac{-4}{-5} = \frac{4}{5}$$
$$m_{\perp} = -\frac{5}{4}$$

PTS: 2 REF: 082308geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: write equation of perpendicular line

114 ANS: 3

 $m = \frac{3}{4} \quad m_{\perp} = -\frac{4}{3}$

PTS: 2 REF: 062406geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: write equation of perpendicular line

115 ANS: 1

$$m = \frac{4 - -4}{-4 - 2} = \frac{8}{-6} = -\frac{4}{3}$$
$$m_{\perp} = \frac{3}{4}$$

PTS: 2 REF: 082418geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: write equation of perpendicular line

116 ANS:

 $m = \frac{5}{4}; m_{\perp} = -\frac{4}{5} y - 12 = -\frac{4}{5} (x - 5)$

PTS: 2 REF: 012031geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: write equation of perpendicular line

The segment's midpoint is the origin and slope is -2. The slope of a perpendicular line is $\frac{1}{2}$. $y = \frac{1}{2}x + 0$

2y = x2y - x = 0

PTS: 2 REF: 081724geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: perpendicular bisector

118 ANS: 1

 $m = \left(\frac{-11+5}{2}, \frac{5+-7}{2}\right) = (-3, -1) \quad m = \frac{5--7}{-11-5} = \frac{12}{-16} = -\frac{3}{4} \quad m_{\perp} = \frac{4}{3}$

PTS: 2 REF: 061612geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: perpendicular bisector

119 ANS: 4

$$\left(\frac{-5+7}{2}, \frac{1-9}{2}\right) = (1, -4) \quad m = \frac{1--9}{-5-7} = \frac{10}{-12} = -\frac{5}{6} \quad m_{\perp} = \frac{6}{5}$$

PTS: 2 REF: 062220geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: perpendicular bisector

120 ANS: 4

$$\left(\frac{-4+0}{2}, \frac{6+4}{2}\right) \to (-2,5); \ \frac{6-4}{-4-0} = \frac{2}{-4} = -\frac{1}{2}; \ m_{\perp} = 2; \ y-5 = 2(x+2)$$
$$y = 2x+4+5$$
$$y = 2x+9$$

PTS: 2 REF: 062324geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines KEY: perpendicular bisector

121 ANS: 3

$$\frac{6\sqrt{3}}{x} = \frac{\sqrt{3}}{2}$$
$$x = 12$$

PTS: 2 REF: spr2402geo NAT: G.SRT.C.8 TOP: 30-60-90 Triangles

$$\sqrt{20^2 - 10^2} \approx 17.3$$

PTS: 2 REF: 081608geo NAT: G.SRT.C.8 TOP: 30-60-90 Triangles 123 ANS: 2 $6+6\sqrt{3}+6+6\sqrt{3} \approx 32.8$

PTS: 2 REF: 011709geo NAT: G.SRT.C.8 TOP: 30-60-90 Triangles

124 ANS: 2 $\frac{7.5}{3.5} = \frac{9.5}{x}$ $x \approx 4.4$ PTS: 2 REF: 012303geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem 125 ANS: 2 $\frac{x}{15} = \frac{5}{12}$ x = 6.25PTS: 2 REF: 011906geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem 126 ANS: 4 $\frac{x}{10} = \frac{12}{8}$ 15 + 10 = 25 *x* = 15 PTS: 2 REF: 082314geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem 127 ANS: 4 $\frac{5}{7} = \frac{x}{x+5}$ $12\frac{1}{2} + 5 = 17\frac{1}{2}$ 5x + 25 = 7x2x = 25 $x = 12\frac{1}{2}$ PTS: 2 REF: 061821geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem 128 ANS: 4 $\frac{2}{4} = \frac{8}{x+2}$ 14+2=16 2x + 4 = 32x = 14PTS: 2 REF: 012024geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem 129 ANS: 3 $\frac{9}{5} = \frac{9.2}{x}$ 5.1 + 9.2 = 14.3 9x = 46 $x \approx 5.1$ PTS: 2 REF: 061511geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem

130 ANS: 3 $\frac{24}{40} = \frac{15}{x}$ 24x = 600*x* = 25 PTS: 2 REF: 011813geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem 131 ANS: 4 $\frac{1}{3.5} = \frac{x}{18 - x}$ 3.5x = 18 - x4.5x = 18x = 4PTS: 2 REF: 081707geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem 132 ANS: 2 $\frac{12}{4} = \frac{36}{x}$ 12x = 144*x* = 12 PTS: 2 REF: 061621geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem 133 ANS: 2 $\frac{x}{x+3} = \frac{14}{21} \qquad 14-6 = 8$ 21x = 14x + 427x = 42*x* = 6 PTS: 2 REF: 081812geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem 134 ANS: 3 $\frac{x}{6.3} = \frac{3}{5} \quad \frac{y}{9.4} = \frac{6.3}{6.3 + 3.78}$ x = 3.78 $y \approx 5.9$ PTS: 2 REF: 081816geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem 135 ANS: 1 $5x = 12 \cdot 7 \ 16.8 + 7 = 23.8$ 5x = 84*x* = 16.8 PTS: 2 REF: 061911geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem 136 ANS: 2 $\frac{10}{x} = \frac{8}{6}$ 8x = 60x = 7.5PTS: 2 REF: 012402geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem 137 ANS: 3 $\frac{10}{x} = \frac{15}{12}$ *x* = 8 PTS: 2 REF: 081918geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem 138 ANS: 4 $\frac{2}{4} = \frac{9-x}{x}$ 36 - 4x = 2xx = 6PTS: 2 REF: 061705geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem 139 ANS: 3 $\frac{x}{13} = \frac{3}{8}$ 8x = 39 $x \approx 4.9$ PTS: 2 REF: 082405geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem 140 ANS: 4 č $\frac{4}{5} = \frac{6}{x}$ $\frac{4}{9} = \frac{y}{18}$ 5 + 18 + 7.5 + 8 = 38.5 18 x = 7.5 y = 8PTS: 2 REF: 082222geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem 141 ANS: 4 $\frac{2}{6} = \frac{5}{15}$ PTS: 2 REF: 081517geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem 142 ANS: 3 PTS: 2 REF: 062307geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem 143 ANS: 2 $\triangle ACB \sim \triangle AED$ PTS: 2 REF: 012308geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem 144 ANS: 2 If (2) is true, $\angle ACB \cong \angle XYB$ and $\angle CAB \cong \angle YXB$. PTS: 2 REF: 082202geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem 145 ANS: 2 $\triangle ACB \sim \triangle AED$ PTS: 2 REF: 061811geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem 146 ANS: 2 $\angle ADE \cong \angle ABC$ and $\angle AED \cong \angle ACB$ PTS: 2 NAT: G.SRT.B.4 REF: 062214geo TOP: Side Splitter Theorem 147 ANS: 4 PTS: 2 REF: 062321geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem 148 ANS: $\frac{3.75}{5} = \frac{4.5}{6}$ \overline{AB} is parallel to \overline{CD} because \overline{AB} divides the sides proportionately. 39.375 = 39.375PTS: 2 REF: 061627geo NAT: G.SRT.B.4 TOP: Side Splitter Theorem ID: A

149 ANS: $\frac{15}{27} = \frac{20}{36}$ \overline{EF} is parallel to \overline{BC} because \overline{EF} divides the sides proportionately. 540 = 540PTS: 2 NAT: G.SRT.B.4 TOP: Side Splitter Theorem REF: 062431geo 150 ANS: 4

Isosceles triangle theorem.

PTS: 2 151 ANS:

5x - 14 = 3x + 10

2x = 24


$$x = 12$$

PTS: 2 REF: 082326geo NAT: G.CO.C.10 **TOP:** Isosceles Triangle Theorem 152 ANS: 2


 $\angle B = 180 - (82 + 26) = 72; \ \angle DEC = 180 - 26 = 154; \ \angle EDB = 360 - (154 + 26 + 72) = 108; \ \angle BDF = \frac{108}{2} = 54;$ $\angle DFB = 180 - (54 + 72) = 54$

REF: 062207geo NAT: G.CO.C.10 TOP: Isosceles Triangle Theorem

PTS: 2 REF: 061710geo NAT: G.CO.C.10 TOP: Interior and Exterior Angles of Triangles 153 ANS: 4



PTS: 2 REF: 061717geo NAT: G.CO.C.10 TOP: Interior and Exterior Angles of Triangles 154 ANS: 3




PTS: 2

REF: 081905geo

NAT: G.CO.C.10 TOP: Interior and Exterior Angles of Triangles


ID: A



180 - (180 - 42 - 42)PTS: 2 REF: 062317geo NAT: G.CO.C.10 TOP: Exterior Angle Theorem 162 ANS: 3 PTS: 2 REF: 062215geo NAT: G.CO.C.10 TOP: Exterior Angle Theorem 163 ANS: 4 4 + 4 > 7PTS: 2 REF: 062421geo NAT: G.CO.C.10 TOP: Triangle Inequality Theorem 164 ANS: 3 $\angle N$ is the smallest angle in $\triangle NYA$, so side \overline{AY} is the shortest side of $\triangle NYA$. $\angle VYA$ is the smallest angle in $\triangle VYA$, so side \overline{VA} is the shortest side of both triangles. PTS: 2 REF: 011919geo NAT: G.CO.C.10 TOP: Angle Side Relationship 165 ANS: 1 PTS: 2 REF: 082310geo NAT: G.CO.C.10 TOP: Angle Side Relationship 166 ANS: 4 PTS: 2 REF: 011704geo NAT: G.CO.C.10 **TOP:** Midsegments REF: 081716geo 167 ANS: 4 PTS: 2 NAT: G.CO.C.10 **TOP:** Midsegments 168 ANS: 3 ANS: 5 2(2x+8) = 7x-2 AB = 7(6) - 2 = 40. Since \overline{EF} is a midsegment, $EF = \frac{40}{2} = 20$. Since $\triangle ABC$ is equilateral, 4x + 16 = 7x - 218 = 3x6 = x $AE = BF = \frac{40}{2} = 20.40 + 20 + 20 = 100$ PTS: 2 REF: 061923geo NAT: G.CO.C.10 TOP: Midsegments 169 ANS: 3 $\frac{1}{2} \times 24 = 12$ PTS: 2 REF: 012009geo NAT: G.CO.C.10 TOP: Midsegments


161 ANS: 2

170 ANS: 1 $\frac{36}{4} = 9$ PTS: 2 REF: 012321geo NAT: G.CO.C.10 TOP: Midsegments 171 ANS: 4 2(x+13) = 5x - 1 MN = 9 + 13 = 222x + 26 = 5x - 127 = 3xx = 9REF: 062322geo NAT: G.CO.C.10 TOP: Midsegments PTS: 2 172 ANS: 2(15) = 3x - 1230 = 3x - 1242 = 3x14 = xPTS: 2 REF: 082429geo NAT: G.CO.C.10 **TOP:** Midsegments 173 ANS: 2 NAT: G.SRT.B.4 PTS: 2 REF: 012012geo TOP: Medians, Altitudes and Bisectors 174 ANS: 1 PTS: 2 REF: 012316geo NAT: G.SRT.B.4 TOP: Medians, Altitudes and Bisectors 175 ANS: 4 PTS: 2 REF: 081822geo NAT: G.SRT.B.4 TOP: Medians, Altitudes and Bisectors 176 ANS: $\triangle MNO$ is congruent to $\triangle PNO$ by SAS. Since $\triangle MNO \cong \triangle PNO$, then $\overline{MO} \cong \overline{PO}$ by CPCTC. So \overline{NO} must divide MP in half, and MO = 8. PTS: 2 REF: fall1405geo NAT: G.SRT.B.4 TOP: Medians, Altitudes and Bisectors



184 ANS: 1 $m_{\overline{RT}} = \frac{5--3}{4--2} = \frac{8}{6} = \frac{4}{3}$ $m_{\overline{ST}} = \frac{5-2}{4-8} = \frac{3}{-4} = -\frac{3}{4}$ Slopes are opposite reciprocals, so lines form a right angle. 185 ANS: No. The midpoint of \overline{DF} is $\left(\frac{1+4}{2}, \frac{-1+2}{2}\right) = (2.5, 0.5)$. A median from point *E* must pass through the midpoint. 186 ANS: PTS: 2 REF: 011930geo NAT: G.GPE.B.4 TOP: Triangles in the Coordinate Plane 186 ANS: $\frac{-2--4}{-3-4} = \frac{2}{-7}; y-2 = -\frac{2}{7}(x-3)$

PTS: 2 REF: 062331geo NAT: G.GPE.B.4 TOP: Triangles in the Coordinate Plane 187 ANS: The slopes of perpendicular line are opposite reciprocals. Since the lines are perpendicular, they form right angles



and a right triangle. $m_{\overline{BC}} = -\frac{3}{2} - 1 = \frac{2}{3}(-3) + b$ or $-4 = \frac{2}{3}(-1) + b$

$$m_{\perp} = \frac{2}{3} \qquad \begin{array}{c} -1 = -2 + b \\ 1 = b \\ 3 = \frac{2}{3}x + 1 \\ 2 = \frac{2}{3}x \\ 3 = x \end{array} \qquad \begin{array}{c} -\frac{12}{3} = \frac{-2}{3} + b \\ -\frac{10}{3} = b \\ 3 = \frac{2}{3}x - \frac{10}{3} \\ 9 = 2x - 10 \\ 19 = 2x \\ 9.5 = x \end{array}$$


PTS: 4

REF: 081533geo

geo NAT: G.GPE.B.4


TOP: Triangles in the Coordinate Plane






Triangle with vertices
$$A(-2,4)$$
, $B(6,2)$, and $C(1,-1)$ (given); $m_{\overline{AC}} = -\frac{5}{3}$, $m_{\overline{BC}} = \frac{3}{5}$,

definition of slope; Because the slopes of the legs of the triangle are opposite reciprocals, the legs are perpendicular (definition of perpendicular); $\angle C$ is a right angle (definition of right angle); $\triangle ABC$ is a right triangle (if a triangle has a right angle, it is a right triangle); $\overline{AC} \cong \overline{BC} = \sqrt{34}$ (distance formula); $\triangle ABC$ is an isosceles triangle has two congruent sides).



slopes are opposite reciprocals, $OE \perp JY$.


PTS: 6 REF: 062435geo NAT: G.GPE.B.4 TOP: Triangles in the Coordinate Plane 190 ANS:




Because $\overline{AB} \cong \overline{AC}$, $\triangle ABC$ has two congruent sides and is isosceles. Because $\overline{AB} \cong \overline{BC}$ is not true, $\triangle ABC$ has sides that are not congruent and $\triangle ABC$ is not equilateral.

PTS: 4 REF: 061832geo NAT: G.GPE.B.4 TOP: Triangles in the Coordinate Plane





PTS: 4 REF: 081732geo NAT: G.GPE.B.4 TOP: Triangles in the Coordinate Plane 192 ANS: 3 F R



PTS: 2 REF: 081508geo NAT: G.CO.C.11 TOP: Interior and Exterior Angles of Polygons 193 ANS: 1 180-(68.2)


PTS: 2 REF: 081624geo NAT: G.CO.C.11 TOP: Interior and Exterior Angles of Polygons 194 ANS: 2 R = 130 50 50 50Q = 130 50 50T

PTS: 2 REF: 061921geo NAT: G.CO.C.11 TOP: Interior and Exterior Angles of Polygons 195 ANS: 4 0 70° 70° R S K

PTS: 2

REF: 081708geo NA

NAT: G.CO.C.11 TOP: Interior and Exterior Angles of Polygons




G

B


PTS: 2 REF: 082215geo NAT: G.CO.C.11 TOP: Interior and Exterior Angles of Polygons 197 ANS: 3 T = U S G = 0 G

PTS: 2 REF: 011603geo NAT: G.CO.C.11 TOP: Interior and Exterior Angles of Polygons 198 ANS: 2

PTS: 2 REF: 081907geo NAT: G.CO.C.11 TOP: Interior and Exterior Angles of Polygons 199 ANS: 3



PTS: 2 REF: 062306geo NAT: G.CO.C.11 TOP: Interior and Exterior Angles of Polygons



PTS: 2 REF: 082315geo NAT: G.CO.C.11 TOP: Interior and Exterior Angles of Polygons 201 ANS: 1

51 = 129 E

 $m\angle CBE = 180 - 51 = 129$


PTS: 2 REF: 062221geo NAT: G.CO.C.11 TOP: Interior and Exterior Angles of Polygons 202 ANS: Opposite angles in a parallelogram are congruent, so $m \angle O = 118^{\circ}$. The interior angles of a triangle equal 180°.

180 - (118 + 22) = 40.

PTS: 2 REF: 061526geo NAT: G.CO.C.11 TOP: Interior and Exterior Angles of Polygons 203 ANS:


 $\angle D = 46^{\circ}$ because the angles of a triangle equal 180°. $\angle B = 46^{\circ}$ because opposite angles of a parallelogram are congruent.


PTS: 2 REF: 081925geo NAT: G.CO.C.11 TOP: Interior and Exterior Angles of Polygons



PTS: 2 REF: 081826geo NAT: G.CO.C.11 TOP: Interior and Exterior Angles of Polygons

ID: A





215	ANS:	4	PTS:	2	REF:	061513geo	NAT:	G.CO.C.11
	TOP:	Parallelogram	s			-		
216	ANS:	3						
	3) Could be an isosceles trapezoid.							
	PTS:	2	REF:	012318geo	NAT:	G.CO.C.11	TOP:	Parallelograms
217	ANS:	3	PTS:	2	REF:	081913geo	NAT:	G.CO.C.11
	TOP:	Parallelogram	s					
218	ANS:	4	PTS:	2	REF:	081813geo	NAT:	G.CO.C.11
	TOP:	Parallelogram	s			-		

Geometry Regents Exam Questions by State Standard: Topic Answer Section

219 ANS: 3

The half diagonals have lengths of 6 and 8, so each side of *ABCD* is 10.


220	PTS: 2 ANS: 1 $\frac{6.5}{10.5} = \frac{5.2}{x}$	REF: 0	12417geo	NAT:	G.CO.C.11	TOP:	Parallelograms
	x = 8.4						
	PTS: 2	REF: 0	12006geo	NAT:	G.CO.C.11	TOP:	Trapezoids
221	ANS: 3 TOP: Trapezoids	PTS: 2		REF:	062323geo	NAT:	G.CO.C.11
222	ANS: 3	PTS: 2		REF:	012413geo	NAT:	G.CO.C.11
222	TOP: Special Quadr			DEE.	061024	MAT.	C C C C 11
223	ANS: 3 TOP: Special Quadu	PTS: 2	,	KEF:	061924geo	NAI:	G.CO.C.11
224	ANS: 3	PTS: 2		REF:	062310geo	NAT:	G.CO.C.11
	TOP: Special Quadu				002010800		
225	ANS: 3	PTS: 2	,	REF:	062417geo	NAT:	G.CO.C.11
	TOP: Special Quadr	rilaterals					
226	ANS: 1		:1 0	1.		4) 1'	111 / 1
	1) opposite sides; 2)	adjacent	sides; 3) perp	bendicu	llar diagonals; 4	4) diago	onal bisects angle
	PTS: 2	REF: 0	61609geo	NAT:	G.CO.C.11	TOP:	Special Quadrilaterals
227	ANS: 2	PTS: 2	-	REF:			G.CO.C.11
	TOP: Special Quadr	rilaterals					
228	ANS: 1	PTS: 2		REF:	011716geo	NAT:	G.CO.C.11
	TOP: Special Quadu				0.41010		
229	ANS: 4	PTS: 2	r	REF:	061813geo	NAT:	G.CO.C.11
230	TOP: Special Quadu ANS: 2	PTS: 2		BEE	012420geo	ΝΔΤ·	G.CO.C.11
250	TOP: Special Quadu		r	KLI.	012+20ge0	11111.	0.00.0.11
231	ANS: 1	PTS: 2	·	REF:	062423geo	NAT:	G.CO.C.11
	TOP: Special Quadr	rilaterals			C		
232	ANS: 1	PTS: 2		REF:	012004geo	NAT:	G.CO.C.11
	TOP: Special Quadu	rilaterals					
233	ANS: 3 $In (1) and (2) ABCD$	aculd be	o mostor alo m	ith non	a an amont aid	aa (4)	is not possible
In (1) and (2), $ABCD$ could be a rectangle with non-congruent sides. (4) is not possible							
	PTS: 2	REF: 0	81714geo	NAT:	G.CO.C.11	TOP:	Special Quadrilaterals
234	ANS: 4	PTS: 2	-	REF:	011819geo		G.CO.C.11
	TOP: Special Quadr						
235		PTS: 2	, ,	REF:	061711geo	NAT:	G.CO.C.11
	TOP: Special Quadu	rilaterals					

236 ANS: 2 ANS: 2 $ER = \sqrt{17^2 - 8^2} = 15$ PTS: 2 REF: 061917geo NAT: G.CO.C.11 TOP: Special Quadrilaterals 237 ANS: 2 $\sqrt{8^2+6^2} = 10$ for one side REF: 011907geo NAT: G.CO.C.11 PTS: 2 **TOP:** Special Quadrilaterals 238 ANS: The four small triangles are 8-15-17 triangles. $4 \times 17 = 68$ PTS: 2 REF: 081726geo NAT: G.CO.C.11 TOP: Special Quadrilaterals 239 ANS: 4 REF: 011705geo PTS: 2 NAT: G.CO.C.11 **TOP:** Special Quadrilaterals 240 ANS: 2 PTS: 2 REF: 082204geo NAT: G.CO.C.11 TOP: Special Quadrilaterals 241 ANS: 3 **PTS:** 2 REF: 012309geo NAT: G.CO.C.11 TOP: Special Quadrilaterals 242 ANS: 2 **PTS:** 2 REF: 082305geo NAT: G.CO.C.11 **TOP:** Special Quadrilaterals 243 ANS: 4 $m_{\overline{AD}} = \frac{3-1}{-2-2} = \frac{2}{-4} = -\frac{1}{2}$ A pair of opposite sides is parallel. $m_{\overline{BC}} = \frac{8-4}{-3-5} = \frac{4}{-8} = -\frac{1}{2}$ PTS: 2 REF: 082321geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane 244 ANS: 4 $\frac{-2-1}{-1-3} = \frac{-3}{2} \quad \frac{3-2}{0-5} = \frac{1}{-5} \quad \frac{3-1}{0-3} = \frac{2}{3} \quad \frac{2-2}{5-1} = \frac{4}{6} = \frac{2}{3}$ PTS: 2 REF: 081522geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane KEY: general 245 ANS: 3 $M_x = \frac{-5+-1}{2} = -\frac{6}{2} = -3 \ M_y = \frac{5+-1}{2} = \frac{4}{2} = 2.$ PTS: 2 REF: 081902geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane KEY: general 246 ANS: 1 $m_{\overline{AB}} = \frac{-3-5}{-1-6} = \frac{-8}{-7} = \frac{8}{7}$ PTS: 2 REF: 062315geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane 247 ANS: 3 $\frac{7-1}{0-2} = \frac{6}{-2} = -3$ The diagonals of a rhombus are perpendicular.

PTS: 2 REF: 011719geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane 248 ANS: 1 $m_{\overline{TA}} = -1$ y = mx + b $m_{\overline{EM}} = 1$ 1 = 1(2) + b-1 = b


PTS: 2 REF: 081614geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane KEY: general

249 ANS:



PTS: 2 REF: 011731geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane KEY: grids

250 ANS:




1) Quadrilateral *HYPE* with H(-3,6), Y(2,9), P(8,-1), and E(3,-4) (Given); 2) Slope of \overline{HY} and \overline{PE} is $\frac{3}{5}$, slope of \overline{YP} and \overline{EH} is $-\frac{5}{3}$ (Slope determined graphically); 3) $\overline{HY} \perp \overline{YP}$, $\overline{PE} \perp \overline{EH}$, $\overline{YP} \perp \overline{PE}$, $\overline{EY} \perp \overline{HY}$ (The slopes of perpendicular lines are opposite reciprocals); 4) $\angle H$, $\angle Y$, $\angle P$, $\angle E$ are right angles (Perpendicular lines form right angles); 5) *HYPE* is a rectangle (A rectangle has four right angles).

PTS: 4 REF: 082233geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane KEY: grids

ID: A






 $\overline{AN} \cong \overline{AT} \cong \overline{TS} \cong \overline{SN}$ Quadrilateral *NATS* is a rhombus $\sqrt{5^2 + 5^2} = \sqrt{7^2 + 1^2} = \sqrt{5^2 + 5^2} = \sqrt{7^2 + 1^2}$ $\sqrt{50} = \sqrt{50} = \sqrt{50} = \sqrt{50}$

because all four sides are congruent.

PTS: 4 REF: 012032geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane KEY: grids

252 ANS:


A rhombus has four congruent sides. Since each side measures $\sqrt{85}$, all four sides of *MATH* are congruent, and



MATH is a rhombus. $16 \times 8 - (21 + 9 + 21 + 9) = 68$

PTS: 4 REF: 062334geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane


 $\overline{PQ} \sqrt{(8-3)^2 + (3-2)^2} = \sqrt{50} \ \overline{QR} \sqrt{(1-8)^2 + (4-3)^2} = \sqrt{50} \ \overline{RS} \sqrt{(-4-1)^2 + (-1-4)^2} = \sqrt{50}$ $\overline{PS} \sqrt{(-4-3)^2 + (-1-2)^2} = \sqrt{50} \ PQRS \text{ is a rhombus because all sides are congruent.} \ m_{\overline{PQ}} = \frac{8-3}{3-2} = \frac{5}{5} = 1$ $m_{\overline{QR}} = \frac{1-8}{4-3} = -7 \text{ Because the slopes of adjacent sides are not opposite reciprocals, they are not perpendicular}$



and do not form a right angle. Therefore PQRS is not a square.


PTS: 6 REF: 061735geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane KEY: grids

254 ANS:



 \overline{AD} and \overline{BC} have equal slope, so are parallel. \overline{AB} and \overline{CD} have equal slope, so are parallel. Since both pairs of opposite sides are parallel, ABCD is a parallelogram. The slope of \overline{AB} and \overline{BC} are not opposite reciprocals, so they are not perpendicular, and so $\angle B$ is not a right angle. ABCD is not a rectangle since all four angles are not right angles.

PTS: 4 REF: 082334geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane




 $m_{\overline{MH}} = \frac{6}{10} = \frac{3}{5}, m_{\overline{AT}} = \frac{6}{10} = \frac{3}{5}, m_{\overline{MA}} = -\frac{5}{3}, m_{\overline{HT}} = -\frac{5}{3}; \overline{MH} \parallel \overline{AT} \text{ and } \overline{MA} \parallel \overline{HT}.$

MATH is a parallelogram since both sides of opposite sides are parallel. $m_{\overline{MA}} = -\frac{5}{3}$, $m_{\overline{AT}} = \frac{3}{5}$. Since the slopes are negative reciprocals, $\overline{MA} \perp \overline{AT}$ and $\angle A$ is a right angle. *MATH* is a rectangle because it is a parallelogram with a right angle.

PTS: 6 REF: 081835geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane KEY: grids

256 ANS:



 $m_{\overline{AD}} = \frac{0-6}{1-1} = -3 \ \overline{AD} \parallel \overline{BC}$ because their slopes are equal. *ABCD* is a trapezoid

$$m_{\overline{BC}} = \frac{-1-8}{6-3} = -3$$

because it has a pair of parallel sides. $AC = \sqrt{(-1-6)^2 + (6--1)^2} = \sqrt{98}$ ABCD is not an isosceles trapezoid

$$BD = \sqrt{(8-0)^2 + (3-1)^2} = \sqrt{68}$$

because its diagonals are not congruent.

PTS: 4 REF: 061932geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane KEY: grids


$$m_{\overline{AB}} = \frac{6-3}{-3-6} = \frac{3}{-9} = -\frac{1}{3} \quad m_{\overline{BC}} = \frac{3-2}{6-6} = \frac{5}{0} \rightarrow \text{ undefined } ABCD \text{ is a trapezoid because it has only one pair of}$$

$$m_{\overline{CD}} = \frac{2-2}{-6-6} = \frac{4}{-12} = -\frac{1}{3} \quad m_{\overline{AD}} = \frac{6-2}{-3-6} = \frac{4}{3}$$

parallel sides. $BD = \sqrt{(6-6)^2 + (3-2)^2} = \sqrt{145}$ $ABCD$ is isosceles because $ABCD$'s diagonals are
 $AC = \sqrt{(6-3)^2 + (-2-6)^2} = \sqrt{145}$

congruent.

PTS: 4 REF: 082433geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane 258 ANS:




The slope of \overline{MA} and \overline{TH} equals $-\frac{1}{2}$. Distinct lines with equal slope are parallel. *MATH* is a trapezoid because it has a pair of parallel lines. (7,3). The slope of \overline{MY} and \overline{TH} equals $-\frac{1}{2}$. The slope of \overline{YT} and \overline{HM} equals 2. The slopes of each side are opposite reciprocals and therefore perpendicular. Perpendicular sides form right angles, so *MYTH* has four right angles and is a rectangle.

PTS: 6 REF: 012435geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane

 $m_{\overline{TS}} = \frac{-10}{6} = -\frac{5}{3} m_{\overline{SR}} = \frac{3}{5}$ Since the slopes of \overline{TS} and \overline{SR} are opposite reciprocals, they are perpendicular and form a right angle. $\triangle RST$ is a right triangle because $\angle S$ is a right angle. $P(0,9) m_{\overline{RP}} = \frac{-10}{6} = -\frac{5}{3} m_{\overline{PT}} = \frac{3}{5}$


Since the slopes of all four adjacent sides (\overline{TS} and \overline{SR} , \overline{SR} and \overline{RP} , \overline{PT} and \overline{TS} , \overline{RP} and \overline{PT}) are opposite reciprocals, they are perpendicular and form right angles. Quadrilateral *RSTP* is a rectangle because it has four right angles.



PTS: 6 REF: 061536geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane KEY: grids

260 ANS:


 $\triangle PAT$ is an isosceles triangle because sides \overline{AP} and \overline{AT} are congruent ($\sqrt{3^2 + 11^2} = \sqrt{7^2 + 9^2} = \sqrt{130}$). *R*(2,9). Quadrilateral *PART* is a parallelogram because the opposite sides are parallel since they have equal slopes



$$(m_{\overline{AR}} = \frac{4}{6} = \frac{2}{3}; \ m_{\overline{PT}} = \frac{4}{6} = \frac{2}{3}; \ m_{\overline{PA}} = -\frac{11}{3}; \ m_{\overline{RT}} = -\frac{11}{3};$$

PTS: 6 REF: 011835geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane KEY: grids

$$AB = \sqrt{(-5-1)^2 + (3-2)^2} = \sqrt{37}, BC = \sqrt{(-5--6)^2 + (3--3)^2} = \sqrt{37} \text{ (because } AB = BC, \Delta ABC \text{ is isosceles).} (0,-4). AD = \sqrt{(1-0)^2 + (2--4)^2} = \sqrt{37}, CD = \sqrt{(-6-0)^2 + (-3--4)^2} = \sqrt{37}, m_{\overline{AB}} = \frac{3-2}{-5-1} = -\frac{1}{6}, m_{\overline{CB}} = \frac{3--3}{-5--6} = 6 \text{ (ABCD is a square because all four sides are congruent, consecutive sides are congruent.}$$




are perpendicular since slopes are opposite reciprocals and so $\angle B$ is a right angle).

PTS: 6 REF: 081935geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane KEY: grids

262 ANS:


$$\sqrt{(-2 - -7)^2 + (4 - -1)^2} = \sqrt{(-2 - -3)^2 + (4 - -3)^2}$$
 Since \overline{AB} and \overline{AC} are congruent, $\triangle ABC$ is isosceles.
 $\sqrt{50} = \sqrt{50}$
 $A'(3, -1), B'(-2, -6), C'(2, -8).$ $AC = \sqrt{50}$ $AA' = \sqrt{(-2 - 3)^2 + (4 - -1)^2}, A'C' = \sqrt{50}$ (translation preserves
 $= \sqrt{50}$

distance), $CC' = \sqrt{(-3-2)^2 + (-3-8)^2}$ Since all four sides are congruent, AA'C'C is a rhombus.



PTS: 6 REF: 062235geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane KEY: grids

 $m_{\overline{DU}} = \frac{9}{2} m_{\overline{UC}} = -\frac{2}{9}$ Since the slopes of \overline{DU} and \overline{UC} are opposite reciprocals, they are perpendicular and form a right angle. $\triangle DUC$ is a right triangle because $\angle DUC$ is a right angle. Each side of quadrilateral DUCU' is $\sqrt{9^2 + 2^2} = \sqrt{85}$. Quadrilateral DUCU' is a square because all four side are congruent and it has a right angle.




PTS: 6 REF: 012335geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane 264 ANS: $M\left(\frac{4+0}{2}, \frac{6-1}{2}\right) = M\left(2, \frac{5}{2}\right) m = \frac{6--1}{4-0} = \frac{7}{4} m_{\perp} = -\frac{4}{7} y - 2.5 = -\frac{4}{7}(x-2)$ The diagonals, \overline{MT} and \overline{AH} , of

rhombus MATH are perpendicular bisectors of each other.

PTS: 4 REF: fall1411geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane KEY: grids 265 ANS: 2 $6 \cdot 6 = x(x - 5)$ $36 = x^2 - 5x$ $0 = x^2 - 5x - 36$ 0 = (x - 9)(x + 4)x = 9NAT: G.C.A.2 PTS: 2 REF: 061708geo TOP: Chords, Secants and Tangents KEY: intersecting chords, length 266 ANS: 3 $8 \cdot 15 = 16 \cdot 7.5$ PTS: 2 NAT: G.C.A.2 TOP: Chords, Secants and Tangents REF: 061913geo KEY: intersecting chords, length 267 ANS: 4 PTS: 2 REF: 081922geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: intersecting chords, length

slope of $\overline{OA} = \frac{4-0}{-3-0} = -\frac{4}{3} m_{\perp} = \frac{3}{4}$

PTS: 2 REF: 082223geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: radius drawn to tangent 269 ANS: 2



PTS: 2 REF: 081814geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: tangents drawn from common point, length 270 ANS: 3 $5 \cdot \frac{10}{4} = \frac{50}{4} = 12.5$ PTS: 2 REF: 081512geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: common tangents

271 ANS:

 $\frac{3}{8} \cdot 56 = 21$

PTS: 2 REF: 081625geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: common tangents 272 ANS: 2

8(x+8) = 6(x+18)8x + 64 = 6x + 1082x = 44

x = 22

PTS: 2 REF: 011715geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: secants drawn from common point, length
273 ANS: 1 PTS: 2 REF: 082320geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: secants drawn from common point, length

 $10 \cdot 6 = 15x$ x = 4PTS: 2 REF: 061828geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: secants drawn from common point, length 275 ANS: 2 $x^2 = 3 \cdot 18$ $x = \sqrt{3 \cdot 3 \cdot 6}$ $x = 3\sqrt{6}$ PTS: 2 REF: 081712geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: secant and tangent drawn from common point, length 276 ANS: 2 $24^2 = 4x \cdot 9x \ 5 \cdot 4 = 20$ $576 = 36x^2$ $16 = x^2$ 4 = xPTS: 2 REF: 012312geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: secant and tangent drawn from common point, length 277 ANS: $x^2 = 8 \times 12.5$ x = 10TOP: Chords, Secants and Tangents PTS: 2 REF: 012028geo NAT: G.C.A.2 KEY: secant and tangent drawn from common point, length 278 ANS: $x^2 = 12 \cdot 48$ x = 24**PTS:** 2 REF: 062428geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: secant and tangent drawn from common point, length 279 ANS: 1 Parallel chords intercept congruent arcs. $\frac{180 - 130}{2} = 25$ REF: 081704geo NAT: G.C.A.2 **PTS:** 2 TOP: Chords, Secants and Tangents KEY: parallel lines


274 ANS:

ID: A

PTS: 2 REF: 011626geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: parallel lines 281 ANS: 3 $\frac{x+72}{2} = 58$ x + 72 = 116x = 44PTS: 2 REF: 061817geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: intersecting chords, angle 282 ANS: 1 $\frac{56+x}{2} = 46$

$$x + 56 = 92$$
$$x = 36$$

PTS: 2 REF: 082421geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: intersecting chords, angle



PTS:2REF:081827geoNAT:G.C.A.2TOP:Chords, Secants and Tangents284ANS:3PTS:2REF:011621geoNAT:G.C.A.2TOP:Chords, Secants and TangentsKEY:inscribedNAT:G.C.A.2

285 ANS: 4
$$\frac{1}{2}(360-268) = 46$$


PTS: 2

286 ANS: 2

KEY: inscribed

286	ANS: 2							
	A 56 0 28°)),14							
	PTS: 2 REF: 062305geo KEY: inscribed	NAT: G.C.A.2	TOP: Chords, Secants and Tangents					
287	ANS:1PTS:2TOP:Chords, Secants and Tangents	REF: 061508geo KEY: inscribed	NAT: G.C.A.2					
288	ANS:2PTS:2TOP:Chords, Secants and Tangents	REF: 061610geo KEY: inscribed	NAT: G.C.A.2					
289	ANS: 1	KET. Inscribed						
-07	The other statements are true only if \overline{AD}	\overline{BC} .						
	PTS: 2 REF: 081623geo KEY: inscribed	NAT: G.C.A.2	TOP: Chords, Secants and Tangents					
290	ANS: 4 PTS: 2	REF: 011816geo	NAT: G.C.A.2					
	TOP: Chords, Secants and Tangents	KEY: inscribed						
291	ANS: 4 PTS: 2	REF: 011905geo	NAT: G.C.A.2					
202	TOP: Chords, Secants and Tangents	KEY: inscribed						
292	ANS: 4							
	PTS: 2 REF: 082218geo KEY: inscribed	NAT: G.C.A.2	TOP: Chords, Secants and Tangents					
293	ANS: 1 PTS: 2	REF: 062409geo	NAT: G.C.A.2					
	TOP: Chords, Secants and Tangents	KEY: inscribed						

REF: 061704geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents



PTS: 2 REF: 061918geo NAT: G.C.A.2 KEY: secants drawn from common point, angle 295 ANS: 2

$$\frac{136 - x}{2} = 44$$

$$136 - x = 88$$

$$48 = x$$

NAT: G.C.A.2 PTS: 2 REF: 012414geo KEY: secants drawn from common point, angle

296 ANS:

$$\frac{121 - x}{2} = 35$$
$$121 - x = 70$$
$$x = 51$$

REF: 011927geo PTS: 2 NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: secants drawn from common point, angle 297 ANS: 1 $\frac{100-80}{2} = 10$

PTS: 2 REF: 062219geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: secant and tangent drawn from common point, angle
298 ANS:
$$\frac{152-56}{2} = 48$$

PTS: 2 REF: 011728geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: secant and tangent drawn from common point, angle

TOP: Chords, Secants and Tangents

$$\frac{124-56}{2} = 34$$

PTS: 2 REF: 081930geo NAT: G.C.A.2 TOP: KEY: secant and tangent drawn from common point, angle 300 ANS: 2

TOP: Chords, Secants and Tangents

Since
$$\overrightarrow{AD} \parallel \overrightarrow{BC}$$
, $\overrightarrow{AB} \cong \overrightarrow{CD}$. $m \angle ACB = \frac{1}{2} m \overrightarrow{AB}$
 $m \angle CDF = \frac{1}{2} m \overrightarrow{CD}$

PTS: 2 REF: 012323geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: chords and tangents 301 ANS: 1 PTS: 2 REF: 061520geo NAT: G.C.A.2 TOP: Chords, Secants and Tangents KEY: mixed 302 ANS: 2 PTS: 2 REF: 061603geo NAT: G.GPE.A.1 **TOP:** Equations of Circles KEY: find center and radius | completing the square 303 ANS: 3 $x^{2} + 4x + 4 + y^{2} - 6y + 9 = 12 + 4 + 9$ $(x+2)^{2} + (y-3)^{2} = 25$ PTS: 2 REF: 081509geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square 304 ANS: 2 $x^{2} + y^{2} - 2x + 4y - 5 = 0$ $x^{2} - 2x + 1 + y^{2} + 4y + 4 = 5 + 1 + 4$ $(x-1)^{2} + (y+2)^{2} = 10$ PTS: 2 REF: 082416geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square 305 ANS: 2 $x^{2} + y^{2} + 6y + 9 = 7 + 9$ $x^{2} + (y+3)^{2} = 16$ PTS: 2 REF: 061514geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square 306 ANS: 4 $x^2 + 6x + 9 + y^2 - 4y + 4 = 23 + 9 + 4$ $(x+3)^{2} + (y-2)^{2} = 36$ PTS: 2 REF: 011617geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square

307 ANS: 1 $x^{2} - 4x + 4 + y^{2} + 8y + 16 = -11 + 4 + 16$ $(x-2)^{2} + (y+4)^{2} = 9$ PTS: 2 REF: 081616geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square 308 ANS: 1 $x^{2} + y^{2} - 6y + 9 = -1 + 9$ $x^{2} + (y - 3)^{2} = 8$ PTS: 2 REF: 011718geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square 309 ANS: 1 $x^{2} + y^{2} - 12y + 36 = -20 + 36$ $x^{2} + (y - 6)^{2} = 16$ PTS: 2 REF: 061712geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square 310 ANS: 2 $x^{2} + y^{2} - 6x + 2y = 6$ $x^{2} - 6x + 9 + y^{2} + 2y + 1 = 6 + 9 + 1$ $(x-3)^{2} + (v+1)^{2} = 16$ PTS: 2 REF: 011812geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square 311 ANS: 4 $x^{2} + 8x + 16 + y^{2} - 12y + 36 = 144 + 16 + 36$ $(x+4)^{2} + (y-6)^{2} = 196$ PTS: 2 REF: 061920geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square 312 ANS: 4 $x^{2} - 8x + y^{2} + 6y = 39$ $x^{2} - 8x + 16 + y^{2} + 6y + 9 = 39 + 16 + 9$ $(x-4)^{2} + (y+3)^{2} = 64$ PTS: 2 REF: 081906geo NAT: G.GPE.A.1 TOP: Equations of Circles

KEY: completing the square

313 ANS: 1 $x^{2} + y^{2} - 12y + 36 = 20.25 + 36 \sqrt{56.25} = 7.5$ $x^{2} + (y - 6)^{2} = 56.25$ PTS: 2 REF: 082219geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square 314 ANS: 2 $x^{2} + 2x + 1 + y^{2} - 16y + 64 = -49 + 1 + 64$ $(x+1)^{2} + (y-8)^{2} = 16$ PTS: 2 REF: 012314geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square 315 ANS: 4 $x^{2} + 6x + y^{2} - 2y = -1$ $x^{2} + 6x + 9 + y^{2} - 2y + 1 = -1 + 9 + 1$ $(x+3)^{2} + (v-1)^{2} = 9$ PTS: 2 REF: 062309geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square 316 ANS: 3 $x^{2} + 12x + 36 + y^{2} = -27 + 36$ $(x+6)^2 + y^2 = 9$ PTS: 2 REF: 082313geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square 317 ANS: 4 $x^{2} + 4x + 4 + y^{2} - 8y + 16 = -16 + 4 + 16$ $(x+2)^{2} + (y-4)^{2} = 4$ PTS: 2 REF: 081821geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square 318 ANS: $x^{2}-6x+9+y^{2}+8y+16=56+9+16$ (3,-4); r=9 $(x-3)^{2} + (y+4)^{2} = 81$

PTS: 2 REF: 081731geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square


 $x^{2} + 6x + 9 + y^{2} - 6y + 9 = 63 + 9 + 9$ (-3,3); r = 9 $(x+3)^{2} + (y-3)^{2} = 81$ PTS: 2 REF: 062230geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square 320 ANS: $x^{2} + 16x + +64 + y^{2} + 12y + 36 = 44 + 64 + 36$ (-8, -6); r = 12 $(x+8)^{2} + (y+6)^{2} = 144$ PTS: 2 REF: 012430geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square 321 ANS: $x^{2} + 8x + 16 + y^{2} - 6y + 9 = -7 + 16 + 9$ (-4.3) $\sqrt{18}$ $(x+4)^{2} + (y-3)^{2} = 18$ **PTS:** 2 REF: 062429geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: completing the square 322 ANS: 1 $(x-1)^{2} + (y-4)^{2} = \left(\frac{10}{2}\right)^{2}$ $x^{2} - 2x + 1 + y^{2} - 8y + 16 = 25$ $x^{2} - 2x + y^{2} - 8y = 8$ **PTS:** 2 NAT: G.GPE.A.1 TOP: Equations of Circles REF: 011920geo KEY: write equation, given center and radius 323 ANS: 4 PTS: 2 REF: spr2404geo TOP: Equations of Circles KEY: write equation, given graph 324 ANS: 2 $(x-5)^{2} + (y-2)^{2} = 16$

 $x^{2} - 10x + 25 + y^{2} - 4y + 4 = 16$ $x^{2} - 10x + y^{2} - 4y = -13$


319 ANS:

PTS: 2 REF: 061820geo NAT: G.GPE.A.1 TOP: Equations of Circles KEY: write equation, given graph


NAT: G.GPE.A.1




331 ANS: 1 $\frac{64}{4} = 16 \quad 16^2 = 256 \quad 2w + 2(w+2) = 64 \quad 15 \times 17 = 255 \quad 2w + 2(w+4) = 64 \quad 14 \times 18 = 252 \quad 2w + 2(w+6) = 64$ w = 14w = 13w = 15 $13 \times 19 = 247$ PTS: 2 REF: 011708geo NAT: G.MG.A.3 TOP: Area of Polygons 332 ANS: $x^{2} + x^{2} = 58^{2}$ $A = (\sqrt{1682} + 8)^{2} \approx 2402.2$ $2x^2 = 3364$ $x = \sqrt{1682}$ PTS: 4 REF: 081734geo NAT: G.MG.A.3 TOP: Area of Polygons 333 ANS: 2 $SA = 6 \cdot 12^2 = 864$ $\frac{864}{450} = 1.92$ PTS: 2 REF: 061519geo NAT: G.MG.A.3 TOP: Surface Area 334 ANS: 3 $4\sqrt{\left(-1--3\right)^2+\left(5-1\right)^2} = 4\sqrt{20}$ PTS: 2 REF: 081703geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane 335 ANS: 4 $4\sqrt{(-1-2)^2 + (2-3)^2} = 4\sqrt{10}$ PTS: 2 REF: 081808geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane 336 ANS: 2 $\sqrt{(-1-2)^2 + (4-3)^2} = \sqrt{10}$ PTS: 2 REF: 011615geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane 337 ANS: $4\sqrt{3^2+3^2}+2(2)=4\sqrt{18}+4=12\sqrt{2}+4$ PTS: 2 REF: spr2408geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane NAT: G.GPE.B.7 338 ANS: 3 PTS: 2 REF: 061702geo TOP: Polygons in the Coordinate Plane 339 ANS: 2 $7 \times 4 - \frac{1}{2} ((7)(1) + (3)(4) + (4)(3)) = 28 - \frac{7}{2} - 6 - 6 = 12.5$ PTS: 2 REF: 012407geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane



PTS: 2 REF: 061622geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane 341 ANS: 1



PTS: 2 REF: 061815geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane 342 ANS: 4



$$\sqrt{8^2 + 2^2} \times \sqrt{4^2 + 1^2} = \sqrt{68} \times \sqrt{17} = \sqrt{4}\sqrt{17} \times \sqrt{17} = 2 \cdot 17 = 34$$


PTS: 2 REF: 082214geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane 343 ANS: 2 Create two congruent triangles by drawing \overline{BD} , which has a length of 8. Each triangle has an area of $\frac{1}{2}(8)(3) = 12$.

PTS: 2 REF: 012018geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane

344 ANS: 3


$$A = \frac{1}{2}ab$$
 $3-6 = -3 = x$
 $24 = \frac{1}{2}a(8)$ $\frac{4+12}{2} = 8 = y$
 $a = 6$

PTS: 2 REF: 081615geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane 345 ANS:




$$5 \times 12 - \frac{1}{2}(12 \times 3) - \frac{1}{2}(6 \times 6) - \frac{1}{2}(6 \times 3) = 27$$


PTS: 2 REF: 012331geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane 346 ANS:







PTS: 2 REF: 081928geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane 348 ANS:



PTS: 2 REF: 061926geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane 349 ANS: $m_{\overline{AX}} = \frac{4-1}{1-4} = -1$ \overline{AM} is an altitude. $A = \frac{1}{2}\sqrt{18}\sqrt{72} = \frac{1}{2}\sqrt{9}\sqrt{2}\sqrt{9}\sqrt{8} = 18$ $m_{\overline{AM}} = \frac{4 - -2}{1 - -5} = 1$ PTS: 2 REF: 082427geo NAT: G.GPE.B.7 TOP: Polygons in the Coordinate Plane 350 ANS: 2 x is $\frac{1}{2}$ the circumference. $\frac{C}{2} = \frac{10\pi}{2} \approx 16$ PTS: 2 REF: 061523geo NAT: G.GMD.A.1 TOP: Circumference 351 ANS: 1 $\frac{1000}{20\pi} \approx 15.9$ PTS: 2 REF: 011623geo NAT: G.GMD.A.1 TOP: Circumference PTS: 2 REF: 011918geo NAT: G.MG.A.3 352 ANS: 1 TOP: Compositions of Polygons and Circles KEY: area

353 ANS: 4 $(8\times2)+(3\times2)-\left(\frac{18}{12}\times\frac{21}{12}\right)\approx19$ PTS: 2 REF: 081917geo NAT: G.MG.A.3 TOP: Compositions of Polygons and Circles KEY: area 354 ANS: $2 \times (90 \times 10) + (\pi)(30^2) - (\pi)(20^2) \approx 3371$ PTS: 2 NAT: G.MG.A.3 TOP: Compositions of Polygons and Circles REF: 011931geo KEY: area 355 ANS: $\frac{5\pi(2)^2 + 5(6)(4)}{25} \approx 7.3 \ 8 \ \text{cans}$ PTS: 2 REF: 082328geo NAT: G.MG.A.3 TOP: Compositions of Polygons and Circles KEY: area 356 ANS: 4 $C = 12\pi \frac{120}{360}(12\pi) = \frac{1}{3}(12\pi)$ PTS: 2 REF: 061822geo NAT: G.C.B.5 TOP: Arc Length 357 ANS: 4 $\frac{x}{360} = \frac{6.2}{9\pi}$ $x \approx 79$ PTS: 2 REF: 082424geo NAT: G.C.B.5 TOP: Arc Length 358 ANS: 3 $\frac{12\pi \left(\frac{\theta}{180}\right)}{8\pi \left(\frac{\theta}{180}\right)} = 1.5$ PTS: 2 REF: 011824geo NAT: G.C.B.5 TOP: Arc Length 359 ANS: 2 $\frac{30}{360}(5)^2(\pi) \approx 6.5$ REF: 081818geo NAT: G.C.B.5 PTS: 2 **TOP:** Sectors 360 ANS: 4 $\frac{300}{360} \cdot 8^2 \pi = \frac{160\pi}{3}$ PTS: 2 REF: 011721geo NAT: G.C.B.5 **TOP:** Sectors

361 ANS: 2 $\left(\frac{360 - 100}{360}\right)(\pi) \left(6^2\right) = 26\pi$ PTS: 2 REF: 062411geo NAT: G.C.B.5 TOP: Sectors 362 ANS: 4 $\left(\frac{360-120}{360}\right)(\pi)\left(9^2\right) = 54\pi$ PTS: 2 REF: 081912geo NAT: G.C.B.5 TOP: Sectors 363 ANS: 2 $\frac{70}{360} \cdot 6^2 \pi = 7\pi$ PTS: 2 REF: 082309geo NAT: G.C.B.5 TOP: Sectors 364 ANS: 3 $\frac{60}{360} \cdot 6^2 \pi = 6\pi$ PTS: 2 REF: 081518geo NAT: G.C.B.5 TOP: Sectors 365 ANS: 4 $\frac{140}{360} \cdot 9^2 \pi = 31.5\pi$ PTS: 2 REF: 012317geo NAT: G.C.B.5 TOP: Sectors 366 ANS: 3 $\frac{150}{360} \cdot 9^2 \pi = 33.75 \pi$ PTS: 2 REF: 012013geo NAT: G.C.B.5 TOP: Sectors 367 ANS: 4 $\frac{54}{360} \cdot 10^2 \pi = 15\pi$ REF: 062224geo NAT: G.C.B.5 TOP: Sectors PTS: 2 368 ANS: 3 $\frac{x}{360} \cdot 3^2 \pi = 2\pi \ 180 - 80 = 100$ $x = 80 \quad \frac{180 - 100}{2} = 40$ PTS: 2 REF: 011612geo NAT: G.C.B.5 **TOP:** Sectors PTS: 2 369 ANS: 2 REF: 081619geo NAT: G.C.B.5 **TOP:** Sectors

370 ANS: 2 $\frac{x}{360}(15)^2\pi = 75\pi$ *x* = 120 PTS: 2 REF: 011914geo NAT: G.C.B.5 **TOP:** Sectors 371 ANS: 3 $\frac{60}{360} \cdot 8^2 \pi = \frac{1}{6} \cdot 64 \pi = \frac{32\pi}{3}$ PTS: 2 REF: 061624geo NAT: G.C.B.5 TOP: Sectors 372 ANS: $\frac{72}{360}(\pi)(10^2) = 20\pi$ PTS: 2 REF: 061928geo NAT: G.C.B.5 TOP: Sectors 373 ANS: $\frac{102}{360}(\pi)(38^2) \approx 1285$ PTS: 2 REF: 012426geo NAT: G.C.B.5 TOP: Sectors 374 ANS: $\frac{\left(\frac{180-20}{2}\right)}{360} \times \pi(6)^2 = \frac{80}{360} \times 36\pi = 8\pi$ PTS: 4 REF: spr1410geo NAT: G.C.B.5 TOP: Sectors 375 ANS: 0 4 in 72° $\left(\frac{72}{360}\right)\pi(4)^2 \approx 10.1$

PTS: 2

REF: 082231geo NAT: G.C.B.5 TOP: Sectors

$$A = 6^{2} \pi = 36\pi \quad 36\pi \cdot \frac{x}{360} = 12\pi$$
$$x = 360 \cdot \frac{12}{36}$$
$$x = 120$$

REF: 061529geo PTS: 2 NAT: G.C.B.5 **TOP:** Sectors 377 ANS: $\frac{Q}{360}(\pi) \left(25^2\right) = (\pi) \left(25^2\right) - 500\pi$ $Q = \frac{125\pi(360)}{625\pi}$ *Q* = 72 PTS: 2 REF: 011828geo NAT: G.C.B.5 **TOP:** Sectors 378 ANS: $\frac{80}{360} \cdot \pi(6.4)^2 \approx 29$ PTS: 2 REF: 062328geo NAT: G.C.B.5 **TOP:** Sectors 379 ANS: $\frac{40}{360} \cdot \pi (4.5)^2 = 2.25\pi$

PTS: 2 REF: 061726geo NAT: G.C.B.5 TOP: Sectors

380 ANS:

Each quarter in both stacks has the same base area. Therefore, each corresponding cross-section of the stacks will have the same area. Since the two stacks of quarters have the same height of 23 quarters, the two volumes must be the same.

PTS: 2 REF: spr1405geo NAT: G.GMD.A.1 TOP: Volume

381 ANS:

Each triangular prism has the same base area. Therefore, each corresponding cross-section of the prisms will have the same area. Since the two prisms have the same height of 14, the two volumes must be the same.

PTS: 2 REF: 061727geo NAT: G.GMD.A.1 TOP: Volume

382 ANS:

Yes. The bases of the cylinders have the same area and the cylinders have the same height.

PTS: 2 REF: 081725geo NAT: G.GMD.A.1 TOP: Volume

383 ANS: 2 $14 \times 16 \times 10 = 2240 \quad \frac{2240 - 1680}{2240} = 0.25$ PTS: 2 REF: 011604geo NAT: G.GMD.A.3 TOP: Volume KEY: prisms 384 ANS: 3 $3 \times 10 \times \frac{3}{12} = 7.5 \text{ ft}^3 \frac{7.5}{2} = 3.75 4 \times 3.66 = 14.64$ PTS: 2 REF: 062311geo NAT: G.GMD.A.3 TOP: Volume KEY: prisms 385 ANS: 1 $.5 \text{ ft}^3 \times \frac{1728 \text{ in}^3}{1 \text{ ft}^3} = 864 \text{ in}^3 \frac{43 \text{ in} \times 30 \text{ in} \times 9 \text{ in}}{864 \text{ in}^3} \approx 13.4$ REF: 012419geo NAT: G.GMD.A.3 TOP: Volume PTS: 2 **KEY**: prisms 386 ANS: $2\left(\frac{36}{12} \times \frac{36}{12} \times \frac{4}{12}\right) \times 3.25 = 19.50$ **PTS:** 2 REF: 081831geo NAT: G.GMD.A.3 TOP: Volume KEY: prisms 387 ANS: $\frac{1}{2}(5)(L)(4) = 70$ 10L = 70L = 7PTS: 2 REF: 012330geo NAT: G.GMD.A.3 TOP: Volume KEY: prisms 388 ANS: 4 $V = \pi \left(\frac{6.7}{2}\right)^2 (4 \cdot 6.7) \approx 945$ PTS: 2 REF: 081620geo NAT: G.GMD.A.3 TOP: Volume KEY: cylinders 389 ANS: 1 $V = \pi r^2 h = \pi \cdot 5^2 \cdot 8 \approx 200\pi$ PTS: 2 REF: 082304geo NAT: G.GMD.A.3 TOP: Volume **KEY:** cylinders

 $V = \pi(8)^2 (4 - 0.5)(7.48) \approx 5264$ PTS: 2 REF: 012320geo NAT: G.GMD.A.3 TOP: Volume KEY: cylinders 391 ANS: 4 $V = \pi r^2 h$ $d \approx 6.129 \times 2 \approx 12.3$ $1180 = \pi r^2 \cdot 10$ $r^2 = \frac{1180}{10\pi}$ $r \approx 6.129$ PTS: 2 REF: 062413geo NAT: G.GMD.A.3 TOP: Volume KEY: cylinders 392 ANS: 2 $\frac{100000\,\mathrm{g}}{7.48\,\mathrm{g/ft}^3} = \pi(r^2)(30\,\mathrm{ft})$ 11.92 ft $\approx r$ $23.8 \approx d$ PTS: 2 REF: 012424geo NAT: G.GMD.A.3 TOP: Volume KEY: cylinders 393 ANS: $\frac{\pi \cdot 11.25^2 \cdot 33.5}{231} \approx 57.7$ PTS: 4 REF: 061632geo NAT: G.GMD.A.3 TOP: Volume KEY: cylinders 394 ANS: $20000 \operatorname{g}\left(\frac{1 \operatorname{ft}^3}{7.48 \operatorname{g}}\right) = 2673.8 \operatorname{ft}^3 \ 2673.8 = \pi r^2 (34.5) \ 9.9 + 1 = 10.9$ $r \approx 4.967$ $d \approx 9.9$ PTS: 4 REF: 061734geo NAT: G.GMD.A.3 TOP: Volume KEY: cylinders 395 ANS: $\frac{10\pi(.5)^2 4}{\frac{2}{3}} \approx 47.1 \quad 48 \text{ bags}$ PTS: 4 REF: 062234geo NAT: G.GMD.A.3 TOP: Volume KEY: cylinders

390 ANS: 3

396 ANS: $V = \frac{2}{3} \pi \left(\frac{6.5}{2}\right)^2 (1) \approx 22 \ 22 \cdot 7.48 \approx 165$ PTS: 4 REF: 061933geo NAT: G.GMD.A.3 TOP: Volume KEY: cylinders 397 ANS: Theresa. $(30 \times 15 \times (4 - 0.5))$ ft³ $\times \frac{7.48 \text{ g}}{1 \text{ ft}^3} \times \frac{\$3.95}{100 \text{ g}} = \$465.35, (\pi \times 12^2 \times (4 - 0.5))$ ft³ $\times \frac{7.48 \text{ g}}{1 \text{ ft}^3} \times \frac{\$200}{6000 \text{ g}} = \$394.79$ PTS: 4 REF: 011933geo NAT: G.GMD.A.3 TOP: Volume KEY: cylinders 398 ANS: $\left(\frac{2.5}{3}\right)(\pi)\left(\frac{8.25}{2}\right)^2(3) \approx 134$ PTS: 2 REF: 081931geo NAT: G.GMD.A.3 TOP: Volume **KEY:** cylinders 399 ANS: $\pi(3.5)^2(9) \approx 346; \ \pi(4.5)^2(13) \approx 827; \ \frac{827}{346} \approx 2.4; \ 3 \text{ cans}$ PTS: 4 REF: 062333geo NAT: G.GMD.A.3 TOP: Volume KEY: cylinders 400 ANS: $(7^2)18\pi = 16x^2 \frac{80}{132} \approx 6.1 \frac{60}{132} \approx 4.5 6 \times 4 = 24$ $13.2 \approx x$ PTS: 4 REF: 012034geo NAT: G.GMD.A.3 TOP: Volume **KEY:** cylinders 401 ANS: 2 $V = \frac{1}{3} \cdot 6^2 \cdot 12 = 144$ PTS: 2 REF: 011607geo NAT: G.GMD.A.3 TOP: Volume KEY: pyramids 402 ANS: 1 $84 = \frac{1}{3} \cdot s^2 \cdot 7$ 6 = sPTS: 2 REF: 061716geo NAT: G.GMD.A.3 TOP: Volume KEY: pyramids

403 ANS: 2

$$V = \frac{1}{3} \cdot 197^2 \cdot 107 = 1,384,188$$

PTS: 2
 $V = \frac{1}{3} \left(\frac{36}{4}\right)^2 \cdot 15 = 405$
AANS: 2
 $V = \frac{1}{3} \left(\frac{36}{4}\right)^2 \cdot 15 = 405$
PTS: 2
 $V = \frac{1}{3} \left(\frac{60}{12}\right)^2 \left(\frac{84}{12}\right) \approx 58$
PTS: 2
 $V = \frac{1}{3} \left(\frac{60}{12}\right)^2 \left(\frac{84}{12}\right) \approx 58$
PTS: 2
 $V = \frac{1}{3} \left(\frac{60}{12}\right)^2 (\frac{84}{12}) \approx 58$
PTS: 2
 $V = \frac{1}{3} (8)^2 \cdot 6 = 128$
PTS: 2
 $V = \frac{1}{3} (8)^2 \cdot 6 = 128$
PTS: 2
 $V = \frac{1}{3} (8)^2 \cdot 6 = 128$
PTS: 2
 $V = \frac{1}{3} (8)^2 \cdot 6 = 128$
PTS: 2
 $V = \frac{1}{3} (64)^2 \cdot 24 = 32768$
PTS: 2
 $V = \frac{1}{3} \cdot s^2 \cdot 146.5$
 $230 \approx s$
PTS: 2
PTS: 2
REF: 081521geo NAT: G.GMD.A.3 TOP: Volume 408
ANS: 4
 $2592276 = \frac{1}{3} \cdot s^2 \cdot 146.5$
 $230 \approx s$
PTS: 2
REF: 081521geo NAT: G.GMD.A.3 TOP: Volume 409
ANS: 1
 $82.8 = \frac{1}{3} (4.6)(9)h$
 $h = 6$
PTS: 2
REF: 061810geo NAT: G.GMD.A.3 TOP: Volume 409
ANS: 1
 $82.8 = \frac{1}{3} (4.6)(9)h$
 $h = 6$
PTS: 2
REF: 061810geo NAT: G.GMD.A.3 TOP: Volume 409
ANS: 1
 $82.8 = \frac{1}{3} (4.6)(9)h$
 $h = 6$
PTS: 2
REF: 061810geo NAT: G.GMD.A.3 TOP: Volume 409
ANS: 1
 $82.8 = \frac{1}{3} (4.6)(9)h$
 $h = 6$
PTS: 2
REF: 061810geo NAT: G.GMD.A.3 TOP: Volume 409
ANS: 1
 $82.8 = \frac{1}{3} (4.6)(9)h$
 $h = 6$
PTS: 2
REF: 061810geo NAT: G.GMD.A.3 TOP: Volume 409
ANS: 1
 $82.8 = \frac{1}{3} (4.6)(9)h$
 $h = 6$
PTS: 2
REF: 061810geo NAT: G.GMD.A.3 TOP: Volume 409
ANS: 1
 $82.8 = \frac{1}{3} (4.6)(9)h$

410 ANS: 1 $h = \sqrt{6.5^2 - 2.5^2} = 6, V = \frac{1}{3}\pi(2.5)^2 6 = 12.5\pi$ PTS: 2 REF: 011923geo NAT: G.GMD.A.3 TOP: Volume KEY: cones 411 ANS: 1 r = 8, forming an 8-15-17 triple. $V = \frac{1}{3} \pi(8)^2 15 = 320\pi$ REF: 082318geo NAT: G.GMD.A.3 TOP: Volume PTS: 2 KEY: cones 412 ANS: 2 $\frac{\frac{1}{3}\pi(6)^2 13}{2} \approx 245$ PTS: 2 REF: 062408geo NAT: G.GMD.A.3 TOP: Volume KEY: cones 413 ANS: 2 $V = \frac{1}{3} \pi \cdot (2.5)^2 \cdot 7.2 \cong 47.1$ PTS: 2 REF: 062303geo NAT: G.GMD.A.3 TOP: Volume KEY: cones 414 ANS: 1 $V = \frac{1}{3} \pi \left(\frac{1.5}{2}\right)^2 \left(\frac{4}{2}\right) \approx 1.2$ PTS: 2 REF: 011724geo NAT: G.GMD.A.3 TOP: Volume KEY: cones 415 ANS: 3 $V = \frac{1}{3} \pi r^2 h$ $54.45\pi = \frac{1}{3}\pi(3.3)^2h$ *h* = 15 PTS: 2 REF: 011807geo NAT: G.GMD.A.3 TOP: Volume

KEY: cones

416 ANS: 2 $108\pi = \frac{6^2\pi h}{3}$ $\frac{324\pi}{36\pi} = h$ 9 = hREF: 012002geo NAT: G.GMD.A.3 TOP: Volume PTS: 2 KEY: cones 417 ANS: 1 $36\pi = \frac{9\pi h}{3}$ 108 = 9h12 = hPTS: 2 REF: 082411geo NAT: G.GMD.A.3 TOP: Volume KEY: cones 418 ANS: 1 $\frac{\frac{1}{3}\pi(2)^2\left(\frac{1}{2}\right)}{\frac{1}{3}\pi(1)^2(1)} = 2$ PTS: 2 REF: 012010geo NAT: G.GMD.A.3 TOP: Volume KEY: cones 419 ANS: If d = 10, r = 5 and h = 12 $V = \frac{1}{3}\pi(5^2)(12) = 100\pi$ REF: 062227geo NAT: G.GMD.A.3 TOP: Volume PTS: 2 KEY: cones 420 ANS: $C = 2\pi r \ V = \frac{1}{3} \pi \cdot 5^2 \cdot 13 \approx 340$ $31.416 = 2\pi r$ $5 \approx r$ PTS: 4 REF: 011734geo NAT: G.GMD.A.3 TOP: Volume KEY: cones

Similar triangles are required to model and solve a proportion. $\frac{x+5}{1.5} = \frac{x}{1} = \frac{1}{3}\pi(1.5)^2(15) - \frac{1}{3}\pi(1)^2(10) \approx 24.9$

$$x + 5 = 1.5x$$
$$5 = .5x$$
$$10 = x$$
$$10 + 5 = 15$$

PTS: 6 REF: 061636geo NAT: G.GMD.A.3 TOP: Volume KEY: cones

422 ANS:

Mary. Sally: $V = \pi \cdot 2^2 \cdot 8 \approx 100.5$ Mary: $V = \frac{1}{3} \pi \cdot 3.5^2 \cdot 12.5 \approx 160.4$ $160.4 - 100.5 \approx 60$

PTS: 4 REF: 012332geo NAT: G.GMD.A.3 TOP: Volume KEY: cones

423 ANS: 3

$$V = \frac{4}{3}\pi r^3 = \frac{4}{3}\pi \cdot \left(\frac{18}{2}\right)^3 = 972\pi$$

PTS: 2 REF: 062404geo NAT: G.GMD.A.3 TOP: Volume KEY: spheres

424 ANS: 3

$$\frac{\frac{4}{3}\pi\left(\frac{9.5}{2}\right)^3}{\frac{4}{3}\pi\left(\frac{2.5}{2}\right)^3} \approx 55$$

PTS: 2 REF: 011614geo NAT: G.GMD.A.3 TOP: Volume KEY: spheres 425 ANS: 1

$$V = \frac{1}{2} \times \frac{4}{3} \pi r^{3} = \frac{1}{2} \times \frac{4}{3} \pi \cdot \left(\frac{12.6}{2}\right)^{3} \approx 523.7$$

PTS: 2 REF: 061910geo NAT: G.GMD.A.3 TOP: Volume KEY: spheres

426 ANS: 2 $19.9 = \pi d \quad \frac{4}{3} \pi \left(\frac{19.9}{2\pi}\right)^3 \approx 133$ $\frac{19.9}{\pi} = d$ PTS: 2 REF: 012310geo NAT: G.GMD.A.3 TOP: Volume **KEY:** spheres 427 ANS: $100 \times \frac{1}{2} \times \frac{4}{3} \times \pi \times 2.8^3 \approx 4598$ PTS: 2 REF: 062229geo NAT: G.GMD.A.3 TOP: Volume KEY: spheres 428 ANS: $29.5 = 2\pi r \ V = \frac{4}{3} \pi \cdot \left(\frac{29.5}{2\pi}\right)^3 \approx 434$ $r = \frac{29.5}{2\pi}$ PTS: 2 REF: 061831geo NAT: G.GMD.A.3 TOP: Volume KEY: spheres 429 ANS: $\frac{4}{3}\pi \cdot (1)^3 + \frac{4}{3}\pi \cdot (2)^3 \frac{4}{3}\pi \cdot (3)^3 = \frac{4}{3}\pi + \frac{32}{3}\pi + \frac{108}{3}\pi = 48\pi$ PTS: 2 REF: 062329geo NAT: G.GMD.A.3 TOP: Volume KEY: spheres 430 ANS: $\sqrt[3]{\frac{3V_f}{4\pi}} - \sqrt[3]{\frac{3V_p}{4\pi}} = \sqrt[3]{\frac{3(294)}{4\pi}} - \sqrt[3]{\frac{3(180)}{4\pi}} \approx 0.6$ PTS: 2 REF: 061728geo NAT: G.GMD.A.3 TOP: Volume KEY: spheres REF: 061606geo NAT: G.GMD.A.3 431 ANS: 4 PTS: 2 **KEY:** compositions TOP: Volume 432 ANS: 2 $4 \times 4 \times 6 - \pi(1)^2(6) \approx 77$ PTS: 2 REF: 011711geo NAT: G.GMD.A.3 TOP: Volume **KEY:** compositions

433 ANS: 3 $2.5 \times 1.25 \times (27 \times 12) + \frac{1}{2} \pi (1.25)^2 (27 \times 12) \approx 1808$ REF: 061723geo NAT: G.GMD.A.3 TOP: Volume PTS: 2 **KEY:** compositions 434 ANS: 1 $20 \cdot 12 \cdot 45 + \frac{1}{2} \pi (10)^2 (45) \approx 17869$ PTS: 2 REF: 061807geo NAT: G.GMD.A.3 TOP: Volume **KEY:** compositions 435 ANS: 2 $8 \times 8 \times 9 + \frac{1}{3}(8 \times 8 \times 3) = 640$ PTS: 2 REF: 011909geo NAT: G.GMD.A.3 TOP: Volume **KEY:** compositions 436 ANS: 1 $44\left(\left(10\times3\times\frac{1}{4}\right)+\left(9\times3\times\frac{1}{4}\right)\right)=627$ PTS: 2 REF: 082221geo NAT: G.GMD.A.3 TOP: Volume **KEY:** compositions 437 ANS: $\tan 16.5 = \frac{x}{13.5}$ $9 \times 16 \times 4.5 = 648$ $3752 - (35 \times 16 \times .5) = 3472$ $13.5 \times 16 \times 4.5 = 972$ $3472 \times 7.48 \approx 25971$ $x \approx 4$ 4 + 4.5 = 8.5 $\frac{1}{2} \times 13.5 \times 16 \times 4 = 432$ $\frac{25971}{10.5} \approx 2473.4$ $\frac{12.5 \times 16 \times 8.5 = \underline{1700}}{3752} \ \frac{\underline{2473.4}}{60} \approx 41$ PTS: 6 REF: 081736geo NAT: G.GMD.A.3 TOP: Volume **KEY:** compositions 438 ANS: 3 1 (0)3

$$\pi(6)^2(24) + \frac{4\pi(6)^3}{(3)(2)} = 864\pi + 144\pi = 1008\pi$$

PTS: 2 REF: 082414geo NAT: G.GMD.A.3 TOP: Volume KEY: compositions

$$V = (\pi)(4^2)(9) + \left(\frac{1}{2}\right)\left(\frac{4}{3}\right)(\pi)\left(4^3\right) \approx 586$$

PTS: 4 REF: 011833geo NAT: G.GMD.A.3 TOP: Volume KEY: compositions

440 ANS:

$$\left((10 \times 6) + \sqrt{7(7-6)(7-4)(7-4)}\right)(6.5) \approx 442$$

PTS: 4 REF: 081934geo NAT: G.GMD.A.3 TOP: Volume KEY: compositions

441 ANS:

$$\frac{(3.5)^2(1.5) - (2)^2(1.5)}{.6} \approx 20.6. \ 21 \text{ bags}$$

PTS: 4 REF: 082332geo NAT: G.GMD.A.3 TOP: Volume KEY: compositions

442 ANS:

$$\frac{22 \times 38 \times 15 + \frac{1}{3} (38 \times 15 \times 12)}{2400} \approx 6.2$$

PTS: 4 REF: 062432geo NAT: G.GMD.A.3 TOP: Volume KEY: compositions

Geometry Regents Exam Questions by State Standard: Topic Answer Section

443 ANS: 3 $25 + \frac{12 \times 24 \times 14}{27.7} \approx 171$ PTS: 2 REF: 082423geo NAT: G.MG.A.2 TOP: Density 444 ANS: 3 $V = 12 \cdot 8.5 \cdot 4 = 408$ $W = 408 \cdot 0.25 = 102$ PTS: 2 REF: 061507geo NAT: G.MG.A.2 TOP: Density 445 ANS: 1 $\frac{1}{3}(4.5)^2(10)(0.676) \approx 45.6$ PTS: 2 REF: 062212geo NAT: G.MG.A.2 TOP: Density 446 ANS: 1 $8 \times 3.5 \times 2.25 \times 1.055 = 66.465$ PTS: 2 REF: 012014geo NAT: G.MG.A.2 TOP: Density 447 ANS: 2 $C = \pi d \quad V = \pi \left(\frac{2.25}{\pi}\right)^2 \cdot 8 \approx 12.8916 \quad W = 12.8916 \cdot 752 \approx 9694$ $4.5 = \pi d$ $\frac{4.5}{\pi} = d$ $\frac{2.25}{\pi} = r$ PTS: 2 REF: 081617geo NAT: G.MG.A.2 TOP: Density 448 ANS: 2 $\frac{1}{3}(36)(10)(2.7) = 324$ PTS: 2 REF: 082312geo NAT: G.MG.A.2 TOP: Density 449 ANS: $\frac{1}{2}(5.7)^2(7) \cdot 2.4 \approx 182$ PTS: 2 REF: 082431geo NAT: G.MG.A.2 TOP: Density

450 ANS: 2

$$\frac{4}{3}\pi \cdot 4^{2} + 0.075 \approx 20$$
PTS: 2 REF: 011619gco NAT: G.MG.A.2 TOP: Density
451 ANS: 2

$$\frac{4}{3}\pi \times \left(\frac{1.68}{2}\right)^{3} \times 0.6523 \approx 1.62$$
PTS: 2 REF: 081914gco NAT: G.MG.A.2 TOP: Density
452 ANS: 1

$$V = \frac{4}{3}\pi \left(\frac{10}{2}\right)^{3} \approx 261.8 \cdot 62.4 = 16,336$$
PTS: 2 REF: 081516gco NAT: G.MG.A.2 TOP: Density
453 ANS: 1

$$\frac{1}{2} \left(\frac{4}{3}\right)\pi \cdot 5^{3} \cdot 62.4 \approx 16,336$$
PTS: 2 REF: 061620gco NAT: G.MG.A.2 TOP: Density
454 ANS: 2

$$\frac{11}{1.2 \cot 2} \left(\frac{16 \cot 2}{1 \text{ lb}}\right) = \frac{13.3}{1 \text{ lb}} \frac{13.3}{1 \text{ lb}} \left(\frac{1 \text{ g}}{3.7851}\right) \approx \frac{3.5 \text{ g}}{1 \text{ lb}}$$
PTS: 2 REF: 061618gco NAT: G.MG.A.2 TOP: Density
455 ANS: 2

$$\frac{24 \text{ ht} \left(\frac{0.75 \text{ in}^{3}}{1 \text{ hb}}\right) \left(\frac{0.323 \text{ b}}{1 \text{ in}^{3}}\right) \left(\frac{53.68}{1 \text{ b}}\right) \approx 521.40$$
PTS: 2 REF: 012306gco NAT: G.MG.A.2 TOP: Density
456 ANS: 3
Broome: $\frac{200536}{70.682} \approx 284$ Dutchess: $\frac{280150}{801.59} \approx 349$ Niagara: $\frac{219846}{522.95} \approx 420$ Saratoga: $\frac{200635}{811.84} \approx 247$
PTS: 2 REF: 061902gco NAT: G.MG.A.2 TOP: Density
457 ANS: 1
Illinois: $\frac{12830632}{231.1} \approx 55520$ Florida: $\frac{18801310}{350.6} \approx 53626$ New York: $\frac{19378102}{411.2} \approx 47126$ Pennsylvania: $\frac{12702379}{283.9} \approx 44742$
PTS: 2 REF: 081720gco NAT: G.MG.A.2 TOP: Density

2

458 ANS: $500 \times 1015 \text{ cc} \times \frac{\$0.29}{\text{kg}} \times \frac{7.95 \text{ g}}{\text{cc}} \times \frac{1 \text{ kg}}{1000 \text{ g}} = \1170 PTS: 2 REF: 011829geo NAT: G.MG.A.2 TOP: Density 459 ANS: $\frac{137.8}{6^3} \approx 0.638$ Ash PTS: 2 REF: 081525geo NAT: G.MG.A.2 TOP: Density 460 ANS: $\frac{40000}{\pi \left(\frac{51}{2}\right)^2} \approx 19.6 \ \frac{72000}{\pi \left(\frac{75}{2}\right)^2} \approx 16.3 \text{ Dish } A$ PTS: 2 REF: 011630geo NAT: G.MG.A.2 TOP: Density 461 ANS: $8 \times 3 \times \frac{1}{12} \times 43 = 86$ REF: 012027geo NAT: G.MG.A.2 TOP: Density PTS: 2 462 ANS: No, the weight of the bricks is greater than 900 kg. $500 \times (5.1 \text{ cm} \times 10.2 \text{ cm} \times 20.3 \text{ cm}) = 528,003 \text{ cm}^3$. $528,003 \text{ cm}^3 \times \frac{1 \text{ m}^3}{1000000 \text{ cm}^3} = 0.528003 \text{ m}^3$. $\frac{1920 \text{ kg}}{\text{m}^3} \times 0.528003 \text{ m}^3 \approx 1013 \text{ kg}$. REF: fall1406geo NAT: G.MG.A.2 TOP: Density PTS: 2 463 ANS: $r = 25 \operatorname{cm}\left(\frac{1 \operatorname{m}}{100 \operatorname{cm}}\right) = 0.25 \operatorname{m} V = \pi (0.25 \operatorname{m})^2 (10 \operatorname{m}) = 0.625 \pi \operatorname{m}^3 W = 0.625 \pi \operatorname{m}^3 \left(\frac{380 \operatorname{K}}{1 \operatorname{m}^3}\right) \approx 746.1 \operatorname{K}$ $n = \frac{\$50,000}{\left(\frac{\$4.75}{K}\right)(746.1 \text{ K})} = 14.1 \quad 15 \text{ trees}$

PTS: 4 REF: spr1412geo NAT: G.MG.A.2 TOP: Density

C:
$$V = \pi (26.7)^2 (750) - \pi (24.2)^2 (750) = 95,437.5\pi$$

 $95,437.5\pi \text{ cm}^3 \left(\frac{2.7 \text{ g}}{\text{ cm}^3}\right) \left(\frac{1 \text{ kg}}{1000 \text{ g}}\right) \left(\frac{\$0.38}{\text{ kg}}\right) = \307.62
P: $V = 40^2 (750) - 35^2 (750) = 281,250$
 $\$307.62 - 288.56 = \19.06
 $281,250 \text{ cm}^3 \left(\frac{2.7 \text{ g}}{\text{ cm}^3}\right) \left(\frac{1 \text{ kg}}{1000 \text{ g}}\right) \left(\frac{\$0.38}{\text{ kg}}\right) = \288.56

PTS: 6 REF: 011736geo NAT: G.MG.A.2 TOP: Density

$$h = \sqrt{16^2 - \left(\frac{12}{2}\right)^2} = \sqrt{220} \quad V = \frac{1}{3}(12)^2 \sqrt{220} \approx 712 \quad 712 \times 0.32 \approx 23$$

PTS: 4 REF: 012433geo NAT: G.MG.A.2 TOP: Density 466 ANS:

$$V = \pi (10)^2 (18) = 1800\pi \text{ in}^3 \ 1800\pi \text{ in}^3 \left(\frac{1 \text{ ft}^3}{12^3 \text{ in}^3}\right) = \frac{25}{24} \pi \text{ ft}^3 \ \frac{25}{24} \pi (95.46)(0.85) \approx 266 \ 266 + 270 = 536$$

PTS: 4 REF: 061834geo NAT: G.MG.A.2 TOP: Density 467 ANS:

$$V = \frac{1}{3}\pi \left(\frac{3}{2}\right)^2 \cdot 8 \approx 18.85 \cdot 100 = 1885 \ 1885 \cdot 0.52 \cdot 0.10 = 98.02 \ 1.95(100) - (37.83 + 98.02) = 59.15$$

PTS: 6 REF: 081536geo NAT: G.MG.A.2 TOP: Density 468 ANS: $(44)^2$

$$V = \frac{1}{3}\pi \left(\frac{8.3}{2}\right)^2 (10.2) + \frac{1}{2} \cdot \frac{4}{3}\pi \left(\frac{8.3}{2}\right)^3 \approx 183.961 + 149.693 \approx 333.65 \text{ cm}^3 \ 333.65 \times 50 = 16682.7 \text{ cm}^3 \ 16682.7 \times 0.697 = 11627.8 \text{ g} \ 11.6278 \times 3.83 = \$44.53$$

PTS: 6 REF: 081636geo NAT: G.MG.A.2 TOP: Density 469 ANS:

tan 47 =
$$\frac{x}{8.5}$$
 Cone: $V = \frac{1}{3}\pi(8.5)^2(9.115) \approx 689.6$ Cylinder: $V = \pi(8.5)^2(25) \approx 5674.5$ Hemisphere:
 $x \approx 9.115$
 $V = \frac{1}{2} \left(\frac{4}{3}\pi(8.5)^3\right) \approx 1286.3$ 689.6 + 5674.5 + 1286.3 ≈ 7650 No, because 7650 $\cdot 62.4 = 477,360$
477,360 $\cdot .85 = 405,756$, which is greater than 400,000.

PTS: 6 REF: 061535geo NAT: G.MG.A.2 TOP: Density

470 ANS: $6\left(\frac{4}{3}\pi\right)\left(\frac{2.5}{12}\right)^{3}(68) \approx 15$ PTS: 4 REF: 082434geo NAT: G.MG.A.2 TOP: Density 471 ANS: $\frac{4\pi}{3} (2^3 - 1.5^3) \approx 19.4 \ 19.4 \cdot 1.308 \cdot 8 \approx 203$ REF: 081834geo NAT: G.MG.A.2 TOP: Density PTS: 4 472 ANS: $24 \text{ in} \times 12 \text{ in} \times 18 \text{ in} \ 2.94 \approx 3 \ \frac{24}{3} \times \frac{12}{3} \times \frac{18}{3} = 192 \ 192 \left(\frac{4}{3}\pi\right) \left(\frac{2.94}{2}\right)^3 (0.025) \approx 64$ PTS: 4 REF: 082234geo NAT: G.MG.A.2 TOP: Density 473 ANS: 4 $3 \times 6 = 18$ REF: 061602geo NAT: G.SRT.A.1 TOP: Line Dilations PTS: 2 474 ANS: 4 $\sqrt{(32-8)^2 + (28-4)^2} = \sqrt{576+1024} = \sqrt{1600} = 40$ PTS: 2 REF: 081621geo NAT: G.SRT.A.1 TOP: Line Dilations PTS: 2 475 ANS: 1 REF: 061518geo NAT: G.SRT.A.1 **TOP:** Line Dilations 476 ANS: 1 $\frac{9}{6} = \frac{3}{2}$ REF: 061905geo NAT: G.SRT.A.1 TOP: Line Dilations PTS: 2 477 ANS: 4 $\frac{18}{45} = 4$ PTS: 2 REF: 011901geo NAT: G.SRT.A.1 TOP: Line Dilations 478 ANS: 1 $y = \frac{1}{2}x + 4$ $\frac{2}{4} = \frac{1}{2}$ $y = \frac{1}{2}x + 2$ PTS: 2 REF: 012008geo NAT: G.SRT.A.1 TOP: Line Dilations

ANS: 2 $A(-4,3) \rightarrow A(-2,4)$	$) \rightarrow A(-4,8) \rightarrow E(-6)$	7) $B(2,1) \rightarrow B(4,2) \rightarrow$	$B(8,4) \rightarrow F(6,3)$	
PTS: 2	REF: 082412geo	NAT: G.SRT.A.1	TOP: Line Dilations	
ANS: 1 B: $(4-3,3-4) \rightarrow 0$	$(1,-1) \rightarrow (2,-2) \rightarrow ($	2+3,-2+4)		
$C: (2-3,1-4) \rightarrow$	$(-1, -3) \rightarrow (-2, -6) -$	→ (-2+3,-6+4)		
PTS· 2	REF: 011713geo	NAT: G.SRT.A.1	TOP: Line Dilations	

PTS: 2 REF: 011713geo NAT: G.SRT.A.1 TOP: Line Dilations 481 ANS: 4 $A: (-3-3, 4-5) \to (-6, -1) \to (-12, -2) \to (-12+3, -2+5)$ $B: (5-3,2-5) \rightarrow (2,-3) \rightarrow (4,-6) \rightarrow (4+3,-6+5)$ DEE 010000 NATE CODE A 1 TODE L'ES D'Ist

	PTS:	2	REF:	012322geo	NAT:	G.SRT.A.1	TOP:	Line Dilations
482	ANS:	2	PTS:	2	REF:	012416geo	NAT:	G.SRT.A.1
	TOP:	Line Dilations						
483	ANS:	2	PTS:	2	REF:	082417geo	NAT:	G.SRT.A.1
	TOP:	Line Dilations				-		
40.4		•						

484 ANS: 2

479 ANS: 2

480 ANS: 1

The given line h, 2x + y = 1, does not pass through the center of dilation, the origin, because the y-intercept is at (0,1). The slope of the dilated line, m, will remain the same as the slope of line h, -2. All points on line h, such as (0,1), the y-intercept, are dilated by a scale factor of 4; therefore, the y-intercept of the dilated line is (0,4) because the center of dilation is the origin, resulting in the dilated line represented by the equation y = -2x + 4.

REF: spr1403geo NAT: G.SRT.A.1 PTS: 2 **TOP:** Line Dilations

485 ANS: 4

Another equation of line t is y = 3x - 6. $-6 \cdot \frac{1}{2} = -3$

REF: 012319geo NAT: G.SRT.A.1 PTS: 2 **TOP:** Line Dilations

486 ANS: 2

PTS: 2

The line y = 2x - 4 does not pass through the center of dilation, so the dilated line will be distinct from y = 2x - 4. Since a dilation preserves parallelism, the line y = 2x - 4 and its image will be parallel, with slopes of 2. To obtain the y-intercept of the dilated line, the scale factor of the dilation, $\frac{3}{2}$, can be applied to the y-intercept, (0,-4). Therefore, $\left(0 \cdot \frac{3}{2}, -4 \cdot \frac{3}{2}\right) \rightarrow (0,-6)$. So the equation of the dilated line is y = 2x - 6.

REF: fall1403geo NAT: G.SRT.A.1 **TOP:** Line Dilations

The line $y = \frac{3}{2}x - 4$ does not pass through the center of dilation, so the dilated line will be distinct from $y = \frac{3}{2}x - 4$. Since a dilation preserves parallelism, the line $y = \frac{3}{2}x - 4$ and its image will be parallel, with slopes of $\frac{3}{2}$. To obtain the *y*-intercept of the dilated line, the scale factor of the dilation, $\frac{3}{4}$, can be applied to the *y*-intercept, (0,-4). Therefore, $\left(0 \cdot \frac{3}{4}, -4 \cdot \frac{3}{4}\right) \rightarrow (0,-3)$. So the equation of the dilated line is $y = \frac{3}{2}x - 3$.

PTS: 2 488 ANS: 2 3y = -6x + 3REF: 011924geo NAT: G.SRT.A.1 TOP: Line Dilations

y = -2x + 1

PTS: 2 REF: 062319geo NAT: G.SRT.A.1 TOP: Line Dilations 489 ANS: 4

The line y = 3x - 1 passes through the center of dilation, so the dilated line is not distinct.

PTS: 2 REF: 081524geo NAT: G.SRT.A.1 TOP: Line Dilations 490 ANS: 2

The line y = -3x + 6 passes through the center of dilation, so the dilated line is not distinct.

	PTS:	2	REF:	061824geo	NAT:	G.SRT.A.1	TOP:	Line Dilations
491	ANS:	1	PTS:	2	REF:	062424geo	NAT:	G.SRT.A.1
	TOP:	Line Dilations	5					
492	ANS:	2	PTS:	2	REF:	081901geo	NAT:	G.SRT.A.1
	TOP:	Line Dilations	5					
493	ANS:	3	PTS:	2	REF:	061706geo	NAT:	G.SRT.A.1
	TOP:	Line Dilations	5					
494	ANS:	1	PTS:	2	REF:	011814geo	NAT:	G.SRT.A.1
	TOP:	Line Dilations	3					
495	ANS:	1						
	A dila	tion by a scale	factor of	of 4 centered at	the ori	gin preserves p	aralleli	sm and $(0, -2) \to (0, -8)$.
	PTS:	2	REF:	081910geo	NAT:	G.SRT.A.1	TOP:	Line Dilations
100	ANTO	0	DTTC	0	DDD	011610	NT A TT	

496	ANS:	2	PTS:	2	REF:	011610geo	NAT: G.SRT.A.1
	TOP:	Line Dilations	5				
497	ANS:	4	PTS:	2	REF:	062223geo	NAT: G.SRT.A.1
	TOP:	Line Dilations	5				
498	ANS:	3	PTS:	2	REF:	082212geo	NAT: G.SRT.A.1
	TOP:	Line Dilations	5				

The slope of -3x + 4y = 8 is $\frac{3}{4}$.


PTS: 2 REF: 061907geo NAT: G.SRT.A.1 TOP: Line Dilations 500 ANS: 1 The line 3y = -2x + 8 does not pass through the center of dilation, so the dilated line will be distinct from 3y = -2x + 8. Since a dilation preserves parallelism, the line 3y = -2x + 8 and its image 2x + 3y = 5 are parallel, with slopes of $-\frac{2}{3}$. PTS: 2 REF: 061522geo NAT: G.SRT.A.1 TOP: Line Dilations 501 ANS: 1 Since a dilation preserves parallelism, the line 4y = 3x + 7 and its image 3x - 4y = 9 are parallel, with slopes of $\frac{3}{4}$.

PTS: 2 ki : y = 3x - 4 m: y = 3x - 8REF: 081710geo NAT: G.SRT.A.1 TOP: Line Dilations

PTS: 2 REF: 011631geo NAT: G.SRT.A.1 TOP: Line Dilations 503 ANS:

Nathan, because a line dilated through a point on the line results in the same line.

PTS: 2 REF: 082331geo NAT: G.SRT.A.1 TOP: Line Dilations 504 ANS:




PTS: 2 REF: 081729geo NAT: G.SRT.A.1 TOP: Line Dilations 505 ANS:

No, The line 4x + 3y = 24 passes through the center of dilation, so the dilated line is not distinct. 4x + 3y = 24

3y = -4x + 24 $y = -\frac{4}{3}x + 8$

PTS: 2 REF: 081830geo NAT: G.SRT.A.1 TOP: Line Dilations



The line is on the center of dilation, so the line does not change. p: 3x + 4y = 20

PTS: 2 REF: 061731geo NAT: G.SRT.A.1 **TOP:** Line Dilations 507 ANS: 1 PTS: 2 REF: 081605geo NAT: G.CO.A.5 **TOP:** Rotations KEY: grids 508 ANS: ABC - point of reflection \rightarrow (-y,x) + point of reflection $\triangle DEF \cong \triangle A'B'C'$ because $\triangle DEF$ is a reflection of $A(2,-3) - (2,-3) = (0,0) \rightarrow (0,0) + (2,-3) = A'(2,-3)$ $B(6,-8) - (2,-3) = (4,-5) \rightarrow (5,4) + (2,-3) = B'(7,1)$ $C(2,-9) - (2,-3) = (0,-6) \rightarrow (6,0) + (2,-3) = C'(8,-3)$ $\triangle A'B'C'$ and reflections preserve distance. PTS: 4 NAT: G.CO.A.5 REF: 081633geo **TOP:** Rotations KEY: grids 509 ANS: 3 3 - 1 = 21 - 2 = -1PTS: 2 REF: 082317geo NAT: G.CO.A.5 **TOP:** Reflections 510 ANS: ¢ A **TOP:** Reflections PTS: 2 REF: 011625geo NAT: G.CO.A.5 KEY: grids 511 ANS: 2 PTS: 2 REF: 012409geo NAT: G.SRT.A.2 **TOP:** Dilations

512	ANS: 2 $\frac{(-4,2)}{(-2,1)} = 2$						
513	PTS: 2 ANS: 3 (1) and (2) are false a		062201geo ons preserve ar				Dilations ue if the scale factor was 2.
514	PTS: 2 ANS: 2 TOP: Dilations	REF: PTS:	082323geo 2		G.SRT.A.2 061516geo		
515	ANS: 4 TOP: Dilations	PTS:	2	REF:	081506geo	NAT:	G.SRT.A.2
	ANS: 3 TOP: Dilations ANS: 1 $3^2 = 9$	PTS:	2	REF:	062414geo	NAT:	G.SRT.A.2
	PTS: 2 ANS: 1 TOP: Dilations ANS: 3 $6 \cdot 3^2 = 54$ $12 \cdot 3 = 36$	PTS:	081520geo 2		G.SRT.A.2 011811geo		
520	PTS: 2 ANS: 4 $9 \cdot 3 = 27, 27 \cdot 4 = 108$		081823geo	NAT:	G.SRT.A.2	TOP:	Dilations
521	PTS: 2 ANS: 4 $(3)(4)(1.8)^2 \approx 38.9$	REF:	061805geo	NAT:	G.SRT.A.2	TOP:	Dilations
522	PTS: 2 ANS: 1 $\frac{4}{6} = \frac{3}{4.5} = \frac{2}{3}$	REF:	082420geo	NAT:	G.SRT.A.2	TOP:	Dilations
523	PTS: 2 ANS: 1 $\frac{1}{3}, \frac{3}{9}, \frac{\sqrt{10}}{\sqrt{90}}$	REF:	081523geo	NAT:	G.SRT.A.2	TOP:	Dilations
	PTS: 2	REF:	082206geo	NAT:	G.SRT.A.2	TOP:	Dilations


$$x_{0} = \frac{kx_{1} - x_{2}}{k - 1} = \frac{\frac{1}{3}(-4) - 0}{\frac{1}{3} - 1} = \frac{\frac{-4}{3}}{\frac{-2}{3}} = 2 \quad y_{0} = \frac{ky_{1} - y_{2}}{k - 1} = \frac{\frac{1}{3}(0) - 2}{\frac{1}{3} - 1} = \frac{2}{\frac{-2}{3}} = -3$$

PTS: 2 REF: 062313geo NAT: G.SRT.A.2 TOP: Dilations 525 ANS:

No, because dilations do not preserve distance.

PTS: 2 REF: 061925geo NAT: G.SRT.A.2 TOP: Dilations

526 ANS:



A dilation preserves slope, so the slopes of \overline{QR} and $\overline{Q'R'}$ are equal. Because the slopes

are equal, $Q'R' \parallel QR$.

PTS: 4 REF: 011732geo NAT: G.SRT.A.2 TOP: Dilations

KEY: grids


527 ANS: A dilation of 3 centered at *A*. A dilation preserves angle measure, so the triangles are similar.

	PTS: 4	REF:	011832geo	NAT: G.SRT.A.2	TOP: Dilations
528	ANS:				
	$A(-2,1) \rightarrow (-3,-1)$	\rightarrow (-6,-	$-2) \rightarrow (-5,0), L$	$\mathcal{B}(0,5) \to (-1,3) $	$-2,6) \rightarrow (-1,8),$
	$C(4,-1) \to (3,-3)$ –	→ (6,-6)	\rightarrow (7,-4)		
	$C(4,-1) \to (3,-3) -$	→ (6,-6)	\rightarrow (7,-4)		

PTS: 2 REF: 061826geo NAT: G.SRT.A.2 TOP: Dilations

529 ANS: 2

Segments drawn from the center of the regular pentagon bisect each angle of the pentagon, and create five isosceles triangles as shown in the diagram below. Since each exterior angle equals the angles formed by the segments drawn from the center of the regular pentagon, the minimum degrees necessary to carry a regular polygon onto itself are equal to the measure of an exterior angle of the regular polygon.



PTS: 2	REF: spr1402geo	NAT: G.CO.A.3	TOP: Mapping a Polygon onto Itself
--------	-----------------	---------------	------------------------------------

530 ANS: 3 $\frac{360^\circ}{5} = 72^\circ 216^\circ$ is a multiple of 72° PTS: 2 REF: 061819geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself 531 ANS: 1 $\frac{360^{\circ}}{5} = 72^{\circ}$ PTS: 2 REF: 062204geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself 532 ANS: 3 $\frac{360^{\circ}}{6} = 60^{\circ}$ PTS: 2 REF: 062403geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself 533 ANS: 3 $\frac{360^\circ}{6} = 60^\circ$ 120° is a multiple of 60° PTS: 2 REF: 012011geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself 534 ANS: 4 $\frac{360^{\circ}}{10} = 36^{\circ} 252^{\circ}$ is a multiple of 36° PTS: 2 REF: 011717geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself 535 ANS: 4 $\frac{360^{\circ}}{10} = 36^{\circ} 252^{\circ}$ is a multiple of 36° PTS: 2 REF: 081722geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself 536 ANS: 1 2) 90°; 3) 360°; 4) 72° PTS: 2 NAT: G.CO.A.3 REF: 012311geo TOP: Mapping a Polygon onto Itself 537 ANS: 4 $\frac{360^{\circ}}{n} = 36$ *n* = 10 PTS: 2 REF: 082205geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself 538 ANS: 1 $\frac{360^{\circ}}{45^{\circ}} = 8$ PTS: 2 REF: 061510geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself

PTS:2REF:082415geoNAT:G.CO.A.3TOP:Mapping a Polygon onto Itself540ANS:4 $\frac{360}{6} = 60$ and 300 is a multiple of 60.7PTS:2REF:082306geoNAT:G.CO.A.3TOP:Mapping a Polygon onto Itself541ANS:31) $\frac{360}{6} = 60;$ 3) $\frac{360}{9} = 45;$ 4) $\frac{360}{9} = 40.$ 120 is not a multiple of 45.PTS:2REF:062320geoNAT:G.CO.A.3TOP:Mapping a Polygon onto Itself542ANS:1PTS:2REF:061707geoNAT:G.CO.A.3TOP:Mapping a Polygon onto Itself7NAT:G.CO.A.3TOP:Mapping a Polygon onto Itself543ANS:4PTS:2REF:081902geoNAT:G.CO.A.3TOP:Mapping a Polygon onto Itself7NAT:G.CO.A.3TOP:544ANS:1PTS:2REF:081505geoNAT:G.CO.A.3TOP:Mapping a Polygon onto Itself7NAT:G.CO.A.3TOP:544ANS:1PTS:2REF:081505geoNAT:G.CO.A.3TOP:Mapping a Polygon onto Itself7NAT:G.CO.A.3TOP:544ANS:1PTS:2REF:081505geoNAT:G.CO.A.3TOP:Mapping a Polygon onto Itself7NAT:G.CO.A.3TOP:544ANS:3PTS:<	539	ANS: 4 $\frac{180(8-2)}{8} = 135$			
PTS:2REF:082306geoNAT:G.CO.A.3TOP:Mapping a Polygon onto Itself541ANS:31) $\frac{360}{3} = 120; 2$) $\frac{360}{6} = 60; 3$) $\frac{360}{8} = 45; 4$) $\frac{360}{9} = 40.$ 120 is not a multiple of 45.PTS:2REF:061707geoNAT:G.CO.A.3TOP:Mapping a Polygon onto Itself542ANS:1PTS:2REF:061707geoNAT:G.CO.A.3TOP:Mapping a Polygon onto Itself543ANS:4PTS:2REF:011904geoNAT:G.CO.A.3TOP:Mapping a Polygon onto Itself544ANS:3PTS:2REF:011904geoNAT:G.CO.A.3TOP:Mapping a Polygon onto Itself545ANS:1PTS:2REF:012403geoNAT:G.CO.A.3TOP:Mapping a Polygon onto Itself546ANS:1PTS:2REF:012403geoNAT:G.CO.A.3TOP:Mapping a Polygon onto Itself547ANS:1PTS:2REF:08120geoNAT:G.CO.A.3TOP:Mapping a Polygon onto Itself548ANS:3TTS:2REF:081817geoNAT:G.CO.A.3TOP:Mapping a Polygon onto Itself548ANS:3PTS:2REF:061904geoNAT:G.CO.A.3TOP:Mapping a Polygon onto Itself551ANS:3PTS:2REF:061904geoNAT:G.	540	ANS: 4	-	G.CO.A.3 TO	P: Mapping a Polygon onto Itself
542ANS: 1PTS: 2REF: 061707geo NAT:G.CO.A.3TOP:Mapping a Polygon onto Itself709:Mapping a Polygon onto Itself84ANS: 3975: 2REF: 081923geo NAT:G.CO.A.3544ANS: 3975: 2REF: 011904geo NAT:G.CO.A.3709:Mapping a Polygon onto Itself545ANS: 1975: 2REF: 011904geo NAT:G.CO.A.3709:Mapping a Polygon onto Itself546ANS: 1975: 2REF: 012403geo NAT:G.CO.A.3709:Mapping a Polygon onto Itself547ANS: 1975: 2REF: 012403geo NAT:G.CO.A.3709:Mapping a Polygon onto Itself548ANS: 3709:Mapping a Polygon onto Itself709:Mapping a Polygon onto Itself709:Mapping a Polygon onto Itself548ANS: 3719:2REF: 081707geo NAT:G.CO.A.3709:709:Mapping a Polygon onto Itself709:Mapping a Polygon onto Itself709:Mapping a Polygon onto Itself540ANS: 3975: 2709:Mapping a Polygon onto Itself709:Mapping a Polygon onto Itself541ANS: 3975: 2709:Mapping a Polygon onto Itself709:Mapping a Polygon onto Itself551ANS: 3975: 2709:Mapping a Polygon onto Itself709:Mapping a Polygon onto Itself552ANS: 1975: 2709:Mapping a Polygon o	541	PTS: 2 REF: 082 ANS: 3	2306geo NAT:		
TOP:Mapping a Polygon onto Itself543ANS: 4PTS: 2REF: 081923 geoNAT:G.CO.A.3TOP:Mapping a Polygon onto ItselfREF: 011904 geoNAT:G.CO.A.3544ANS: 3PTS: 2REF: 011904 geoNAT:G.CO.A.3TOP:Mapping a Polygon onto ItselfREF: 011904 geoNAT:G.CO.A.3545ANS: 1PTS: 2REF: 012403 geoNAT:G.CO.A.3TOP:Mapping a Polygon onto ItselfREF: 012403 geoNAT:G.CO.A.3546ANS: 1PTS: 2REF: 012403 geoNAT:G.CO.A.3TOP:Mapping a Polygon onto ItselfTOP:Mapping a Polygon onto ItselfNAT:G.CO.A.3547ANS: 1PTS: 2REF: 08209 geoNAT:G.CO.A.3TOP:Mapping a Polygon onto ItselfToP:Mapping a Polygon onto Itself548ANS: 3The x-axis and line $x = 4$ are lines of symmetry and $(4,0)$ is a point of symmetry.PTS: 2REF: 081706 geoNAT:G.CO.A.3TOP:Mapping a Polygon onto ItselfNAT:G.CO.A.3540ANS: 4PTS: 2REF: 011815 geoNAT:553ANS: 1PTS: 2REF: 011815 geoNAT:554ANS: 4PTS: 2REF: 01202 geoNAT:554ANS: 4PTS: 2REF: 061901 geoNAT:554ANS: 4PTS: 2REF: 061901 geoNAT:<		PTS: 2 REF: 062	2320geo NAT:	G.CO.A.3 TO	P: Mapping a Polygon onto Itself
543ANS: 4PTS: 2REF: $081923geo$ NAT:G.CO.A.3TOP:Mapping a Polygon onto ItselfREF: $011904geo$ NAT:G.CO.A.3TOP:Mapping a Polygon onto ItselfREF: $081505geo$ NAT:G.CO.A.3545ANS: 1PTS: 2REF: $081505geo$ NAT:G.CO.A.3TOP:Mapping a Polygon onto ItselfREF: $081505geo$ NAT:G.CO.A.3546ANS: 1PTS: 2REF: $012403geo$ NAT:G.CO.A.3TOP:Mapping a Polygon onto ItselfREF: $08220geo$ NAT:G.CO.A.3547ANS: 1PTS: 2REF: $08220geo$ NAT:G.CO.A.3TOP:Mapping a Polygon onto ItselfSammetry and (4,0) is a point of symmetry.548ANS: 3Tthe x-axis and line $x = 4$ are lines of symmetry and (4,0) is a point of symmetry.PTS: 2REF: $081817geo$ NAT:G.CO.A.3549ANS: 3PTS: 2REF: $061904geo$ NAT:G.CO.A.3TOP:Mapping a Polygon onto Itself550ANS: 4PTS: 2REF: $011815geo$ NAT:G.CO.A.3TOP:Mapping a Polygon onto Itself551ANS: 3PTS: 2REF: $011815geo$ NAT:G.CO.A.3TOP:Mapping a Polygon onto Itself553ANS: 1PTS: 2REF: $012022geo$ NAT:G.CO.A.5TOP:Mapping a Polygon onto Itself554ANS: 4PTS: 2REF: $012022geo$ NAT:G.CO.A.5	542			061707geo NA	T: G.CO.A.3
TOP:Mapping a Polygon onto Itself544ANS:3PTS:2REF:011904geoNAT:G.CO.A.3TOP:Mapping a Polygon onto Itself709:Mapping a Polygon onto ItselfREF:081505geoNAT:G.CO.A.3546ANS:1PTS:2REF:012403geoNAT:G.CO.A.3TOP:Mapping a Polygon onto Itself547ANS:1PTS:2REF:082209geoNAT:G.CO.A.3TOP:Mapping a Polygon onto Itself548ANS:3TThe x-axis and line $x = 4$ are lines of symmetry and (4,0) is a point of symmetry.PTS:2REF:081706geoNAT:G.CO.A.3TOP:Mapping a Polygon onto Itself549ANS:3PTS:2REF:081817geoNAT:G.CO.A.3TOP:Mapping a Polygon onto Itself709:Mapping a Polygon onto ItselfNAT:G.CO.A.3550ANS:4PTS:2REF:011904geoNAT:G.CO.A.3TOP:Mapping a Polygon onto Itself709:Mapping a Polygon onto ItselfNAT:G.CO.A.3551ANS:3PTS:2REF:011904geoNAT:G.CO.A.3552ANS:1PTS:2REF:012022geoNAT:G.CO.A.5553ANS:1PTS:2REF:012022geoNAT:G.CO.A.5554ANS:4PTS:2REF:061901geoN	543			081923geo NA	T: G.CO.A.3
TOP: Mapping a Polygon onto Itself545ANS: 1PTS: 2REF: 081505geoNAT: G.CO.A.3TOP: Mapping a Polygon onto ItselfNAT: G.CO.A.3546ANS: 1PTS: 2REF: 012403geoNAT: G.CO.A.3TOP: Mapping a Polygon onto Itself547ANS: 1PTS: 2REF: 082209geoNAT: G.CO.A.3TOP: Mapping a Polygon onto Itself548ANS: 3The x-axis and line $x = 4$ are lines of symmetry and (4,0) is a point of symmetry.PTS: 2REF: 081706geoNAT: G.CO.A.3TOP: Mapping a Polygon onto Itself549ANS: 3PTS: 2REF: 081817geoTOP: Mapping a Polygon onto Itself550ANS: 4PTS: 2REF: 061904geo7OP: Mapping a Polygon onto Itself551ANS: 3PTS: 2REF: 011815geo552ANS:1PTS: 2REF: 011815geo553ANS: 1PTS: 2REF: 012022geoTOP: Compositions of TransformationsKEY: gridsNAT: G.CO.A.5554ANS: 4PTS: 2REF: 012022geoTOP: Compositions of TransformationsKEY: grids	0.0				
545ANS: 1PTS: 2REF: 081505 geoNAT:G.CO.A.3TOP:Mapping a Polygon onto ItselfREF: 012403 geoNAT:G.CO.A.3TOP:Mapping a Polygon onto ItselfREF: 082209 geoNAT:G.CO.A.3TOP:Mapping a Polygon onto ItselfREF: 082209 geoNAT:G.CO.A.3TOP:Mapping a Polygon onto ItselfREF: 082209 geoNAT:G.CO.A.3TOP:Mapping a Polygon onto ItselfThe x-axis and line $x = 4$ are lines of symmetry and $(4,0)$ is a point of symmetry.PTS:2REF: 081706 geoNAT:G.CO.A.3TOP:Mapping a Polygon onto ItselfNAT:G.CO.A.3TOP:549ANS: 3PTS: 2REF: 081817 geoNAT:G.CO.A.3TOP:Mapping a Polygon onto ItselfREF: 061904 geoNAT:G.CO.A.3551ANS: 4PTS: 2REF: 011815 geoNAT:G.CO.A.3552ANS: $\frac{360}{6} = 60$ PTS: 2REF: 012022 geoNAT:G.CO.A.5553ANS: 1PTS: 2REF: 012022 geoNAT:G.CO.A.5554ANS: 4PTS: 2REF: 061901 geoNAT:G.CO.A.5	544			011904geo NA	T: G.CO.A.3
546ANS: 1PTS: 2REF:012403geoNAT:G.CO.A.3TOP:Mapping a Polygon onto Itself7ANS: 1PTS: 2REF:082209geoNAT:G.CO.A.3547ANS: 1PTS: 2REF:082209geoNAT:G.CO.A.3TOP:Mapping a Polygon onto Itself548ANS: 3The x-axis and line $x = 4$ are lines of symmetry and (4,0) is a point of symmetry.TOP:Mapping a Polygon onto Itself549ANS: 3PTS: 2REF:081817geoNAT:G.CO.A.3549ANS: 4PTS: 2REF:061904geoNAT:G.CO.A.3540ANS: 4PTS: 2REF:011815geoNAT:G.CO.A.3551ANS: 3PTS: 2REF:011815geoNAT:G.CO.A.3552ANS: $\frac{360}{6} = 60$ FTS: 2REF:081627geoNAT:G.CO.A.3553ANS: 1PTS: 2REF:012022geoNAT:G.CO.A.5554ANS: 4PTS: 2REF:061901geoNAT:G.CO.A.5	545			081505geo NA	T: G.CO.A.3
TOP: Mapping a Polygon onto Itself547ANS: 1PTS: 2REF: 082209geoNAT: G.CO.A.3TOP: Mapping a Polygon onto Itself548ANS: 3The x-axis and line $x = 4$ are lines of symmetry and (4,0) is a point of symmetry.PTS: 2REF: 081706geoNAT: G.CO.A.3TOP: Mapping a Polygon onto Itself549ANS: 3PTS: 2REF: 081817geoNAT: G.CO.A.3TOP: Mapping a Polygon onto ItselfTOP: Mapping a Polygon onto ItselfNAT: G.CO.A.3550ANS: 4PTS: 2REF: 061904geoNAT: G.CO.A.3TOP: Mapping a Polygon onto ItselfREF: 011815geoNAT: G.CO.A.3551ANS: 3PTS: 2REF: 011815geoNAT: G.CO.A.3TOP: Mapping a Polygon onto ItselfTOP: Mapping a Polygon onto ItselfSigmetry552ANS:36066FTS: 2REF: 081627geoNAT: G.CO.A.3TOP: Mapping a Polygon onto Itself553ANS: 1PTS: 2REF: 012022geoNAT: G.CO.A.5554ANS: 4PTS: 2REF: 061901geoNAT: G.CO.A.5				-	
547ANS: 1PTS: 2REF: 082209geoNAT: G.CO.A.3TOP: Mapping a Polygon onto Itself548548548ANS: 3The x-axis and line $x = 4$ are lines of symmetry and (4,0) is a point of symmetry.PTS: 2REF: 081706geo549ANS: 3PTS: 2REF: 081706geoTOP: Mapping a Polygon onto Itself50ANS: 4PTS: 2REF: 061904geoTOP: Mapping a Polygon onto Itself51ANS: 3PTS: 2REF: 011815geoNAT: G.CO.A.3TOP: Mapping a Polygon onto Itself51ANS: 3PTS: 2REF: 011815geoNAT: G.CO.A.3TOP: Mapping a Polygon onto Itself51ANS: 3PTS: 2REF: 081627geoNAT: G.CO.A.3TOP: Mapping a Polygon onto Itself553ANS: 1PTS: 2REF: 012022geoNAT: G.CO.A.5TOP: Compositions of TransformationsS54ANS: 4PTS: 2REF: 061901geoNAT: G.CO.A.5	546			012403geo NA	T: G.CO.A.3
548ANS: 3 The x-axis and line $x = 4$ are lines of symmetry and (4,0) is a point of symmetry.PTS: 2REF: 081706geoNAT: G.CO.A.3 REF: 081817geoTOP: Mapping a Polygon onto Itself549ANS: 3PTS: 2REF: 061904geoNAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself550ANS: 4PTS: 2REF: 061904geoNAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself551ANS: 3PTS: 2REF: 011815geoNAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself552ANS: 3PTS: 2REF: 011815geoNAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself552ANS: $\frac{360}{6} = 60$ TOP: Mapping a Polygon onto Itself553ANS: 1PTS: 2REF: 012022geo 	547			082209geo NA	T: G.CO.A.3
The x-axis and line $x = 4$ are lines of symmetry and (4,0) is a point of symmetry.PTS: 2REF: 081706geoNAT: G.CO.A.3TOP: Mapping a Polygon onto Itself549ANS: 3PTS: 2REF: 081817geoNAT: G.CO.A.3TOP: Mapping a Polygon onto Itself709: Mapping a Polygon onto ItselfNAT: G.CO.A.3NAT: G.CO.A.3550ANS: 4PTS: 2REF: 061904geoNAT: G.CO.A.3TOP: Mapping a Polygon onto Itself709: Mapping a Polygon onto ItselfREF: 011815geoNAT: G.CO.A.3551ANS: 3PTS: 2REF: 011815geoNAT: G.CO.A.3TOP: Mapping a Polygon onto Itself709: Mapping a Polygon onto ItselfREF: 011815geoNAT: G.CO.A.3552ANS:3PTS: 2REF: 012022geoNAT: G.CO.A.3553ANS: 1PTS: 2REF: 012022geoNAT: G.CO.A.5TOP: Mapping a Polygon onto Itself554ANS: 4PTS: 2REF: 061901geoNAT: G.CO.A.5	7 40		Itself		
PTS:2REF:081706geoNAT:G.CO.A.3TOP:Mapping a Polygon onto Itself549ANS:3PTS:2REF:081817geoNAT:G.CO.A.3TOP:Mapping a Polygon onto Itself55ANS:4PTS:2REF:061904geoNAT:G.CO.A.3551ANS:3PTS:2REF:011815geoNAT:G.CO.A.3TOP:Mapping a Polygon onto Itself55ANS:3PTS:2REF:011815geoNAT:G.CO.A.3552ANS: $\frac{360}{6} = 60$ 60NAT:G.CO.A.3TOP:Mapping a Polygon onto Itself553ANS:1PTS:2REF:012022geoNAT:G.CO.A.5554ANS:4PTS:2REF:061901geoNAT:G.CO.A.5	548		es of symmetry and	d (4,0) is a point of	symmetry.
549ANS: 3PTS: 2REF: $081817geo$ NAT:G.CO.A.3TOP:Mapping a Polygon onto ItselfFEF: $061904geo$ NAT:G.CO.A.3550ANS: 4PTS: 2REF: $061904geo$ NAT:G.CO.A.3TOP:Mapping a Polygon onto ItselfREF: $011815geo$ NAT:G.CO.A.3551ANS: 3PTS: 2REF: $011815geo$ NAT:G.CO.A.3TOP:Mapping a Polygon onto ItselfREF: $011815geo$ NAT:G.CO.A.3552ANS: $\frac{360}{6} = 60$ NAT:G.CO.A.3TOP:Mapping a Polygon onto Itself553ANS: 1PTS: 2REF: $012022geo$ NAT:G.CO.A.5TOP:Mapping a Polygon onto Itself554ANS: 4PTS: 2REF: $061901geo$ NAT:G.CO.A.5					
TOP:Mapping a Polygon onto Itself550ANS: 4PTS: 2REF: 061904geoNAT: G.CO.A.3TOP:Mapping a Polygon onto ItselfREF: 011815geoNAT: G.CO.A.3551ANS: 3PTS: 2REF: 011815geoNAT: G.CO.A.3TOP:Mapping a Polygon onto ItselfSignatureNAT: G.CO.A.3552ANS: $\frac{360}{6} = 60$ NAT: G.CO.A.3TOP: Mapping a Polygon onto Itself553ANS: 1PTS: 2REF: 012022geoNAT: G.CO.A.5554ANS: 4PTS: 2REF: 061901geoNAT: G.CO.A.5	540		-		
550ANS: 4PTS: 2REF: 061904geoNAT: G.CO.A.3TOP:Mapping a Polygon onto ItselfREF: 011815geoNAT: G.CO.A.3551ANS: 3PTS: 2REF: 011815geoNAT: G.CO.A.3TOP:Mapping a Polygon onto ItselfREF: 011815geoNAT: G.CO.A.3552ANS: $\frac{360}{6} = 60$ NAT: G.CO.A.3TOP: Mapping a Polygon onto Itself553ANS: 1PTS: 2REF: 081627geoNAT: G.CO.A.3TOP: Mapping a Polygon onto Itself553ANS: 1PTS: 2REF: 012022geoNAT: G.CO.A.5TOP: Mapping a Polygon onto Itself554ANS: 4PTS: 2REF: 061901geoNAT: G.CO.A.5	549			081817ge0 NA	1: 0.CO.A.5
551ANS: 3PTS: 2REF: 011815geoNAT: G.CO.A.3TOP:Mapping a Polygon onto Itself552ANS: $\frac{360}{6} = 60$ NAT: G.CO.A.3PTS:2REF:081627geoNAT: G.CO.A.3TOP: Mapping a Polygon onto Itself553ANS:1PTS: 2REF: 012022geoNAT: G.CO.A.5554ANS:4PTS: 2REF: 061901geoNAT: G.CO.A.5	550			061904geo NA	T: G.CO.A.3
TOP: Mapping a Polygon onto Itself552ANS: $\frac{360}{6} = 60$ PTS: 2REF: 081627geoNAT: G.CO.A.3TOP: Mapping a Polygon onto Itself553ANS: 1PTS: 2REF: 012022geoTOP: Compositions of Transformations554ANS: 4PTS: 2REF: 061901geoNAT: G.CO.A.5	551			011015	
552 ANS: $\frac{360}{6} = 60$ PTS: 2REF: 081627geoS53 ANS: 1PTS: 2TOP: Compositions of Transformations554 ANS: 4PTS: 2REF: 061901geoNAT: G.CO.A.5	551			011815geo NA	1: G.CO.A.3
PTS: 2 REF: 081627geo NAT: G.CO.A.3 TOP: Mapping a Polygon onto Itself 553 ANS: 1 PTS: 2 REF: 012022geo NAT: G.CO.A.5 TOP: Compositions of Transformations KEY: grids 554 ANS: 4 PTS: 2 REF: 061901geo NAT: G.CO.A.5	552				
553ANS: 1PTS: 2REF: 012022geoNAT: G.CO.A.5TOP:Compositions of TransformationsKEY: grids554ANS: 4PTS: 2REF: 061901geoNAT: G.CO.A.5		$\frac{360}{6} = 60$			
TOP: Compositions of TransformationsKEY: grids554ANS: 4PTS: 2REF:061901geoNAT: G.CO.A.5		PTS: 2 REF: 081	1627geo NAT:	G.CO.A.3 TO	P: Mapping a Polygon onto Itself
554 ANS: 4 PTS: 2 REF: 061901geo NAT: G.CO.A.5	553			0	T: G.CO.A.5
	55/	-		-	Τ. G CO A 5
	554			-	1. 0.00.11.2

555	ANS: 1 TOP: Compositions	PTS: 2 of Transformations	REF: 011608geo KEY: identify	NAT:	G.CO.A.5
556	ANS: 1 TOP: Compositions	PTS: 2	REF: 062308geo	NAT:	G.CO.A.5
557	ANS: 2	PTS: 2	REF: 061701geo	NAT:	G.CO.A.5
558	TOP: Compositions ANS: 2	PTS: 2	KEY: identify REF: 081909geo	NAT:	G.CO.A.5
559	TOP: Compositions ANS: 3	of Transformations	KEY: identify		
,	1) and 2) are wrong b	because the orientation ΔLET back to Quad	-	d, impl	ying one reflection has occurred. The
	PTS: 2 KEY: identify	REF: 062218geo	NAT: G.CO.A.5	TOP:	Compositions of Transformations
560	ANS: 2 TOP: Compositions	PTS: 2 of Transformations	REF: 082220geo KEY: identify	NAT:	G.CO.A.5
561	ANS: 1	PTS: 2	REF: 081507geo	NAT:	G.CO.A.5
5(2)	TOP: Compositions		KEY: identify	NAT.	
362	ANS: 3 TOP: Compositions	PTS: 2 of Transformations	REF: 011710geo KEY: identify	NAI:	G.CO.A.5
563	ANS: 2	PTS: 1	REF: 012017geo	NAT:	G.CO.A.5
564	TOP: Compositions ANS: 4	of Transformations PTS: 2	KEY: identify REF: 061504geo	ΝΔΤ·	G.CO.A.5
504	TOP: Compositions		KEY: identify	INAL.	0.00.A.5
565	ANS: 1	PTS: 2	REF: 081804geo	NAT:	G.CO.A.5
566	TOP: Compositions ANS:	of Transformations	KEY: grids		
200	$r_{x-axis} \circ T_{-3,1} \circ R_{(-5,2),9}$	0°			
	PTS: 2	REF: 011928geo	NAT: G.CO.A.5	ΤΟΡ·	Compositions of Transformations
	KEY: identify	KLI: 011920ge0	1011. 0.00.11.5	101.	compositions of Transformations
567	ANS:				
	$T_{6,0} \circ r_{x-axis}$				
	PTS: 2	REF: 061625geo	NAT: G.CO.A.5	TOP:	Compositions of Transformations
568	KEY: identify ANS:				
200	$T_{0,-2} \circ r_{y-axis}$				
	PTS: 2	DEE: 011726000		TOD	Compositions of Transformations
	KEY: identify	REF: 011726geo	NAT: G.CO.A.5	IOF.	Compositions of Transformations
569	ANS:	D			
	$\kappa_{90^{\circ}}$ or $I_{2,-6} \circ \kappa_{(-4,2),0}$	$_{90^{\circ}}$ or $R_{270^{\circ}} \circ r_{x-axis} \circ r_{y}$	-axis		
	PTS: 2	REF: 061929geo	NAT: G.CO.A.5	TOP:	Compositions of Transformations
	KEY: identify				

 $r_{y=2} \circ r_{y-axis}$

PTS: 2 REF: 081927geo NAT: G.CO.A.5 **TOP:** Compositions of Transformations KEY: identify 571 ANS: $T_{0,5} \circ r_{y-axis}$ PTS: 2 REF: 082225geo NAT: G.CO.A.5 **TOP:** Compositions of Transformations KEY: identify 572 ANS: Rotate 90° clockwise about *B* and translate down 4 and right 3. PTS: 2 REF: 012326geo NAT: G.CO.A.5 **TOP:** Compositions of Transformations KEY: identify 573 ANS: $T_{4,-4}$, followed by a 90° clockwise rotation about point D. PTS: 2 REF: 062326geo NAT: G.CO.A.5 **TOP:** Compositions of Transformations 574 ANS: Rotate $\triangle ABC$ clockwise about point *C* until $\overline{DF} \parallel \overline{AC}$. Translate $\triangle ABC$ along \overline{CF} so that *C* maps onto *F*. PTS: 2 REF: 061730geo NAT: G.CO.A.5 TOP: Compositions of Transformations KEY: identify 575 ANS: R_{180° about $\left(-\frac{1}{2},\frac{1}{2}\right)$ PTS: 2 REF: 081727geo NAT: G.CO.A.5 **TOP:** Compositions of Transformations KEY: identify 576 ANS: Reflection across the y-axis, then translation up 5. REF: 061827geo NAT: G.CO.A.5 **TOP:** Compositions of Transformations PTS: 2 KEY: identify 577 ANS:

Rotate 180° about $\left(-1, \frac{1}{2}\right)$.

PTS: 2 REF: 082325geo NAT: G.CO.A.5 TOP: Compositions of Transformations

rotation 180° about the origin, translation 2 units down; rotation 180° about *B*, translation 6 units down and 6 units left; or reflection over *x*-axis, translation 2 units down, reflection over *y*-axis

PTS: 2REF: 062427geoNAT: G.CO.A.5TOP: Compositions of Transformations580ANS:Image: Composition of transformation of transf	579	KEY: identify	REF: 081828geo	NAT: G.CO.A.5	TOP:	Compositions of Transformations
 PTS: 2 REF: 081626geo NAT: G.CO.A.5 TOP: Compositions of Transformations KEY: grids S81 ANS: 1 NYSED accepts either (1) or (3) as a correct answer. Statement III is not true if A, B, A' and B' are collinear. PTS: 2 REF: 061714geo NAT: G.SRT.A.2 TOP: Compositions of Transformations KEY: basic S82 ANS: 4 PTS: 2 REF: 081514geo NAT: G.SRT.A.2 TOP: Compositions of Transformations KEY: grids S83 ANS: 2 PTS: 2 REF: 011702geo NAT: G.SRT.A.2 TOP: Compositions of Transformations KEY: grids S84 ANS: 4 PTS: 2 REF: 011702geo NAT: G.SRT.A.2 TOP: Compositions of Transformations KEY: grids S85 ANS: 4 PTS: 2 REF: 061608geo NAT: G.SRT.A.2 TOP: Compositions of Transformations KEY: grids S85 ANS: 4 PTS: 2 REF: 081609geo NAT: G.SRT.A.2 TOP: Compositions of Transformations KEY: grids S85 ANS: 4 PTS: 2 REF: 081609geo NAT: G.SRT.A.2 TOP: Compositions of Transformations KEY: grids 	580		REF: 062427geo	NAT: G.CO.A.5	TOP:	Compositions of Transformations
 KEY: grids 581 ANS: 1 NYSED accepts either (1) or (3) as a correct answer. Statement III is not true if A, B, A' and B' are collinear. PTS: 2 REF: 061714geo KEY: basic 582 ANS: 4 PTS: 2 TOP: Compositions of Transformations 583 ANS: 2 PTS: 2 REF: 011702geo KEY: grids 584 ANS: 4 PTS: 2 REF: 011702geo KEY: grids 584 ANS: 4 PTS: 2 REF: 061608geo NAT: G.SRT.A.2 TOP: Compositions of Transformations 585 ANS: 4 PTS: 2 REF: 081609geo NAT: G.SRT.A.2 TOP: Compositions of Transformations KEY: grids 585 ANS: 4 PTS: 2 REF: 081609geo NAT: G.SRT.A.2 TOP: Compositions of Transformations KEY: grids 			B → X			
PTS:2REF:061714geoNAT:G.SRT.A.2TOP:Compositions of Transformations582ANS:4PTS:2REF:081514geoNAT:G.SRT.A.2583ANS:2PTS:2REF:011702geoNAT:G.SRT.A.2583ANS:2PTS:2REF:011702geoNAT:G.SRT.A.2584ANS:4PTS:2REF:061608geoNAT:G.SRT.A.2584ANS:4PTS:2REF:061608geoNAT:G.SRT.A.2585ANS:4PTS:2REF:081609geoNAT:G.SRT.A.2585ANS:4PTS:2REF:081609geoNAT:G.SRT.A.2TOP:Compositions of TransformationsKEY:gridsKEY:grids	581	KEY: grids ANS: 1	-			-
KEY: basic582ANS: 4PTS: 2REF: 081514geoNAT: G.SRT.A.2TOP:Compositions of TransformationsKEY: gridsNAT: G.SRT.A.2583ANS: 2PTS: 2REF: 011702geoNAT: G.SRT.A.2TOP:Compositions of TransformationsKEY: gridsNAT: G.SRT.A.2584ANS: 4PTS: 2REF: 061608geoNAT: G.SRT.A.2TOP:Compositions of TransformationsKEY: gridsNAT: G.SRT.A.2585ANS: 4PTS: 2REF: 081609geoNAT: G.SRT.A.2TOP:Compositions of TransformationsKEY: gridsNAT: G.SRT.A.2585ANS: 4PTS: 2REF: 081609geoNAT: G.SRT.A.2TOP:Compositions of TransformationsKEY: gridsNAT: G.SRT.A.2		-				
TOP:Compositions of TransformationsKEY:grids583ANS:2PTS:2REF:011702geoNAT:G.SRT.A.2TOP:Compositions of TransformationsKEY:grids584ANS:4PTS:2REF:061608geoNAT:G.SRT.A.2TOP:Compositions of TransformationsKEY:grids585ANS:4PTS:2REF:081609geoNAT:G.SRT.A.2TOP:Compositions of TransformationsKEY:grids585ANS:4PTS:2REF:081609geoNAT:G.SRT.A.2TOP:Compositions of TransformationsKEY:grids			KEP. 001/14ge0	NAI. 0.5KI.A.2	TOF.	Compositions of Transformations
583ANS: 2PTS: 2REF: 011702geoNAT: G.SRT.A.2TOP:Compositions of TransformationsKEY: gridsKEY: grids584ANS: 4PTS: 2REF: 061608geoNAT: G.SRT.A.2TOP:Compositions of TransformationsKEY: gridsKEY: grids585ANS: 4PTS: 2REF: 081609geoNAT: G.SRT.A.2TOP:Compositions of TransformationsKEY: gridsNAT: G.SRT.A.2585ANS: 4PTS: 2REF: 081609geoNAT: G.SRT.A.2TOP:Compositions of TransformationsKEY: gridsNAT: G.SRT.A.2	582	ANS: 4			NAT:	G.SRT.A.2
TOP:Compositions of TransformationsKEY:grids584ANS:4PTS:2REF:061608geoNAT:G.SRT.A.2TOP:Compositions of TransformationsKEY:grids585ANS:4PTS:2REF:081609geoNAT:G.SRT.A.2TOP:Compositions of TransformationsKEY:gridsKEY:grids		-	-			
584ANS: 4PTS: 2REF:061608geoNAT:G.SRT.A.2TOP:Compositions of TransformationsKEY:grids585ANS: 4PTS: 2REF:081609geoNAT:G.SRT.A.2TOP:Compositions of TransformationsKEY:grids	583			6	NAT:	G.SRT.A.2
TOP:Compositions of TransformationsKEY:grids585ANS:4PTS:2REF:081609geoNAT:G.SRT.A.2TOP:Compositions of TransformationsKEY:gridsKEY:grids	584	-		-	ΝΔΤ·	G SRT A 2
585ANS: 4PTS: 2REF: 081609geoNAT: G.SRT.A.2TOP:Compositions of TransformationsKEY: grids	504				11111.	0.51(1.11.2
TOP: Compositions of Transformations KEY: grids	585	-			NAT:	G.SRT.A.2
		-		KEY: grids		
e	586		PTS: 2	REF: 011903geo	NAT:	G.SRT.A.2
TOP: Compositions of Transformations KEY: identify		TOP: Compositions	of Transformations	KEY: identify		

Triangle X' Y'Z' is the image of $\triangle XYZ$ after a rotation about point Z such that \overline{ZX} coincides with \overline{ZU} . Since rotations preserve angle measure, \overline{ZY} coincides with \overline{ZV} , and corresponding angles X and Y, after the rotation, remain congruent, so $\overline{XY} \parallel \overline{UV}$. Then, dilate $\triangle X' Y'Z'$ by a scale factor of $\frac{ZU}{ZX}$ with its center at point Z. Since dilations preserve parallelism, \overline{XY} maps onto \overline{UV} . Therefore, $\triangle XYZ \sim \triangle UVZ$.

PTS: 2 REF: spr1406geo NAT: G.SRT.A.2 TOP: Compositions of Transformations KEY: grids

588 ANS: 3

The measures of the angles of a triangle remain the same after a translation because translations are rigid motions which preserve angle measure.

NAT: G.CO.B.6 PTS: 2 REF: 082401geo **TOP:** Properties of Transformations 589 ANS: 2 180 - 40 - 95 = 45**TOP:** Properties of Transformations PTS: 2 REF: 082201geo NAT: G.CO.B.6 KEY: graphics 590 ANS: 4 2x - 1 = 16x = 8.5REF: 011902geo NAT: G.CO.B.6 **TOP:** Properties of Transformations PTS: 2 **KEY**: graphics 591 ANS: 3 5x - 10 = 4x - 4 4(6) - 4 = 20x = 6PTS: 2 REF: 012408geo NAT: G.CO.B.6 **TOP:** Properties of Transformations **KEY**: graphics 592 ANS: 4 90 - 35 = 55 $55 \times 2 = 110$ REF: 012015geo NAT: G.CO.B.6 **TOP:** Properties of Transformations PTS: 2 **KEY**: graphics 593 ANS: 1 360 - (82 + 104 + 121) = 53PTS: 2 REF: 011801geo NAT: G.CO.B.6 **TOP:** Properties of Transformations KEY: graph 594 ANS: 4 PTS: 2 REF: 011611geo NAT: G.CO.B.6 **TOP:** Properties of Transformations **KEY**: graphics

595 ANS: 4

The measures of the angles of a triangle remain the same after all rotations because rotations are rigid motions which preserve angle measure.

	PTS: 2	REF: fa	ll1402geo	NAT:	G.CO.B.6	TOP:	Properties of Transformations		
596	KEY: graphics ANS: 1 TOP: Properties of	PTS: 2 Transform			061801geo graphics	NAT:	G.CO.B.6		
597	ANS: 3 TOP: Properties of	PTS: 2]			NAT:	G.CO.B.6		
598	ANS: 3 TOP: Properties of	PTS: 2 Transform			062302geo graphics	NAT:	G.CO.B.6		
599									
	PTS: 2 KEY: graphics	REF: 01	12301geo	NAT:	G.CO.B.6	TOP:	Properties of Transformations		
600	ANS: 4 TOP: Properties of	PTS: 2 Transform		REF:	062401geo	NAT:	G.CO.B.6		
601	ANS: M = 180 - (47 + 57) =			hange a	angle measurer	nents.			
602	PTS: 2 ANS:	REF: 08	81629geo	NAT:	G.CO.B.6	TOP:	Properties of Transformations		
	Reflections preserve	distance, s	so the corresp	onding	sides are cong	ruent.			
603	PTS: 2 ANS:	REF: 08	82430geo	NAT:	G.CO.B.6	TOP:	Properties of Transformations		
	Reflections preserve	distance a	nd angle meas	sure.					
	PTS: 2 KEY: graphics	REF: 06	52228geo	NAT:	G.CO.B.6	TOP:	Properties of Transformations		
604	4 ANS: 1 Distance and angle measure are preserved after a reflection and translation.								
	PTS: 2 KEY: basic	REF: 08	81802geo	NAT:	G.CO.B.6	TOP:	Properties of Transformations		
605	ANS: 3	PTS: 2			U	NAT:	G.CO.B.6		
606	TOP: Properties of ANS:	Transform	ations	KEY:	basic				
000	Yes, as translations do not change angle measurements.								
	PTS: 2 KEY: basic	REF: 06	51825geo	NAT:	G.CO.B.6	TOP:	Properties of Transformations		
607	ANS: 2 TOP: Identifying Tr	PTS: 2 ransformat			081513geo graphics	NAT:	G.CO.A.2		

608	ANS:	4 PTS: 2	REF: 061803geo	NAT: G.CO.A.2
	TOP:	Identifying Transformations	KEY: graphics	
609	ANS:	2 PTS: 2	REF: 082322geo	NAT: G.CO.A.2
	TOP:	Identifying Transformations		
610	ANS:	1 PTS: 2	REF: 061604geo	NAT: G.CO.A.2
	TOP:	Identifying Transformations	KEY : graphics	
611	ANS:	2 PTS: 2	REF: spr2401geo	NAT: G.CO.A.2
	TOP:	Identifying Transformations		
612	ANS:	4 PTS: 2	REF: 011803geo	NAT: G.CO.A.2
	TOP:	Identifying Transformations	KEY: graphics	
613	ANS:	3		
	Since	orientation is preserved, a reflection	has not occurred.	
	PTS:	e	NAT: G.CO.A.2	TOP: Identifying Transformations
		graphics		
614	ANS:		REF: 061616geo	NAT: G.CO.A.2
		Identifying Transformations	KEY: graphics	
615	ANS:		REF: 082413geo	NAT: G.CO.A.2
		Identifying Transformations		
616	ANS:		REF: 081602geo	NAT: G.CO.A.2
		Identifying Transformations	KEY: basic	
617	ANS:		REF: 061502geo	NAT: G.CO.A.2
		Identifying Transformations	KEY: basic	
618	ANS:		REF: 081502geo	NAT: G.CO.A.2
		Identifying Transformations	KEY: basic	
619	ANS:		REF: 011706geo	NAT: G.CO.A.2
		Identifying Transformations	KEY: basic	
620	ANS:		REF: 081702geo	NAT: G.CO.A.2
		Identifying Transformations	KEY: basic	
621	ANS:			

Rotation of 90° counterclockwise about the origin.

REF: 012428geo PTS: 2 NAT: G.CO.A.2 TOP: Identifying Transformations 622 ANS: $r_{x=-1}$ Reflections are rigid motions that preserve distance, so $\triangle ABC \cong \triangle DEF$. PTS: 4 REF: 061732geo NAT: G.CO.A.2 TOP: Identifying Transformations KEY: graphics 623 ANS: 3 REF: 011605geo NAT: G.CO.A.2 PTS: 2 TOP: Analytical Representations of Transformations KEY: basic


624ANS: 4PTS: 2REF: 011808geoNAT: G.CO.A.2TOP:Analytical Representations of TransformationsKEY: basic

KEY: basic

625 ANS: 3 A dilation does not preserve distance.

PTS:2REF:062210geoNAT:G.CO.A.2TOP:Analytical Representations of Transformations


626 ANS:



	PTS:	2	REF:	spr2405geo	NAT:	G.CO.A.2		
	TOP:	Analytical Representations of Transformations						graphics
627	ANS:	4	PTS:	2	REF:	062422geo	NAT:	G.SRT.B.4
	TOP:	Similarity						
628	ANS:	2	PTS:	2	REF:	082419geo	NAT:	G.SRT.B.4
	TOP:	Similarity						
629	ANS:	1	PTS:	2	REF:	012418geo	NAT:	G.SRT.B.4
	TOP:	Similarity						
630	ANS:	1	PTS:	2	REF:	081916geo	NAT:	G.SRT.B.4
	TOP:	Similarity						
631	ANS:	2						
	$\overline{AB} =$	10 since $\triangle ABC$	C is a 6-	-8-10 triangle.	$6^2 = 1$	0 <i>x</i>		

3.6 = x


PTS: 2 REF: 081820geo NAT: G.SRT.B.4 TOP: Similarity 632 ANS: 3 $12^2 = 9 \cdot GM$ $IM^2 = 16 \cdot 25$ GM = 16 IM = 20PTS: 2 REF: 011910geo NAT: G.SRT.B.4 TOP: Similarity 633 ANS: 3 $x(x-6) = 4^2$ $x^2 - 6x - 16 = 0$ (x-8)(x+2) = 0x = 8PTS: 2 REF: 081807geo NAT: G.SRT.B.4 TOP: Similarity 634 ANS: 1 $6^2 = 4x$ *x* = 9 REF: 012412geo NAT: G.SRT.B.4 TOP: Similarity PTS: 2 635 ANS: 3 $12x = 9^2 \qquad 6.75 + 12 = 18.75$ 12x = 81 $x = \frac{82}{12} = \frac{27}{4}$ PTS: 2 REF: 062213geo NAT: G.SRT.B.4 TOP: Similarity 636 ANS: 4 $x^2 = 10.2 \times 14.3$ $x \approx 12.1$ PTS: 2 REF: 012016geo NAT: G.SRT.B.4 TOP: Similarity 637 ANS: 2 $x^2 = 12(12 - 8)$ $x^2 = 48$ $x = 4\sqrt{3}$ PTS: 2 REF: 011823geo NAT: G.SRT.B.4 TOP: Similarity 638 ANS: 4 $x^2 = 3 \times 24$ $x = \sqrt{72}$ PTS: 2 REF: 012315geo NAT: G.SRT.B.4 TOP: Similarity 639 ANS: 4 $8^2 = 4x$ 64 = 4x16 = xPTS: 2 REF: 062416geo NAT: G.SRT.B.4 TOP: Similarity 640 ANS: 1 $24x = 10^2$ 24x = 100 $x \approx 4.2$ PTS: 2 REF: 061823geo NAT: G.SRT.B.4 TOP: Similarity 641 ANS: 2 $18^2 = 12(x+12)$ 324 = 12(x + 12)27 = x + 12*x* = 15 PTS: 2 REF: 081920geo NAT: G.SRT.B.4 TOP: Similarity 642 ANS: 2 $12^2 = 9 \cdot 16$ 144 = 144PTS: 2 REF: 081718geo NAT: G.SRT.B.4 TOP: Similarity 643 ANS: 2 $\sqrt{3\cdot 21} = \sqrt{63} = 3\sqrt{7}$ PTS: 2 REF: 011622geo NAT: G.SRT.B.4 TOP: Similarity 644 ANS: 2 $h^2 = 30 \cdot 12$ $h^2 = 360$ $h = 6\sqrt{10}$ PTS: 2 REF: 061613geo NAT: G.SRT.B.4 TOP: Similarity 645 ANS: 2 $x^2 = 4 \cdot 10$ $x = \sqrt{40}$ $x = 2\sqrt{10}$ PTS: 2 REF: 081610geo NAT: G.SRT.B.4 TOP: Similarity 646 ANS: $6^2 = 2(x+2); 16+2 = 18$ 36 = 2x + 432 = 2x16 = xPTS: 2 REF: 062330geo NAT: G.SRT.B.4 TOP: Similarity 647 ANS: $4x \cdot x = 6^2$ $4x^2 = 36$ $x^2 = 9$ x = 3PTS: 2 REF: 082229geo NAT: G.SRT.B.4 **TOP:** Similarity 648 ANS: $4x \cdot x = 8^2 \quad 4 + 4(4) = 20$ $4x^2 = 64$ $x^2 = 16$ x = 4PTS: 2 REF: 082330geo NAT: G.SRT.B.4 TOP: Similarity 649 ANS: $17x = 15^2$ 17x = 225 $x \approx 13.2$ PTS: 2 REF: 061930geo NAT: G.SRT.B.4 **TOP:** Similarity 650 ANS: If an altitude is drawn to the hypotenuse of a triangle, it divides the triangle into two right triangles similar to each other and the original triangle. PTS: 2 REF: 061729geo NAT: G.SRT.B.4 **TOP:** Similarity 651 ANS: $x = \sqrt{.55^2 - .25^2} \cong 0.49$ No, $.49^2 = .25y$.9604 + .25 < 1.5.9604 = yPTS: 4 REF: 061534geo NAT: G.SRT.B.4 TOP: Similarity 652 ANS: 2 PTS: 2 REF: 012003geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic



660 ANS: 1 $\frac{6}{8} = \frac{9}{12}$ PTS: 2 REF: 011613geo NAT: G.SRT.B.5 **TOP:** Similarity KEY: basic 661 ANS: 2 (1) AA; (3) SAS; (4) SSS. NYSED has stated that all students should be awarded credit regardless of their answer to this question. PTS: 2 REF: 061724geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic 662 ANS: 3 1) $\frac{12}{9} = \frac{4}{3}$ 2) AA 3) $\frac{32}{16} \neq \frac{8}{2}$ 4) SAS PTS: 2 REF: 061605geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic 663 ANS: 4 $\frac{6.6}{x} = \frac{4.2}{5.25}$ 4.2x = 34.65x = 8.25PTS: 2 REF: 081705geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic 664 ANS: 1 $\frac{7.2}{5.4} = \frac{3.29}{x}$ $x \approx 2.47$ PTS: 2 REF: 062405geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic 665 ANS: 3 $\frac{12}{4} = \frac{x}{5}$ 15 - 4 = 11 *x* = 15 PTS: 2 REF: 011624geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic

666 ANS: 3 $\frac{x}{10} = \frac{6}{4}$ $\overline{CD} = 15 - 4 = 11$ *x* = 15 PTS: 2 REF: 081612geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic 667 ANS: 2 $\frac{4}{x} = \frac{6}{9}$ x = 6PTS: 2 REF: 061915geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic 668 ANS: 3 $\triangle CFB \sim \triangle CAD \quad \frac{CB}{CF} = \frac{CD}{CA}$ $\frac{x}{21.6} = \frac{7.2}{9.6}$ x = 16.2PTS: 2 REF: 061804geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic 669 ANS: 4 $\frac{12}{6.1x - 6.5} = \frac{5}{1.4x + 3} \qquad 6.1(5) - 6.5 = 24$ 16.8x + 36 = 30.5x - 32.568.5 = 13.7x5 = xREF: 062211geo NAT: G.SRT.B.5 TOP: Similarity PTS: 2 KEY: basic 670 ANS: 4 $\frac{1}{2} = \frac{x+3}{3x-1}$ GR = 3(7) - 1 = 20 3x - 1 = 2x + 6*x* = 7 PTS: 2 REF: 011620geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic

671 ANS: $\frac{6}{14} = \frac{9}{21}$ SAS 126 = 126PTS: 2 REF: 081529geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic 672 ANS: $\frac{AB}{AD} = \frac{AE}{AC}$ Yes, because of SAS. $\frac{4.1}{3.42+5.6} = \frac{5.6}{4.1+8.22}$ 50.512 = 50.512PTS: 2 REF: 012429geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic 673 ANS: $\frac{5}{x} = \frac{14}{21}$ 14x = 105*x* = 7.5 PTS: 2 REF: 082425geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic 674 ANS: $\frac{4}{x+3} = \frac{x-1}{15}$ 7+3 = 10 $x^2 - x + 3x - 3 = 60$ $x^2 + 2x - 63 = 0$ (x+9)(x-7) = 0*x* = 7 PTS: 4 REF: spr2407geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic 675 ANS: $\frac{120}{230} = \frac{x}{315}$ x = 164PTS: 2 REF: 081527geo NAT: G.SRT.B.5 TOP: Similarity KEY: basic



KEY: perimeter and area

680 ANS: 2 $\left(\frac{1}{4}\right)^2 = \frac{1}{16}$ PTS: 2 REF: 082216geo NAT: G.SRT.B.5 TOP: Similarity KEY: perimeter and area 681 ANS: 3 PTS: 2 REF: 011714geo NAT: G.SRT.C.6 TOP: Trigonometric Ratios 682 ANS: 2 $\Delta ABC \sim \Delta BDC$ $\cos A = \frac{AB}{AC} = \frac{BD}{BC}$ PTS: 2 REF: 012023geo NAT: G.SRT.C.6 TOP: Trigonometric Ratios

Geometry Regents Exam Questions by State Standard: Topic Answer Section

683 ANS: 1 $\sin N = \frac{\text{opposite}}{\text{hypotenuse}} =$ 12 $\overline{20}$ PTS: 2 REF: 012307geo NAT: G.SRT.C.6 **TOP:** Trigonometric Ratios 684 ANS: 4 $\tan A = \frac{\text{opposite}}{\text{adjacent}} = \frac{15}{8}$ PTS: 2 NAT: G.SRT.C.6 REF: 011917geo **TOP:** Trigonometric Ratios 685 ANS: 4 NAT: G.SRT.C.6 PTS: 2 REF: 061615geo **TOP:** Trigonometric Ratios 686 ANS: 1 A dilation preserves angle measure, so $\angle A \cong \angle CDE$. PTS: 2 REF: 062203geo NAT: G.SRT.C.6 **TOP:** Trigonometric Ratios 687 ANS: 4 PTS: 2 REF: 061512geo NAT: G.SRT.C.7 **TOP:** Cofunctions 688 ANS: 1 PTS: 2 REF: 081919geo NAT: G.SRT.C.7 TOP: Cofunctions 689 ANS: 1 PTS: 2 REF: 012304geo NAT: G.SRT.C.7 **TOP:** Cofunctions 690 ANS: 1 PTS: 2 REF: 062312geo NAT: G.SRT.C.7 **TOP:** Cofunctions 691 ANS: 2 Sine and cosine are cofunctions. PTS: 2 REF: 082403geo NAT: G.SRT.C.7 **TOP:** Cofunctions 692 ANS: 3 Sine and cosine are cofunctions. PTS: 2 NAT: G.SRT.C.7 **TOP:** Cofunctions REF: 062206geo 693 ANS: 4 PTS: 2 REF: 011609geo NAT: G.SRT.C.7 **TOP:** Cofunctions 694 ANS: 4 PTS: 2 REF: 082210geo NAT: G.SRT.C.7 **TOP:** Cofunctions 695 ANS: 1 PTS: 2 REF: 011922geo NAT: G.SRT.C.7 **TOP:** Cofunctions 696 ANS: 2 PTS: 2 REF: 082311geo NAT: G.SRT.C.7 **TOP:** Cofunctions 697 ANS: 3 PTS: 2 REF: 061703geo NAT: G.SRT.C.7 **TOP:** Cofunctions

698 ANS: 1 PTS: 2 REF: 081606geo NAT: G.SRT.C.7 TOP: Cofunctions 699 ANS: 1 PTS: 2 REF: 081504geo NAT: G.SRT.C.7 TOP: Cofunctions 700 ANS: 3 90 - 30 = 60PTS: 2 REF: 012401geo NAT: G.SRT.C.7 TOP: Cofunctions 701 ANS: 2 90 - 57 = 33PTS: 2 REF: 061909geo NAT: G.SRT.C.7 TOP: Cofunctions 702 ANS: 1 2x + 4 + 46 = 902x = 40x = 20PTS: 2 REF: 061808geo NAT: G.SRT.C.7 TOP: Cofunctions 703 ANS: 3 4x + 3x + 13 = 90 4(11) < 3(11) + 137x = 77 44 < 46x = 11PTS: 2 REF: 012021geo NAT: G.SRT.C.7 TOP: Cofunctions 704 ANS: 4 40 - x + 3x = 902x = 50*x* = 25 PTS: 2 REF: 081721geo NAT: G.SRT.C.7 TOP: Cofunctions 705 ANS: 2 2x + 7 + 4x - 7 = 906x = 90*x* = 15 PTS: 2 REF: 081824geo NAT: G.SRT.C.7 TOP: Cofunctions

3x + 9 + 5x - 7 = 908x + 2 = 908x = 88x = 11

PTS: 2 REF: 062420geo NAT: G.SRT.C.7 TOP: Cofunctions

707 ANS:

73 + R = 90 Equal cofunctions are complementary.

R = 17

PTS: 2 REF: 061628geo NAT: G.SRT.C.7 TOP: Cofunctions

708 ANS:

4x - .07 = 2x + .01 SinA is the ratio of the opposite side and the hypotenuse while $\cos B$ is the ratio of the adjacent

2x = 0.8

x = 0.4

side and the hypotenuse. The side opposite angle A is the same side as the side adjacent to angle B. Therefore, sin A = cos B.

PTS: 2 REF: fall1407geo NAT: G.SRT.C.7 TOP: Cofunctions

709 ANS:

The acute angles in a right triangle are always complementary. The sine of any acute angle is equal to the cosine of its complement.

PTS: 2 REF: spr1407geo NAT: G.SRT.C.7 TOP: Cofunctions

710 ANS:

 $\cos B$ increases because $\angle A$ and $\angle B$ are complementary and $\sin A = \cos B$.

PTS: 2 REF: 011827geo NAT: G.SRT.C.7 TOP: Cofunctions

711 ANS:

Yes, because 28° and 62° angles are complementary. The sine of an angle equals the cosine of its complement.

PTS: 2 REF: 011727geo NAT: G.SRT.C.7 TOP: Cofunctions

712 ANS: 2

$$\tan 25^\circ = \frac{1}{12}$$

PTS: 2 REF: 082409geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side

713 ANS: 3

$$\cos 40 = \frac{1}{x}$$
$$x \approx 18$$

PTS: 2 REF: 011712geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side

714 ANS: 4 $\cos 47 = \frac{50}{x}$ $x \approx 73$ PTS: 2 REF: 012406geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 715 ANS: 3 $\tan 34 = \frac{T}{20}$ $T \approx 13.5$ PTS: 2 REF: 061505geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side KEY: graphics 716 ANS: 4 $\sin 30 = \frac{x}{75}$ *x* = 37.5 PTS: 2 REF: 012411geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 717 ANS: 1 $\sin 32 = \frac{O}{129.5}$ $O \approx 68.6$ PTS: 2 REF: 011804geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 718 ANS: 4 $\sin 16.5 = \frac{8}{x}$ $x \approx 28.2$ PTS: 2 REF: 081806ai NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 719 ANS: 1 $\sin 10 = \frac{x}{140}$ $x \approx 24$ PTS: 2 REF: 062217geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 720 ANS: 2 $\tan \theta = \frac{2.4}{x}$ $\frac{3}{7} = \frac{2.4}{x}$ *x* = 5.6 REF: 011707geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side PTS: 2 721 ANS: 4 $\sin 18 = \frac{8}{x}$ $x \approx 25.9$ PTS: 2 REF: 062316geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 722 ANS: 1 $\sin 32 = \frac{x}{6.2}$ $x \approx 3.3$ PTS: 2 REF: 081719geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 723 ANS: 4 $\sin 70 = \frac{x}{20}$ $x\approx 18.8$ REF: 061611geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side PTS: 2 KEY: without graphics 724 ANS: 4 $\sin 71 = \frac{x}{20}$ $x = 20 \sin 71 \approx 19$ PTS: 2 REF: 061721geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side KEY: without graphics 725 ANS: 1 $\cos 65 = \frac{x}{15}$ $x \approx 6.3$

PTS: 2 REF: 081924geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side

726 ANS: 2 $\tan 36 = \frac{x}{8}$ $5.8 + 1.5 \approx 7$ $x \approx 5.8$ PTS: 2 REF: 081915geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 727 ANS: 2 $\tan 11.87 = \frac{x}{0.5(5280)}$ $x \approx 555$ PTS: 2 REF: 011913geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 728 ANS: 4 $\sin 37 = \frac{7.6}{x}$ $x \approx 12.6$ PTS: 2 REF: 062412geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 729 ANS: $\sin 70 = \frac{30}{L}$ $L \approx 32$ REF: 011629geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side PTS: 2 KEY: graphics 730 ANS: $\sin 75 = \frac{15}{r}$ $x = \frac{15}{\sin 75}$ $x \approx 15.5$ PTS: 2 REF: 081631geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side **KEY**: graphics 731 ANS: $\sin 38 = \frac{24.5}{x}$ $x \approx 40$ REF: 012026geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side PTS: 2 **KEY**: graphics

732 ANS: $\sin 86.03 = \frac{183.27}{x}$ $x \approx 183.71$ PTS: 2 REF: 062225geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 733 ANS: $\tan 32 = \frac{66}{x}$ $x \approx 106$ PTS: 2 REF: 082428geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 734 ANS: $\cos 14 = \frac{5-1.2}{x}$ $x \approx 3.92$ PTS: 2 REF: 082228geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 735 ANS: $\cos 54 = \frac{4.5}{m} \tan 54 = \frac{h}{4.5}$ $m \approx 7.7$ $h \approx 6.2$ PTS: 4 REF: 011834geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 736 ANS: $\sin 65 = \frac{7.7}{x}$. $\tan 65 = \frac{7.7}{y}$ $x \approx 8.5$ $y \approx 3.6$ REF: 082333geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side PTS: 4 737 ANS: Since $\angle ABH$ is 100°, $\angle AHB$ is 40°. An isosceles triangle has two congruent angles. $\cos 80 = \frac{x}{85}$ $x \approx 14.8$ $\tan 40 = --$ y

$$an 40 = \frac{1}{85 + 14.8}$$
$$y \approx 84$$

PTS: 4 REF: 012334geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side

$$\sin 65 = \frac{RB}{1076}$$
 $\sin 54 = \frac{RA}{774}$ 975.2 - 626.2 = 349
 $RB \approx 975.2$ $RA \approx 626.2$

PTS: 4 REF: 082432geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 739 ANS:

$$\tan 52.8 = \frac{h}{x} \qquad x \tan 52.8 = x \tan 34.9 + 8 \tan 34.9 \ \tan 52.8 \approx \frac{h}{9} \qquad 11.86 + 1.7 \approx 13.6$$

$$h = x \tan 52.8 \qquad x \tan 52.8 - x \tan 34.9 = 8 \tan 34.9 \qquad x \approx 11.86$$

$$\tan 34.9 = \frac{h}{x+8} \qquad x(\tan 52.8 - \tan 34.9) = 8 \tan 34.9 \qquad x \approx 11.86$$

$$h = (x+8) \tan 34.9 \qquad x \approx 9$$

PTS: 6 REF: 011636geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side KEY: advanced

740 ANS:

$$\tan 15 = \frac{x}{3280}; \ \tan 31 = \frac{y}{3280}; \ 1970.8 - 878.9 \approx 1092$$

 $x \approx 878.9 \qquad x \approx 1970.8$

PTS: 4 REF: 062332geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 741 ANS:


 $\tan 36 = \frac{x}{10} \quad \cos 36 = \frac{10}{y} \quad 12.3607 \times 3 \approx 37$ $x \approx 7.3 \quad y \approx 12.3607$

 $\sin 4.76 = \frac{1.5}{x} \quad \tan 4.76 = \frac{1.5}{x} \quad 18 - \frac{16}{12} \approx 16.7$ $x \approx 18.1 \qquad x \approx 18$

PTS: 4 REF: 011934geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 743 ANS:

x represents the distance between the lighthouse and the canoe at 5:00; *y* represents the distance between the lighthouse and the canoe at 5:05. $\tan 6 = \frac{112 - 1.5}{x} \tan(49 + 6) = \frac{112 - 1.5}{y} \frac{1051.3 - 77.4}{5} \approx 195$ $x \approx 1051.3$ $y \approx 77.4$

PTS: 4 REF: spr1409geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side KEY: advanced



PTS: 6 REF: fall1413geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side KEY: advanced

 $\tan 7 = \frac{125}{x}$ $\tan 16 = \frac{125}{y}$ $1018 - 436 \approx 582$ $x \approx 1018$ $y \approx 436$

PTS: 4 REF: 081532geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side KEY: advanced

746 ANS:

$$\tan 15 = \frac{188}{x} \qquad \tan 23 = \frac{188}{y} \qquad 701.63 - 442.9 \approx 259$$
$$x \approx 701.63 \qquad y \approx 442.9$$

PTS: 4 REF: 062434geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 747 ANS:

PTS: 4 REF: 061833geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side KEY: advanced

748 ANS:

$$\tan 30 = \frac{y}{440} \tan 38.8 = \frac{h}{440} \quad 353.8 - 254 \approx 100$$

 $y \approx 254 \qquad h \approx 353.8$


PTS: 4 REF: 061934geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side KEY: advanced

$$\tan 75 = \frac{y}{85}$$
 $\tan 35 = \frac{x}{85}$ $317.2 + 59.5 \approx 377$
 $y \approx 317.2$ $h \approx 59.5$

PTS: 4 REF: 012432geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 750 ANS: $\tan 56 = \frac{x}{1.3}$ $\sqrt{(1.3 \tan 56)^2 + 1.5^2} \approx 3.7$

$$x = 1.3 \tan 56$$

PTS: 4 REF: 012033geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side KEY: advanced



50 - 29 = 21

PTS: 4 REF: 082232geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side KEY: advanced

752 ANS:

 $\tan 53 = \frac{f}{91}$

 $f \approx 120.8$

PTS: 2 REF: 082327geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side 753 ANS: $\cos 68 = \frac{10}{x}$ $x \approx 27$

PTS: 2 REF: 061927geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side

754 ANS: $\tan 15 = \frac{6250}{x} \qquad \tan 52 = \frac{6250}{y} \quad 23325.3 - 4883 = 18442 \quad \frac{18442 \text{ ft}}{1 \text{ min}} \left(\frac{1 \text{ min}}{5280 \text{ ft}}\right) \left(\frac{60 \text{ min}}{1 \text{ h}}\right) \approx 210$ $x \approx 23325.3$ $y \approx 4883$ PTS: 6 REF: 061736geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side KEY: advanced 755 ANS: 3 $\cos A = \frac{9}{14}$ $A \approx 50^{\circ}$ PTS: 2 REF: 011616geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle 756 ANS: 4 $\sin A = \frac{13}{16}$ $A \approx 54^{\circ}$ PTS: 2 REF: 082207geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle 757 ANS: 1 $\cos S = \frac{60}{65}$ $S \approx 23$ PTS: 2 REF: 061713geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle 758 ANS: 1 $\cos S = \frac{12.3}{13.6}$ $S \approx 25^{\circ}$ PTS: 2 REF: 062304geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle 759 ANS: 1 $\tan x = \frac{1}{12}$ $x \approx 4.76$ PTS: 2 REF: 081715geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle 760 ANS: 3 $\sin x = \frac{2.5}{5.5}$ $x \approx 27^{\circ}$ PTS: 2 REF: 082406geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle

761 ANS: 4

$$\sin x = \frac{10}{12}$$

 $x \approx 56$
762 ANS: 2
 $\cos x = \frac{8}{25}$
 $x \approx 71$
763 ANS: 2
 $\cos B = \frac{17.6}{26}$
PTS: 2
REF: 061922geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle
REF: 082303geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle
 $B \approx 47$
PTS: 2
REF: 061806geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle

ID: A

ANS: 1 The man's height, 69 inches, is opposite to the angle of elevation, and the shadow length, 102 inches, is adjacent to the angle of elevation. Therefore, tangent must be used to find the angle of elevation. $\tan x = \frac{69}{102}$ $x \approx 34.1$

PTS: 2
ANS: 1
$$\cos x = \frac{12}{13}$$
REF: fall1401geoNAT: G.SRT.C.8TOP: Using Trigonometry to Find an Angle765ANS: 1
 $\cos C = \frac{15}{17}$ REF: 081809aiNAT: G.SRT.C.8TOP: Using Trigonometry to Find an Angle766ANS: 1
 $\cos C = \frac{15}{17}$ $C \approx 28$ REF: 012007geoNAT: G.SRT.C.8TOP: Using Trigonometry to Find an Angle767ANS:
 $\cos A = \frac{11}{18}$
 $A \approx 52$ REF: 062425geoNAT: G.SRT.C.8TOP: Using Trigonometry to Find an Angle

768 ANS: $\cos J = \frac{3}{5}$ $S \approx 90 - 53 = 37$ $J \approx 53$ PTS: 2 REF: 012431geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle 769 ANS: $\sin x = \frac{4.5}{11.75}$ $x \approx 23$ PTS: 2 REF: 061528geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle 770 ANS: $\sin^{-1}\left(\frac{5}{25}\right) \approx 11.5$ REF: 081926geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle PTS: 2 771 ANS: $\tan^{-1}\left(\frac{4}{12}\right) \approx 18$ PTS: 2 REF: 012327geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle 772 ANS: $\tan x = \frac{10}{4}$ $x \approx 68$ PTS: 2 REF: 061630geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle 773 ANS: $\cos W = \frac{6}{18}$ $W \approx 71$ REF: 011831geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle PTS: 2 774 ANS: $\tan x = \frac{12}{75}$ $\tan y = \frac{72}{75}$ $43.83 - 9.09 \approx 34.7$ $x \approx 9.09$ $y \approx 43.83$ PTS: 4 REF: 081634geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle 775 ANS: $\tan y = \frac{1.58}{3.74} \quad \tan x = \frac{.41}{3.74} \quad 22.90 - 6.26 = 16.6$ $y \approx 22.90$ $x \approx 6.26$ PTS: 4 REF: 062232geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find an Angle 776 ANS: 2 $K = \frac{1}{2} (8)(5) \sin 57 \approx 16.8$ PTS: 2 REF: spr2403geo NAT: G.SRT.D.9 TOP: Using Trigonometry to Find Area KEY: basic 777 ANS: 2 $K = \frac{1}{2} (10)(18) \sin 120 = 45\sqrt{3} \approx 78$ PTS: 2 REF: fall0907a2 NAT: G.SRT.D.9 TOP: Using Trigonometry to Find Area KEY: basic 778 ANS: 1 $\frac{1}{2}(7.4)(3.8)\sin 126 \approx 11.4$ PTS: 2 REF: 011218a2 NAT: G.SRT.D.9 TOP: Using Trigonometry to Find Area KEY: basic 779 ANS: 2 $\frac{1}{2}(22)(13)\sin 55 \approx 117$ PTS: 2 REF: 061403a2 NAT: G.SRT.D.9 TOP: Using Trigonometry to Find Area KEY: basic 780 ANS: 2 $K = \frac{1}{2} (27)(19) \sin 135 \approx 181.4$ PTS: 2 REF: 061602a2 NAT: G.SRT.D.9 TOP: Using Trigonometry to Find Area KEY: basic PTS: 2 NAT: G.SRT.D.9 781 ANS: 2 REF: 010219siii TOP: Using Trigonometry to Find Area KEY: basic 782 ANS: 3 $42 = \frac{1}{2}(a)(8)\sin 61$ $42 \approx 3.5a$ $12 \approx a$ PTS: 2 REF: 011316a2 NAT: G.SRT.D.9 TOP: Using Trigonometry to Find Area KEY: basic

ID: A

783 ANS: $\frac{1}{2} \cdot 15 \cdot 31.6 \sin 125 \approx 194$ PTS: 2 REF: 011633a2 NAT: G.SRT.D.9 TOP: Using Trigonometry to Find Area KEY: basic 784 ANS: 164.2. $K = \frac{1}{2}(12)(31)\sin 62^\circ \approx 164.2$ PTS: 2 REF: 010225b NAT: G.SRT.D.9 TOP: Using Trigonometry to Find Area KEY: basic 785 ANS: $K = \frac{1}{2} (12)(20.5) \sin 73 \approx 117.6$ PTS: 2 REF: 061022b NAT: G.SRT.D.9 TOP: Using Trigonometry to Find Area KEY: basic 786 ANS: 9.3 PTS: 2 REF: 088909siii NAT: G.SRT.D.9 TOP: Using Trigonometry to Find Area KEY: basic 787 ANS: 30.9 PTS: 2 REF: 080216siii NAT: G.SRT.D.9 TOP: Using Trigonometry to Find Area KEY: basic 788 ANS: 142.5. $K = \frac{1}{2}(16)(21)\sin 58^\circ \approx 142.5$ PTS: 2 REF: 080226b NAT: G.SRT.D.9 TOP: Using Trigonometry to Find Area KEY: basic 789 ANS: 67. $K = \frac{1}{2}(11)(13)\sin 70^\circ \approx 67$ PTS: 2 TOP: Using Trigonometry to Find Area REF: 060525b NAT: G.SRT.D.9 KEY: basic 790 ANS: 3 PTS: 2 REF: 061524geo NAT: G.CO.B.7 TOP: Triangle Congruency 791 ANS: 4 d) is SSA REF: 061914geo PTS: 2 NAT: G.CO.B.7 TOP: Triangle Congruency

792	ANS: 3 NYSED has stated the	hat all students should	be awarded credit reg	ardless of their answer to this question.					
793	PTS: 2 ANS: 3 (3) is AAS, which	REF: 061722geo proves congruency. (NAT: G.CO.B.7 (1) is AAA, (2) is SS	TOP: Triangle Congruency SA and (4) is AS.					
794	PTS: 2 ANS: $\angle Q \cong \angle M \ \angle P \cong \angle$		NAT: G.CO.B.7	TOP: Triangle Congruency					
795	$\triangle A'B'C' \text{ over } \overline{DF} \text{ s}$ or	ong \overline{CF} such that point such that $\triangle A'B'C'$ map	by onto $\triangle DEF$.	, resulting in image $\triangle A'B'C'$. Then reflec	t				
	Reflect $\triangle ABC$ over	the perpendicular bise	ector of <i>EB</i> such that <i>A</i>	$\triangle ABC$ maps onto $\triangle DEF$.					
796	PTS: 2 ANS: The transformation i	REF: fall1408geo		TOP: Triangle Congruency					
797	PTS: 2 ANS: Yes. The sequence of preserve distance an	of transformations con	NAT: G.CO.B.7 sists of a reflection an	TOP: Triangle Congruency	1				
798	-		is mapped onto point.	TOP: Triangle Congruency A, point F would map onto point C. and a reflection preserves distance.					
799	PTS: 4 ANS:	REF: 081534geo	NAT: G.CO.B.7	TOP: Triangle Congruency					
	It is given that point <i>D</i> is the image of point <i>A</i> after a reflection in line <i>CH</i> . It is given that \overrightarrow{CH} is the perpendicular bisector of \overrightarrow{BCE} at point <i>C</i> . Since a bisector divides a segment into two congruent segments at its midpoint, $\overrightarrow{BC} \cong \overrightarrow{EC}$. Point <i>E</i> is the image of point <i>B</i> after a reflection over the line <i>CH</i> , since points <i>B</i> and <i>E</i> are equidistant from point <i>C</i> and it is given that \overrightarrow{CH} is perpendicular to \overrightarrow{BE} . Point <i>C</i> is on \overrightarrow{CH} , and therefore, point <i>C</i> maps to itself after the reflection over \overrightarrow{CH} . Since all three vertices of triangle <i>ABC</i> map to all three vertices of triangle <i>DEC</i> under the same line reflection, then $\triangle ABC \cong \triangle DEC$ because a line reflection is a rigid motion and triangles are congruent when one can be mapped onto the other using a sequence of rigid motions.								
	PTS: 6	REF: spr1414geo	NAT: G.CO.B.7	TOP: Triangle Congruency					

Reflections are rigid motions that preserve distance.

PTS: 2 REF: 061530geo NAT: G.CO.B.7 TOP: Triangle Congruency

801 ANS:

Yes. $\angle A \cong \angle X$, $\angle C \cong \angle Z$, $AC \cong XZ$ after a sequence of rigid motions which preserve distance and angle measure, so $\triangle ABC \cong \triangle XYZ$ by ASA. $\overline{BC} \cong \overline{YZ}$ by CPCTC.

PTS: 2 REF: 081730geo NAT: G.CO.B.7 TOP: Triangle Congruency

802 ANS:

No. Since $\overline{BC} = 5$ and $\overline{ST} = \sqrt{18}$ are not congruent, the two triangles are not congruent. Since rigid motions preserve distance, there is no rigid motion that maps $\triangle ABC$ onto $\triangle RST$.

PTS: 2 REF: 011830geo NAT: G.CO.B.7 TOP: Triangle Congruency


803 ANS:

 $LA \cong DN$, $CA \cong CN$, and $DAC \perp LCN$ (Given). $\angle LCA$ and $\angle DCN$ are right angles (Definition of perpendicular lines). $\triangle LAC$ and $\triangle DNC$ are right triangles (Definition of a right triangle). $\triangle LAC \cong \triangle DNC$ (HL). $\triangle LAC$ will map onto $\triangle DNC$ after rotating $\triangle LAC$ counterclockwise 90° about point *C* such that point *L* maps onto point *D*.

PTS: 4 REF: spr1408geo NAT: G.CO.B.8 TOP: Triangle Congruency 804 ANS: 1

 $\Delta ADC \cong \Delta BDC$ by SAS

PTS: 2 REF: 082316geo NAT: G.SRT.B.5 TOP: Triangle Congruency 805 ANS: 4 PTS: 2 REF: 082410geo NAT: G.SRT.B.5 TOP: Triangle Congruency 806 ANS: 1 PTS: 2 REF: 011703geo NAT: G.SRT.B.5 TOP: Triangle Congruency 807 ANS: 4 1) SAS; 2) AAS; 3) SSS **PTS:** 2 NAT: G.SRT.B.5 TOP: Triangle Congruency REF: 062216geo 808 ANS: Yes. The triangles are congruent because of SSS $(5^2 + 12^2 = 13^2)$. All congruent triangles are similar. PTS: 2 REF: 061830geo NAT: G.SRT.B.5 TOP: Triangle Congruency



(Definition of isosceles triangle). \overline{YW} is an altitude of $\triangle XYZ$ (The angle bisector of the vertex of an isosceles triangle is also the altitude of that triangle). $\overline{YW} \perp \overline{XZ}$ (Definition of altitude). $\angle YWZ$ is a right angle (Definition of perpendicular lines).

PTS: 4 REF: spr1411geo NAT: G.CO.C.10 TOP: Triangle Proofs

811 ANS:


As the sum of the measures of the angles of a triangle is 180° , $m\angle ABC + m\angle BCA + m\angle CAB = 180^\circ$. Each interior angle of the triangle and its exterior angle form a linear pair. Linear pairs are supplementary, so $m\angle ABC + m\angle FBC = 180^\circ$, $m\angle BCA + m\angle DCA = 180^\circ$, and $m\angle CAB + m\angle EAB = 180^\circ$. By addition, the sum of these linear pairs is 540°. When the angle measures of the triangle are subtracted from this sum, the result is 360°, the sum of the exterior angles of the triangle.

PTS: 4 REF: fall1410geo NAT: G.CO.C.10 TOP: Triangle Proofs

812 ANS:

(2) Euclid's Parallel Postulate; (3) Alternate interior angles formed by parallel lines and a transversal are congruent; (4) Angles forming a line are supplementary; (5) Substitution

PTS: 4 REF: 011633geo NAT: G.CO.C.10 TOP: Triangle Proofs



 $\underline{\triangle}ABE \cong \triangle CBD \text{ (given)}; \ \angle A \cong \angle C \text{ (CPCTC)}; \ \angle AFD \cong \angle CFE \text{ (vertical angles are congruent)}; \ \overline{AB} \cong \overline{CB}, \\ \overline{DB} \cong \overline{EB} \text{ (CPCTC)}; \ \overline{AD} \cong \overline{CE} \text{ (segment subtraction)}; \ \triangle AFD \cong \triangle CFE \text{ (AAS)}$

PTS: 4 REF: 081933geo NAT: G.SRT.B.5 TOP: Triangle Proofs KEY: proof

822 ANS:

 $\triangle AEB$ and $\triangle DFC$, \overline{ABCD} , $\overline{AE} \parallel \overline{DF}$, $\overline{EB} \parallel \overline{FC}$, $\overline{AC} \cong \overline{DB}$ (given); $\angle A \cong \angle D$ (Alternate interior angles formed by parallel lines and a transversal are congruent); $\angle EBA \cong \angle FCD$ (Alternate exterior angles formed by parallel lines and a transversal are congruent); $\overline{BC} \cong \overline{BC}$ (reflexive); $\overline{AB} \cong \overline{CD}$ (segment subtraction); $\triangle EAB \cong \triangle FDC$ (ASA)

PTS: 4 REF: 012333geo NAT: G.SRT.B.5 TOP: Triangle Proofs KEY: proof

823 ANS:

 $\triangle ABC$, $\triangle DEF$, $AB \perp BC$, $DE \perp EF$, $AE \cong DB$, and $AC \parallel FD$ (Given); $\angle DEF \cong \angle CBA$ (Perpendicular lines form congruent angles); $\angle CAB \cong \angle DEF$ (Parallel lines cut by a transversal form congruent alternate interior angles); $\overline{EB} \cong \overline{BE}$ (Symmetric Property); $\overline{AE} + \overline{EB} \cong \overline{DB} + \overline{BE}$ (Segment Addition); $\triangle ABC \cong \triangle DEF$ (ASA)

$$\overline{AB} \cong \overline{ED}$$

PTS: 4 REF: 062433geo NAT: G.SRT.B.5 TOP: Triangle Proofs

- KEY: proof
- 824 ANS:

2 Reflexive; $4 \angle BDA \cong \angle BDC$; 6 CPCTC; 7 If points *B* and *D* are equidistant from the endpoints of \overline{AC} , then *B* and *D* are on the perpendicular bisector of \overline{AC} .

PTS: 4 REF: 081832geo NAT: G.SRT.B.5 TOP: Triangle Proofs

- KEY: proof
- 825 ANS:

RS and *TV* bisect each other at point *X*; *TR* and *SV* are drawn (given); $TX \cong XV$ and $RX \cong XS$ (segment bisectors create two congruent segments); $\angle TXR \cong \angle VXS$ (vertical angles are congruent); $\triangle TXR \cong \triangle VXS$ (SAS); $\angle T \cong \angle V$ (CPCTC); $\overline{TR} \parallel \overline{SV}$ (a transversal that creates congruent alternate interior angles cuts parallel lines).

PTS: 4 REF: 061733geo NAT: G.SRT.B.5 TOP: Triangle Proofs

- KEY: proof
- 826 ANS:

Parallelogram *ABCD*, diagonals *AC* and *BD* intersect at *E* (given). *DC* || *AB*; *DA* || *CB* (opposite sides of a parallelogram are parallel). $\angle ACD \cong \angle CAB$ (alternate interior angles formed by parallel lines and a transversal are congruent).

PTS: 2 REF: 081528geo NAT: G.CO.C.11 TOP: Quadrilateral Proofs

Parallelogram *ABCD*, $\overline{BF} \perp \overline{AFD}$, and $\overline{DE} \perp \overline{BEC}$ (given); $\overline{BC} \parallel \overline{AD}$ (opposite sides of a \square are \parallel); $\overline{BE} \parallel \overline{FD}$ (parts of \parallel lines are \parallel); $\overline{BF} \parallel \overline{DE}$ (two lines \perp to the same line are \parallel); *BEDF* is \square (a quadrilateral with both pairs of opposite sides \parallel is a \square); $\angle DEB$ is a right \angle (\perp lines form right \angle s); *BEDF* is a rectangle (a \square with one right \angle is a rectangle).

PTS: 6 REF: 061835geo NAT: G.CO.C.11 TOP: Quadrilateral Proofs

828 ANS:

Quadrilateral *ABCD* with diagonals *AC* and *BD* that bisect each other, and $\angle 1 \cong \angle 2$ (given); quadrilateral *ABCD* is a parallelogram (the diagonals of a parallelogram bisect each other); $\overline{AB} \parallel \overline{CD}$ (opposite sides of a parallelogram are parallel); $\angle 1 \cong \angle 3$ and $\angle 2 \cong \angle 4$ (alternate interior angles are congruent); $\angle 2 \cong \angle 3$ and $\angle 3 \cong \angle 4$ (substitution); $\triangle ACD$ is an isosceles triangle (the base angles of an isosceles triangle are congruent); $\overline{AD} \cong \overline{DC}$ (the sides of an isosceles triangle are congruent); quadrilateral *ABCD* is a rhombus (a rhombus has consecutive congruent sides); $\overline{AE} \perp \overline{BE}$ (the diagonals of a rhombus are perpendicular); $\angle BEA$ is a right angle (perpendicular lines form a right angle); $\triangle AEB$ is a right triangle (a right triangle has a right angle).

PTS: 6 REF: 061635geo NAT: G.CO.C.11 TOP: Quadrilateral Proofs

829 ANS:

Parallelogram *ABCD* with diagonal \overline{AC} drawn (given). $\overline{AC} \cong \overline{AC}$ (reflexive property). $\overline{AD} \cong \overline{CB}$ and $\overline{BA} \cong \overline{DC}$ (opposite sides of a parallelogram are congruent). $\triangle ABC \cong \triangle CDA$ (SSS).

PTS: 2 REF: 011825geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs 830 ANS:

Parallelogram *ANDR* with \overline{AW} and \overline{DE} bisecting \overline{NWD} and \overline{REA} at points *W* and *E* (Given). $\overline{AN} \cong \overline{RD}$, $\overline{AR} \cong \overline{DN}$ (Opposite sides of a parallelogram are congruent). $AE = \frac{1}{2}AR$, $WD = \frac{1}{2}DN$, so $\overline{AE} \cong \overline{WD}$ (Definition of bisect and division property of equality). $\overline{AR} \parallel \overline{DN}$ (Opposite sides of a parallelogram are parallel). *AWDE* is a parallelogram (Definition of parallelogram). $RE = \frac{1}{2}AR$, $NW = \frac{1}{2}DN$, so $\overline{RE} \cong \overline{NW}$ (Definition of bisect and division property of equality). $\overline{ED} \cong \overline{AW}$ (Opposite sides of a parallelogram are congruent). $\triangle ANW \cong \triangle DRE$ (SSS).

PTS: 6 REF: 011635geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs

831 ANS:

Quadrilateral *ABCD* is a parallelogram with diagonals *AC* and *BD* intersecting at *E* (Given). $AD \cong BC$ (Opposite sides of a parallelogram are congruent). $\angle AED \cong \angle CEB$ (Vertical angles are congruent). $BC \parallel DA$ (Definition of parallelogram). $\angle DBC \cong \angle BDA$ (Alternate interior angles are congruent). $\triangle AED \cong \triangle CEB$ (AAS). 180° rotation of $\triangle AED$ around point *E*.

PTS: 4 REF: 061533geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs

Quadrilateral *ABCD*, $\overline{AB} \cong \overline{CD}$, $\overline{AB} \parallel \overline{CD}$, diagonal \overline{AC} intersects \overline{EF} at G, and $\overline{DE} \cong \overline{BF}$ (given); *ABCD* is a parallelogram (a quadrilateral with a pair of opposite sides \parallel is a parallelogram); $\overline{AD} \cong \overline{CB}$ (opposite side of a parallelogram are congruent); $\overline{AE} \cong \overline{CF}$ (subtraction postulate); $\overline{AD} \parallel \overline{CB}$ (opposite side of a parallelogram are parallel); $\angle EAG \cong \angle FCG$ (if parallel sides are cut by a transversal, the alternate interior angles are congruent); $\angle AGE \cong \angle CGF$ (vertical angles); $\triangle AEG \cong \triangle CFG$ (AAS); $\overline{EG} \cong \overline{FG}$ (CPCTC): *G* is the midpoint of \overline{EF} (since *G* divides \overline{EF} into two equal parts, *G* is the midpoint of \overline{EF}).

PTS: 6 REF: 062335geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs 833 ANS:

Quadrilateral *ABCD*, $\overline{AB} \cong \overline{CD}$, $\overline{AB} || \overline{CD}$, and \overline{BF} and \overline{DE} are perpendicular to diagonal \overline{AC} at points *F* and *E* (given). $\angle AED$ and $\angle CFB$ are right angles (perpendicular lines form right angles). $\angle AED \cong \angle CFB$ (All right angles are congruent). *ABCD* is a parallelogram (A quadrilateral with one pair of sides congruent and parallel is a parallelogram). $\overline{AD} || \overline{BC}$ (Opposite sides of a parallelogram are parallel). $\angle DAE \cong \angle BCF$ (Parallel lines cut by a transversal form congruent alternate interior angles). $\overline{DA} \cong \overline{BC}$ (Opposite sides of a parallelogram are congruent). $\triangle ADE \cong \triangle CBF$ (AAS). $\overline{AE} \cong \overline{CF}$ (CPCTC).

PTS: 6 REF: 011735geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs 834 ANS:

Quad *HOPE*, $\overline{EH} \cong \overline{OP}$, $\overline{EP} \cong \overline{OH}$, $\overline{EJ} \cong \overline{OG}$, $\overline{TG} \perp \overline{EO}$ and $\overline{YJ} \perp \overline{EO}$ (Given); *HOPE* is a parallelogram (Both pairs of opposite sides are parallel); $\overline{HO} \parallel \overline{PE}$ (Opposite sides of a parallelogram are parallel); $\angle YOJ \cong \angle GET$ (Parallel lines cut by a transversal form congruent alternate interior angles); $\overline{GJ} \cong \overline{GJ}$ (Reflexive); $\overline{EG} \cong \overline{OJ}$ (Subtraction); $\angle EGT$ and $\angle OJY$ are right angles (Perpendicular lines form right angles); $\angle EGT \cong \angle OJY$ (All right angles are congruent); $\triangle EGT \cong \triangle OJY$ (ASA); $\overline{TG} \cong \overline{YJ}$ (CPCTC).

PTS: 6 REF: 082435geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs 835 ANS:

Quadrilateral *ABCD* with diagonal \overline{AC} , segments \overline{GH} and \overline{EF} , $\overline{AE} \cong \overline{CG}$, $\overline{BE} \cong \overline{DG}$, $\overline{AH} \cong \overline{CF}$, and $\overline{AD} \cong \overline{CB}$ (given); $\overline{HF} \cong \overline{HF}$, $\overline{AC} \cong \overline{AC}$ (reflexive property); $\overline{AH} + \overline{HF} \cong \overline{CF} + \overline{HF}$, $\overline{AE} + \overline{BE} \cong \overline{CG} + \overline{DG}$ (segment

addition); $\triangle ABC \cong \triangle CDA$ (SSS); $\angle EAF \cong \angle GCH$ (CPCTC); $\triangle AEF \cong \triangle CGH$ (SAS); $\overline{EF} \cong \overline{GH}$ (CPCTC).

 $\overline{AF} \cong \overline{CH}$

 $AB \cong CD$

PTS: 6 REF: 011935geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs 836 ANS:

In quadrilateral *ABCD*, $\overline{AB} \cong \overline{CD}$ and $\overline{AB} \parallel \overline{CD}$, segments *CE* and *AF* are drawn to diagonal \overline{BD} such that $\overline{BE} \cong \overline{DF}$ (Given); $\angle ABF \cong \angle CDE$ (Parallel lines cut by a transversal form congruent interior angles); $\overline{EF} \cong \overline{FE}$ (Reflexive); $\overline{BE} + \overline{EF} \cong \overline{DF} + \overline{FE}$ (Addition); $\triangle AFB \cong \triangle CED$ (SAS); $\overline{CE} \cong \overline{AF}$ (*CPCTC*).

$$BF \cong DE$$

PTS: 4 REF: 012434geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs

Quadrilateral ABCD, E and F are points on \overline{BC} and \overline{AD} , respectively, and \overline{BGD} and \overline{EGF} are drawn such that $\angle ABG \cong \angle CDG$, $AB \cong CD$, and $CE \cong AF$ (given); $BD \cong BD$ (reflexive); $\triangle ABD \cong \triangle CDB$ (SAS); $BC \cong DA$ (CPCTC); $\overline{BE} + \overline{CE} \cong \overline{AF} + \overline{DF}$ (segment addition); $\overline{BE} \cong \overline{DF}$ (segment subtraction); $\angle BGE \cong \angle DGF$ (vertical angles are congruent); $\angle CBD \cong \angle ADB$ (CPCTC); $\triangle EBG \cong \triangle FDG$ (AAS); $FG \cong EG$ (CPCTC).


NAT: G.SRT.B.5 PTS: 6 REF: 012035geo **TOP:** Quadrilateral Proofs 838 ANS:

Parallelogram PQRS, $QT \perp PS$, $SU \perp QR$ (given); $QUR \cong PTS$ (opposite sides of a parallelogram are parallel; Quadrilateral QUST is a rectangle (quadrilateral with parallel opposite sides and opposite right angles is a rectangle); $SU \cong OT$ (opposite sides of a rectangle are congruent); $RS \cong PO$ (opposite sides of a parallelogram are congruent); $\angle RUS$ and $\angle PTQ$ are right angles (the supplement of a right angle is a right angle), $\triangle RSU \cong \triangle PQT$ (HL); $\overline{PT} \cong \overline{RU}$ (CPCTC)

PTS: 4 REF: 062233geo NAT: G.SRT.B.5 **TOP:** Quadrilateral Proofs 839 ANS:

Quadrilateral MATH, $\overline{HM} \cong \overline{AT}$, $\overline{HT} \cong \overline{AM}$, $\overline{HE} \perp \overline{MEA}$, and $\overline{HA} \perp \overline{AT}$ (given); $\angle HEA$ and $\angle TAH$ are right angles (perpendicular lines form right angles); $\angle HEA \cong \angle TAH$ (all right angles are congruent); MATH is a parallelogram (a quadrilateral with two pairs of congruent opposite sides is a parallelogram); $MA \parallel TH$ (opposite sides of a parallelogram are parallel); $\angle THA \cong \angle EAH$ (alternate interior angles of parallel lines and a transversal are congruent); $\triangle HEA \sim \triangle TAH$ (AA); $\frac{HA}{TH} = \frac{HE}{TA}$ (corresponding sides of similar triangles are in proportion); $TA \bullet HA = HE \bullet TH$ (product of means equals product of extremes).

PTS: 6 REF: 061935geo NAT: G.SRT.B.5 **TOP:** Ouadrilateral Proofs 840 ANS:



1) Quadrilateral ABCD, \overline{AC} and \overline{EF} intersect at H, $\overline{EF} \parallel \overline{AD}$,

 $EF \parallel BC$, and $AD \cong BC$ (Given); 2) $\angle EHA \cong \angle FHC$ (Vertical angles are congruent); 3) $AD \parallel BC$ (Transitive property of parallel lines); 4) ABCD is a parallelogram (Quadrilateral with a pair of sides both parallel and congruent); 5) $AB \parallel CD$ (Opposite sides of a parallelogram); 6) $\angle AEH \cong \angle CFH$ (Alternate interior angles formed by parallel lines and a transversal); 7) $\triangle AEH \sim \triangle CFH$ (AA); 8) $\frac{EH}{FH} = \frac{AH}{CH}$ (Corresponding sides of similar triangles are proportional); 8) (EH)(CH) = (FH)(AH) (Product of means equals product of extremes).

PTS: 6 REF: 082235geo NAT: G.SRT.B.5 **TOP:** Quadrilateral Proofs

Parallelogram *ABCD*, $\overline{BE} \perp \overline{CED}$, $\overline{DF} \perp \overline{BFC}$, $\overline{CE} \cong \overline{CF}$ (given). $\angle BEC \cong \angle DFC$ (perpendicular lines form right angles, which are congruent). $\angle FCD \cong \angle BCE$ (reflexive property). $\triangle BEC \cong \triangle DFC$ (ASA). $\overline{BC} \cong \overline{CD}$ (CPCTC). *ABCD* is a rhombus (a parallelogram with consecutive congruent sides is a rhombus).

PTS: 6 REF: 081535geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs 842 ANS:

Isosceles trapezoid *ABCD*, $\angle CDE \cong \angle DCE$, $\overline{AE} \perp \overline{DE}$, and $\overline{BE} \perp \overline{CE}$ (given); $\overline{AD} \cong \overline{BC}$ (congruent legs of isosceles trapezoid); $\angle DEA$ and $\angle CEB$ are right angles (perpendicular lines form right angles); $\angle DEA \cong \angle CEB$ (all right angles are congruent); $\angle CDA \cong \angle DCB$ (base angles of an isosceles trapezoid are congruent); $\angle CDA - \angle CDE \cong \angle DCB - \angle DCE$ (subtraction postulate); $\triangle ADE \cong \triangle BCE$ (AAS); $\overline{EA} \cong \overline{EB}$ (CPCTC); $\angle EDA \cong \angle ECB$

 $\triangle AEB$ is an isosceles triangle (an isosceles triangle has two congruent sides).

PTS: 6 REF: 081735geo NAT: G.SRT.B.5 TOP: Quadrilateral Proofs 843 ANS:

Circle *O*, secant \overline{ACD} , tangent \overline{AB} (Given). Chords \overline{BC} and \overline{BD} are drawn (Auxiliary lines). $\angle A \cong \angle A$, $\widehat{BC} \cong \widehat{BC}$ (Reflexive property). $\mathbb{M}\angle BDC = \frac{1}{2}\mathbb{M}\widehat{BC}$ (The measure of an inscribed angle is half the measure of the intercepted arc). $\mathbb{M}\angle CBA = \frac{1}{2}\mathbb{M}\widehat{BC}$ (The measure of an angle formed by a tangent and a chord is half the measure of the intercepted arc). $\angle BDC \cong \angle CBA$ (Angles equal to half of the same arc are congruent). $\triangle ABC \sim \triangle ADB$ (AA). $\frac{AB}{AC} = \frac{AD}{AB}$ (Corresponding sides of similar triangles are proportional). $AC \cdot AD = AB^2$ (In a proportion, the product of the means equals the product of the extremes).

PTS: 6 REF: spr1413geo NAT: G.SRT.B.5 TOP: Circle Proofs 844 ANS:

Circle *O*, chords *AB* and *CD* intersect at *E* (Given); Chords *CB* and *AD* are drawn (auxiliary lines drawn); $\angle CEB \cong \angle AED$ (vertical angles); $\angle C \cong \angle A$ (Inscribed angles that intercept the same arc are congruent); $\triangle BCE \sim \triangle DAE$ (AA); $\frac{AE}{CE} = \frac{ED}{EB}$ (Corresponding sides of similar triangles are proportional); $AE \cdot EB = CE \cdot ED$ (The product of the means equals the product of the extremes).

PTS: 6 REF: 081635geo NAT: G.SRT.B.5 TOP: Circle Proofs 845 ANS:


Circle *O*, tangent \overline{EC} to diameter \overline{AC} , chord $\overline{BC} \parallel$ secant \overline{ADE} , and chord \overline{AB} (given); $\angle B$ is a right angle (an angle inscribed in a semi-circle is a right angle); $\overline{EC} \perp \overline{OC}$ (a radius drawn to a point of tangency is perpendicular to the tangent); $\angle ECA$ is a right angle (perpendicular lines form right angles); $\angle B \cong \angle ECA$ (all right angles are congruent); $\angle BCA \cong \angle CAE$ (the transversal of parallel lines creates congruent alternate interior angles); $\triangle ABC \sim \triangle ECA$ (AA); $\frac{BC}{CA} = \frac{AB}{EC}$ (Corresponding sides of similar triangles are in proportion).

PTS: 4 REF: 081733geo NAT: G.SRT.B.5 TOP: Circle Proofs

ID: A

846 ANS: 4 С AA from diagram; SSS as the three corresponding sides are proportional; SAS as two corresponding sides are proportional and an angle is equal. **TOP:** Similarity Proofs PTS: 2 REF: 012324geo NAT: G.SRT.A.3 847 ANS: 4 AA PTS: 2 REF: 061809geo NAT: G.SRT.A.3 **TOP:** Similarity Proofs 848 ANS: 4 $\frac{36}{45} \neq \frac{15}{18}$ $\frac{4}{5} \neq \frac{5}{6}$ PTS: 2 NAT: G.SRT.A.3 **TOP:** Similarity Proofs REF: 081709geo 849 ANS: A dilation of $\frac{5}{2}$ about the origin. Dilations preserve angle measure, so the triangles are similar by AA. PTS: 4 NAT: G.SRT.A.3 **TOP:** Similarity Proofs REF: 061634geo 850 ANS: \overline{GI} is parallel to \overline{NT} , and \overline{IN} intersects at A (given); $\angle I \cong \angle N$, $\angle G \cong \angle T$ (paralleling lines cut by a transversal form congruent alternate interior angles); $\triangle GIA \sim \triangle TNA$ (AA). PTS: 2 REF: 011729geo NAT: G.SRT.A.3 **TOP:** Similarity Proofs 851 ANS: Parallelogram ABCD, \overline{EFG} , and diagonal \overline{DFB} (given); $\angle DFE \cong \angle BFG$ (vertical angles); $\overline{AD} \parallel \overline{CB}$ (opposite sides of a parallelogram are parallel); $\angle EDF \cong \angle GBF$ (alternate interior angles are congruent); $\triangle DEF \sim \triangle BGF$ (AA).

PTS: 4 REF: 061633geo NAT: G.SRT.A.3 TOP: Similarity Proofs



F R Quadrilateral *FACT*, \overline{BR} intersects diagonal \overline{AT} at E, $\overline{AF} \parallel \overline{CT}$, and $\overline{AF} \cong \overline{CT}$ (Given); *FACT* is a parallelogram (A quadrilateral with one pair of opposite sides parallel and congruent is a parallelogram); $\overline{AC} \cong \overline{FT}$ (Opposite sides of a parallelogram are parallel); $\angle BAE \cong \angle RTE$, $\angle ABE \cong \angle TRE$ (Parallel lines cut by a transversal form alternate interior angles that are congruent); $\triangle ABE \sim \triangle TRE$ (AA); $\frac{AB}{AE} = \frac{TR}{TE}$ (Corresponding sides of similar triangles are proportional); (*AB*)(*TE*) = (*AE*)(*TR*) (Product of the means equals the product of the extremes).

PTS: 6 REF: 082335geo NAT: G.SRT.A.3 TOP: Similarity Proofs

853 ANS:

Circle *A* can be mapped onto circle *B* by first translating circle *A* along vector *AB* such that *A* maps onto *B*, and then dilating circle *A*, centered at *A*, by a scale factor of $\frac{5}{3}$. Since there exists a sequence of transformations that maps circle *A* onto circle *B*, circle *A* is similar to circle *B*.

PTS: 2 REF: spr1404geo NAT: G.C.A.1 TOP: Similarity Proofs