#### 0117geo

1 Which equation represents the line that passes through the point (-2,2) and is parallel to

$$y = \frac{1}{2}x + 8?$$


$$1) \quad y = \frac{1}{2}x$$

2) 
$$y = -2x - 3$$

3) 
$$y = \frac{1}{2}x + 3$$

4) 
$$y = -2x + 3$$

2 In the diagram below,  $\triangle ADE$  is the image of  $\triangle ABC$  after a reflection over the line AC followed by a dilation of scale factor  $\frac{AE}{AC}$  centered at point A.



Which statement must be true?

1) 
$$m \angle BAC \cong m \angle AED$$

2) 
$$m\angle ABC \cong m\angle ADE$$

3) 
$$m\angle DAE \cong \frac{1}{2} \, m\angle BAC$$

4) 
$$m\angle ACB \cong \frac{1}{2} \, m\angle DAB$$

3 Given  $\triangle ABC \cong \triangle DEF$ , which statement is *not* always true?


1) 
$$BC \cong DF$$

2) 
$$m\angle A = m\angle D$$

3) area of 
$$\triangle ABC$$
 = area of  $\triangle DEF$ 

4) perimeter of 
$$\triangle ABC$$
 = perimeter of  $\triangle DEF$ 

4 In the diagram below,  $\overline{DE}$ ,  $\overline{DF}$ , and  $\overline{EF}$  are midsegments of  $\triangle ABC$ .



The perimeter of quadrilateral ADEF is equivalent to

1) 
$$AB + BC + AC$$


$$2) \quad \frac{1}{2}AB + \frac{1}{2}AC$$

$$3)$$
  $2AB + 2AC$ 


4) 
$$AB + AC$$

# Geometry CCSS Regents Exam 0117 <a href="https://www.jmap.org">www.jmap.org</a>

5 In the diagram below, if  $\triangle ABE \cong \triangle CDF$  and  $\overline{AEFC}$  is drawn, then it could be proven that quadrilateral ABCD is a



- 1) square
- 2) rhombus
- 3) rectangle
- 4) parallelogram
- 6 Under which transformation would  $\triangle A'B'C'$ , the image of  $\triangle ABC$ , *not* be congruent to  $\triangle ABC$ ?
  - 1) reflection over the y-axis
  - 2) rotation of 90° clockwise about the origin
  - 3) translation of 3 units right and 2 units down
  - 4) dilation with a scale factor of 2 centered at the origin
- 7 The diagram below shows two similar triangles.






If  $\tan \theta = \frac{3}{7}$ , what is the value of x, to the *nearest* tenth?


- 1) 1.2
- 2) 5.6
- 3) 7.6
- 4) 8.8

- 8 A farmer has 64 feet of fence to enclose a rectangular vegetable garden. Which dimensions would result in the biggest area for this garden?
  - 1) the length and the width are equal
  - 2) the length is 2 more than the width
  - 3) the length is 4 more than the width
  - 4) the length is 6 more than the width
- 9 The diagram shows rectangle *ABCD*, with diagonal  $\overline{BD}$ .



What is the perimeter of rectangle *ABCD*, to the *nearest tenth*?


- 1) 28.4
- 2) 32.8
- 3) 48.0
- 4) 62.4
- 10 Identify which sequence of transformations could map pentagon *ABCDE* onto pentagon *A"B"C"D"E"*, as shown below.



- 1) dilation followed by a rotation
- 2) translation followed by a rotation
- 3) line reflection followed by a translation
- 4) line reflection followed by a line reflection


### Geometry CCSS Regents Exam 0117 www.jmap.org

11 A solid metal prism has a rectangular base with sides of 4 inches and 6 inches, and a height of 4 inches. A hole in the shape of a cylinder, with a radius of 1 inch, is drilled through the entire length of the rectangular prism.




What is the approximate volume of the remaining solid, in cubic inches?

- 1) 19
- 2) 77
- 3) 93
- 4) 96
- 12 Given the right triangle in the diagram below, what is the value of *x*, to the *nearest foot*?




- 1) 11
- 2) 17
- 3) 18
- 4) 22

13 On the graph below, point A(3,4) and  $\overline{BC}$  with coordinates B(4,3) and C(2,1) are graphed.



What are the coordinates of B' and C' after  $\overline{BC}$  undergoes a dilation centered at point A with a scale factor of 2?

- 1) B'(5,2) and C'(1,-2)
- 2) B'(6,1) and C'(0,-1)
- 3) B'(5,0) and C'(1,-2)
- 4) B'(5,2) and C'(3,0)
- 14 In the diagram of right triangle *ADE* below,  $\overline{BC} \parallel \overline{DE}$ .




Which ratio is always equivalent to the sine of  $\angle A$ ?

- 1)  $\frac{AD}{DE}$
- $2) \quad \frac{AE}{AD}$
- 3)  $\frac{BC}{AB}$
- 4)  $\frac{AB}{AC}$

### Geometry CCSS Regents Exam 0117 www.jmap.org

- 15 In circle O, secants  $\overline{ADB}$  and  $\overline{AEC}$  are drawn from external point A such that points D, B, E, and C are on circle O. If AD = 8, AE = 6, and EC is 12 more than BD, the length of  $\overline{BD}$  is
  - 1) 6
  - 2) 22
  - 3) 36
  - 4) 48
- 16 A parallelogram is always a rectangle if
  - 1) the diagonals are congruent
  - 2) the diagonals bisect each other
  - 3) the diagonals intersect at right angles
  - 4) the opposite angles are congruent
- 17 Which rotation about its center will carry a regular decagon onto itself?
  - 1) 54°
  - 2) 162°
  - 3) 198°
  - 4) 252°
- 18 The equation of a circle is  $x^2 + y^2 6y + 1 = 0$ . What are the coordinates of the center and the length of the radius of this circle?
  - 1) center (0,3) and radius =  $2\sqrt{2}$
  - 2) center (0,-3) and radius =  $2\sqrt{2}$
  - 3) center (0,6) and radius =  $\sqrt{35}$
  - 4) center (0,-6) and radius =  $\sqrt{35}$
- 19 Parallelogram ABCD has coordinates A(0,7) and C(2,1). Which statement would prove that ABCD is a rhombus?
  - 1) The midpoint of  $\overline{AC}$  is (1,4).
  - 2) The length of  $\overline{BD}$  is  $\sqrt{40}$ .
  - 3) The slope of  $\overline{BD}$  is  $\frac{1}{3}$ .
  - 4) The slope of  $\overline{AB}$  is  $\frac{1}{3}$ .

- Point Q is on  $\overline{MN}$  such that MQ:QN = 2:3. If M has coordinates (3,5) and N has coordinates (8,-5), the coordinates of Q are
  - 1) (5,1)
  - 2) (5,0)
  - (6,-1)
  - 4) (6,0)
- 21 In the diagram below of circle O, GO = 8 and  $m\angle GOJ = 60^{\circ}$ .





What is the area, in terms of  $\pi$ , of the shaded region?

- 1)  $\frac{4\pi}{3}$
- 2)  $\frac{20\pi}{3}$
- 3)  $\frac{32\pi}{3}$
- 4)  $\frac{160\pi}{3}$
- 22 A circle whose center is the origin passes through the point (-5, 12). Which point also lies on this circle?
  - 1) (10,3)
  - 2) (-12,13)
  - 3)  $(11,2\sqrt{12})$
  - 4)  $(-8,5\sqrt{21})$


#### Geometry CCSS Regents Exam 0117 www.jmap.org

- 23 A plane intersects a hexagonal prism. The plane is perpendicular to the base of the prism. Which two-dimensional figure is the cross section of the plane intersecting the prism?
  - 1) triangle
  - 2) trapezoid
  - 3) hexagon
  - 4) rectangle
- A water cup in the shape of a cone has a height of 4 inches and a maximum diameter of 3 inches. What is the volume of the water in the cup, to the *nearest* tenth of a cubic inch, when the cup is filled to half its height?
  - 1) 1.2
  - 2) 3.5
  - 3) 4.7
  - 4) 14.1
- 25 Using a compass and straightedge, construct the line of reflection over which triangle *RST* reflects onto triangle R'S'T'. [Leave all construction marks.]






26 The graph below shows  $\triangle ABC$  and its image,  $\triangle A"B"C"$ .




Describe a sequence of rigid motions which would map  $\triangle ABC$  onto  $\triangle A"B"C"$ .

When instructed to find the length of  $\overline{HJ}$  in right triangle HJG, Alex wrote the equation  $\sin 28^\circ = \frac{HJ}{20}$  while Marlene wrote  $\cos 62^\circ = \frac{HJ}{20}$ . Are both students' equations correct? Explain why.




## Geometry CCSS Regents Exam 0117 <a href="https://www.jmap.org">www.jmap.org</a>

28 In the diagram below, tangent  $\overline{DA}$  and secant  $\overline{DBC}$  are drawn to circle O from external point D, such that  $\widehat{AC} \cong \widehat{BC}$ .




If  $\widehat{\text{mBC}} = 152^{\circ}$ , determine and state m $\angle D$ .

29 In the diagram below,  $\overline{GI}$  is parallel to  $\overline{NT}$ , and  $\overline{IN}$  intersects  $\overline{GT}$  at A.




Prove:  $\triangle GIA \sim \triangle TNA$ 

30 In the diagram below of isosceles triangle  $\overrightarrow{ABC}$ ,  $\overrightarrow{AB} \cong \overrightarrow{CB}$  and angle bisectors  $\overrightarrow{AD}$ ,  $\overrightarrow{BF}$ , and  $\overrightarrow{CE}$  are drawn and intersect at X.




If  $m\angle BAC = 50^{\circ}$ , find  $m\angle AXC$ .

31 In square GEOM, the coordinates of G are (2,-2) and the coordinates of O are (-4,2). Determine and state the coordinates of vertices E and M. [The use of the set of axes below is optional.]




## Geometry CCSS Regents Exam 0117 <a href="https://www.jmap.org">www.jmap.org</a>

32 Triangle *QRS* is graphed on the set of axes below.



On the same set of axes, graph and label  $\triangle Q'R'S'$ , the image of  $\triangle QRS$  after a dilation with a scale factor of  $\frac{3}{2}$  centered at the origin. Use slopes to explain why  $Q'R'\parallel QR$ .

33 Using a compass and straightedge, construct a regular hexagon inscribed in circle *O* below. Label it *ABCDEF*. [Leave all construction marks.]




If chords  $\overline{FB}$  and  $\overline{FC}$  are drawn, which type of triangle, according to its angles, would  $\triangle FBC$  be? Explain your answer.

34 A candle maker uses a mold to make candles like the one shown below.



The height of the candle is 13 cm and the circumference of the candle at its widest measure is 31.416 cm. Use modeling to approximate how much wax, to the *nearest cubic centimeter*, is needed to make this candle. Justify your answer.

35 In quadrilateral ABCD,  $\overline{AB} \cong \overline{CD}$ ,  $\overline{AB} \parallel \overline{CD}$ , and  $\overline{BF}$  and  $\overline{DE}$  are perpendicular to diagonal  $\overline{AC}$  at points F and E.



Prove:  $\overline{AE} \cong \overline{CF}$ 

36 New streetlights will be installed along a section of the highway. The posts for the streetlights will be 7.5 m tall and made of aluminum. The city can choose to buy the posts shaped like cylinders or the posts shaped like rectangular prisms. The cylindrical posts have a hollow core, with aluminum 2.5 cm thick, and an outer diameter of 53.4 cm. The rectangular-prism posts have a hollow core, with aluminum 2.5 cm thick, and a square base that measures 40 cm on each side. The density of aluminum is \$2.7 g/cm3, and the cost of aluminum is \$0.38 per kilogram. If all posts must be the same shape, which post design will cost the town less? How much money will be saved per streetlight post with the less expensive design?

#### 0117geo

#### **Answer Section**

1 ANS: 3 
$$y = mx + b$$

$$2 = \frac{1}{2}(-2) + b$$

$$3 = b$$

PTS: 2 REF: 011701geo NAT: G.GPE.B.5 TOP: Parallel and Perpendicular Lines

KEY: write equation of parallel line

2 ANS: 2 PTS: 2 REF: 011702geo NAT: G.SRT.A.2

TOP: Compositions of Transformations KEY: basic

3 ANS: 1 PTS: 2 REF: 011703geo NAT: G.SRT.B.5

TOP: Triangle Congruency

4 ANS: 4 PTS: 2 REF: 011704geo NAT: G.CO.C.10

TOP: Midsegments

5 ANS: 4 PTS: 2 REF: 011705geo NAT: G.CO.C.11

TOP: Special Quadrilaterals

6 ANS: 4 PTS: 2 REF: 011706geo NAT: G.CO.A.2

TOP: Identifying Transformations KEY: basic

7 ANS: 2

$$\tan\theta = \frac{2.4}{x}$$

$$\frac{3}{7} = \frac{2.4}{x}$$

$$x = 5.6$$

PTS: 2 REF: 011707geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side

8 ANS: 1

$$\frac{64}{4} = 16 \quad 16^2 = 256 \quad 2w + 2(w+2) = 64 \quad 15 \times 17 = 255 \quad 2w + 2(w+4) = 64 \quad 14 \times 18 = 252 \quad 2w + 2(w+6) = 64$$

$$w = 15 \qquad \qquad w = 14 \qquad \qquad w = 13$$

 $13 \times 19 = 247$ 

PTS: 2 REF: 011708geo NAT: G.MG.A.3 TOP: Area of Polygons

9 ANS: 2

$$6 + 6\sqrt{3} + 6 + 6\sqrt{3} \approx 32.8$$

PTS: 2 REF: 011709geo NAT: G.SRT.C.8 TOP: 30-60-90 Triangles

10 ANS: 3 PTS: 2 REF: 011710geo NAT: G.CO.A.5

TOP: Compositions of Transformations KEY: identify

$$4 \times 4 \times 6 - \pi(1)^2(6) \approx 77$$

REF: 011711geo NAT: G.GMD.A.3 TOP: Volume

**KEY**: compositions

12 ANS: 3

$$\cos 40 = \frac{14}{x}$$

$$x \approx 18$$

PTS: 2

REF: 011712geo NAT: G.SRT.C.8 TOP: Using Trigonometry to Find a Side

13 ANS: 1

 $B: (4-3,3-4) \to (1,-1) \to (2,-2) \to (2+3,-2+4)$ 

$$C: (2-3,1-4) \to (-1,-3) \to (-2,-6) \to (-2+3,-6+4)$$

PTS: 2

REF: 011713geo NAT: G.SRT.A.1

TOP: Line Dilations

14 ANS: 3

PTS: 2

REF: 011714geo

NAT: G.SRT.C.6

TOP: Trigonometric Ratios

15 ANS: 2

$$8(x+8) = 6(x+18)$$

$$8x + 64 = 6x + 108$$

$$2x = 44$$

$$x = 22$$

PTS: 2

REF: 011715geo

NAT: G.C.A.2

TOP: Chords, Secants and Tangents

KEY: secants drawn from common point, length

16 ANS: 1

PTS: 2

REF: 011716geo

NAT: G.CO.C.11

TOP: Special Quadrilaterals

17 ANS: 4

$$\frac{360^{\circ}}{10} = 36^{\circ} \ 252^{\circ} \text{ is a multiple of } 36^{\circ}$$

PTS: 2

REF: 011717geo NAT: G.CO.A.3

TOP: Mapping a Polygon onto Itself

18 ANS: 1

$$x^2 + y^2 - 6y + 9 = -1 + 9$$

$$x^2 + (y-3)^2 = 8$$

PTS: 2

REF: 011718geo NAT: G.GPE.A.1 TOP: Equations of Circles

KEY: completing the square

19 ANS: 3

 $\frac{7-1}{0-2} = \frac{6}{-2} = -3$  The diagonals of a rhombus are perpendicular.

PTS: 2

REF: 011719geo NAT: G.GPE.B.4 TOP: Quadrilaterals in the Coordinate Plane

$$3 + \frac{2}{5}(8 - 3) = 3 + \frac{2}{5}(5) = 3 + 2 = 5$$
  $5 + \frac{2}{5}(-5 - 5) = 5 + \frac{2}{5}(-10) = 5 - 4 = 1$ 

PTS: 2

REF: 011720geo

NAT: G.GPE.B.6

TOP: Directed Line Segments

21 ANS: 4

$$\frac{300}{360} \cdot 8^2 \pi = \frac{160\pi}{3}$$

PTS: 2

REF: 011721geo NAT: G.C.B.5

TOP: Sectors

22 ANS: 3

$$\sqrt{(-5)^2 + 12^2} = \sqrt{169} \sqrt{11^2 + (2\sqrt{12})^2} = \sqrt{121 + 48} = \sqrt{169}$$

PTS: 2

REF: 011722geo

NAT: G.GPE.B.4

TOP: Circles in the Coordinate Plane

23 ANS: 4

PTS: 2

REF: 011723geo

NAT: G.GMD.B.4

TOP: Cross-Sections of Three-Dimensional Objects

24 ANS: 1

$$V = \frac{1}{3} \pi \left(\frac{1.5}{2}\right)^2 \left(\frac{4}{2}\right) \approx 1.2$$


PTS: 2

REF: 011724geo

NAT: G.GMD.A.3 TOP: Volume

KEY: cones

25 ANS:



PTS: 2

REF: 011725geo

NAT: G.CO.D.12

**TOP:** Constructions

KEY: line bisector

26 ANS:

$$T_{0,-2} \circ r_{y-axis}$$

PTS: 2

REF: 011726geo

NAT: G.CO.A.5

**TOP:** Compositions of Transformations

KEY: identify

27 ANS:

Yes, because 28° and 62° angles are complementary. The sine of an angle equals the cosine of its complement.

PTS: 2

REF: 011727geo NAT: G.SRT.C.7

**TOP:** Cofunctions

$$\frac{152 - 56}{2} = 48$$

PTS: 2

REF: 011728geo NAT: G.C.A.2

TOP: Chords, Secants and Tangents

KEY: secant and tangent drawn from common point, angle

29 ANS:

 $\overline{GI}$  is parallel to  $\overline{NT}$ , and  $\overline{IN}$  intersects at A (given);  $\angle I \cong \angle N$ ,  $\angle G \cong \angle T$  (paralleling lines cut by a transversal form congruent alternate interior angles);  $\triangle GIA \sim \triangle TNA$  (AA).

PTS: 2

REF: 011729geo

NAT: G.SRT.A.3

**TOP:** Similarity Proofs

30 ANS:

$$180 - 2(25) = 130$$


PTS: 2

REF: 011730geo

NAT: G.SRT.B.5

TOP: Isosceles Triangle Theorem

31 ANS:



PTS: 2


REF: 011731geo

NAT: G.GPE.B.4

TOP: Quadrilaterals in the Coordinate Plane

KEY: grids

32 ANS:



A dilation preserves slope, so the slopes of  $\overline{QR}$  and  $\overline{Q'R'}$  are equal. Because the slopes

are equal,  $Q'R' \parallel QR$ .


PTS: 4

REF: 011732geo

NAT: G.SRT.A.2

TOP: Dilations

KEY: grids



Right triangle because  $\angle CBF$  is inscribed in a semi-circle.

PTS: 4

REF: 011733geo

NAT: G.CO.D.13

**TOP:** Constructions

34 ANS:

$$C = 2\pi r \ V = \frac{1}{3} \pi \cdot 5^2 \cdot 13 \approx 340$$

 $31.416 = 2\pi r$ 

 $5 \approx r$ 

PTS: 4

REF: 011734geo

NAT: G.GMD.A.3 TOP: Volume

KEY: cones

35 ANS:

Quadrilateral ABCD,  $\overline{AB} \cong \overline{CD}$ ,  $\overline{AB} \parallel \overline{CD}$ , and  $\overline{BF}$  and  $\overline{DE}$  are perpendicular to diagonal  $\overline{AC}$  at points F and E(given).  $\angle AED$  and  $\angle CFB$  are right angles (perpendicular lines form right angles).  $\angle AED \cong \angle CFB$  (All right angles are congruent). ABCD is a parallelogram (A quadrilateral with one pair of sides congruent and parallel is a parallelogram).  $AD \parallel BC$  (Opposite sides of a parallelogram are parallel).  $\angle DAE \cong \angle BCF$  (Parallel lines cut by a transversal form congruent alternate interior angles).  $DA \cong BC$  (Opposite sides of a parallelogram are congruent).  $\triangle ADE \cong \triangle CBF$  (AAS).  $AE \cong CF$  (CPCTC).

PTS: 6

REF: 011735geo

NAT: G.SRT.B.5

TOP: Quadrilateral Proofs

36 ANS:

C: 
$$V = \pi (26.7)^2 (750) - \pi (24.2)^2 (750) = 95,437.5\pi$$

95,437.5
$$\pi$$
 cm<sup>3</sup>  $\left(\frac{2.7 \text{ g}}{\text{cm}^3}\right) \left(\frac{1 \text{ kg}}{1000 \text{ g}}\right) \left(\frac{\$0.38}{\text{kg}}\right) = \$307.62$ 

P: 
$$V = 40^2(750) - 35^2(750) = 281,250$$

$$$307.62 - 288.56 = $19.06$$

281,250 cm<sup>3</sup> 
$$\left(\frac{2.7 \text{ g}}{\text{cm}^3}\right) \left(\frac{1 \text{ kg}}{1000 \text{ g}}\right) \left(\frac{\$0.38}{\text{kg}}\right) = \$288.56$$

PTS: 6

REF: 011736geo

NAT: G.MG.A.2

TOP: Density