The University of the State of New York

REGENTS HIGH SCHOOL EXAMINATION

NINTH YEAR MATHEMATICS

Monday, June 15, 1987-9:15 a.m. to 12:15 p.m., only

The last page of the booklet is the answer sheet. Fold the last page along the perforations and, slowly and carefully, tear off the answer sheet. Then fill in the heading of your answer sheet.

On page 5 you will find the "Tables of Natural Trigonometric Functions" which you may need to answer some questions in this examination. Fold this page along the perforations, and tear it off also slowly and carefully.

When you have completed the examination, you must sign the statement printed at the end of the answer paper, indicating that you had no unlawful knowledge of the questions or answers prior to the examination and that you have neither given nor received assistance in answering any of the questions during the examination. Your answer paper cannot be accepted if you fail to sign this declaration.

DO NOT OPEN THIS EXAMINATION BOOKLET UNTIL THE SIGNAL IS GIVEN

Answer all questions in this part. Each correct answer will receive 2 credits. No partial credit will be allowed. Write your answers in the spaces provided on the separate answer sheet. [60]

- 1 Solve for x: 5x + 5 2x = 29
- 2 Find the value of |-8| |-8|.
- 3 If twice a number is added to the number, the result is 60. What is the number?
- 4 Find the value of $3a^2$ if a = 2.
- 5 Solve for t: 7(t-5) = t + 13
- 6 If $\sin A = 0.6023$, find the measure of angle A to the *nearest degree*.
- 7 Solve for *P*: $\frac{3}{4} = \frac{P + 2}{12}$
- 8 Factor: $x^2 3x 28$
- 9 Solve the following system of equations for x:

$$2x + y = 4$$
$$x - y = 2$$

- 10 A person 6 feet tall casts a shadow 8 feet long. At the same time, a tree casts a shadow 56 feet long. Find the height, in feet, of the tree.
- $11\ \mbox{If }60\%$ of a number is 30, find the number.
- 12 Find the value of $\sqrt{41}$ to the *nearest tenth*.
- 13 What is the result of dividing $(18x^3 + 12x^2 + 6x)$ by 6x?
- 14 The point whose coordinates are (4,k) lies on the line whose equation is 3x + y = 10. Find the value of k.

- 15 From $5x^2 2x + 1$ subtract $3x^2 4x + 2$.
- 16 Find the area of a square whose perimeter is 32.

Directions (17–30): Write in the space provided on the separate answer sheet the numeral preceding the expression that best completes each statement or answers each question.

- 17 A fraction whose denominator is 5 more than its numerator is
 - (1) $\frac{n}{5}$

- $(3) \ \frac{n}{n+5}$
- $(2) \ \frac{n+5}{n}$
- $(4) \ \frac{n}{5n}$
- 18 The product of $3x^2$ and $2x^3$ is
 - (1) $5x^5$
- (3) $6x^5$
- (2) $5x^6$
- (4) $6x^6$
- 19 If s = 2c + m, then c is equal to
 - $(1) \ \frac{s + m}{2}$
- (3) 2s m
- $(2) \ \frac{s m}{2}$
- (4) s m 2
- 20 Which is a member of the solution set of 2x 5 < 7?
 - 2x 5 (1) 5
- (3) 7

(2) 6

- (4) 8
- 21 Which does not have a multiplicative inverse?
 - (1) 1

(3) -1

(2) 0

 $(4) \frac{1}{2}$

- 22 The sum of $\sqrt{12}$ and $5\sqrt{3}$ is
 - (1) $10\sqrt{3}$
- (3) $7\sqrt{3}$
- (2) $7\sqrt{6}$
- (4) 360
- 23 Which is a rational number?
 - (1) π

(3) $3\sqrt{8}$

(2) $\sqrt{2}$

- $(4) \frac{1}{2}$
- 24 What is the y-intercept of the line whose equation is 2x + y = 6?
 - (1) 1

(2) 2


- (3) -2 (4) 6
- 25 The expression $\frac{x^7}{x^5}$ is equivalent to
 - (1) x^2

(3) x^{12}

- (4) 12x
- 26 If the width of a rectangle is doubled and its length remains the same, the new area is
 - (1) the same as the original area
 - (2) two times the original area
 - (3) one-half the original area
 - (4) four times the original area

- 27 The length of one leg of a right triangle is 3 and the length of the other leg is 5. What is the length of the hypotenuse?
 - (1) 34

- (3) 8
- (2) $\sqrt{34}$
- (4) 4
- 28 The expression $(y 2)^2$ is equivalent to
- (1) $y^2 4$ (2) $y^2 + 4y + 4$ (4) $y^2 4y + 4$
- 29 What is the solution set of $x^2 = 49$?
 - (1) {7}
- $(2) \{-7\}$
- (4) $\{7,-7\}$
- 30 The accompanying graph represents the solution set of which open sentence?



- $\begin{array}{ll}
 (1) & -3 \le x \le 2 \\
 (2) & -3 < x \le 2
 \end{array}$
- $\begin{array}{ccc} (3) & -3 \le x < 2 \\ (4) & -3 < x < 2 \end{array}$

GO RIGHT ON TO THE NEXT PAGE.

Answers to the following questions are to be written on paper provided by the school.

Part II

Answer four questions from this part. Show all work unless otherwise directed. [40]

31 Answer a or b, but not both.

a Solve graphically and check:

$$y = 2x - 6 3x + 2y = 2$$
 [8,2]

b Graph the following system of inequalities and label the solution set A:

$$\begin{array}{l}
 y \le x - 4 \\
 y > -2x + 3
 \end{array}
 [8,2]$$

32 The replacement set for x for the open sentences below is $\{-3,-2,-1,0,1,2,3\}$. On your answer paper, write the letters a through e, and next to each letter, write the solution set of the open sentence. [Each answer must be a subset of the replacement set.] [10]

$$a 2x^2 = 8$$
$$b x^2 = x$$

$$c |x| = 3$$

$$d \ 3x > x + 3$$

$$e \sqrt{x} = 2$$

33 Write an equation or a system of equations that can be used to solve each of the following problems. In *each* case, state what the variable or variables represent. [Solution of the equations is not required.]

a Mr. Shaw invested \$12,000 in two accounts. Part of the money was invested in a moneymarket account yielding $8\frac{1}{2}\%$ and the other part in stocks yielding 18%. If the total annual income from both investments is \$1,210, find the number of dollars invested at each rate. [5]

b Carrie can inspect a case of watches in 3 hours. James can inspect a case of watches in 4 hours. How long would it take to inspect a case of watches if they worked together? [5]

34 Answer both a and b.

a Express the indicated product in simplest form:

$$\frac{x+2}{3x+3} \cdot \frac{x^2+5x+4}{2x+4}$$
 [5]

b Solve for d and check:


$$\frac{2d}{3} - \frac{d}{2} = -2 \qquad [4,1]$$

35 The number of inches in the lengths of the legs of a right triangle are two consecutive even integers. If the number of inches in the length of the hypotenuse is 10, find the number of inches in the length of each leg. [Only an algebraic solution will be accepted.] [4,6]

36 Candy selling for \$2.50 per pound will be mixed with 30 pounds of candy selling for \$6.00 per pound. How many pounds of the less expensive candy will be used to produce a mixture that will sell for \$4.00 per pound? [Only an algebraic solution will be accepted.] [6,4]

37 Answer both a and b.

a In the accompanying diagram of right triangle ABC, the length of \overline{BC} is 70 feet and the measure of angle B is 20°. Find, to the *nearest foot*, the length of \overline{AC} . [5]



b A 20-foot ladder is leaning against the side of a house. If the foot of the ladder is 5 feet from the base of the house, find, to the nearest degree, the measure of the angle that the ladder makes with the ground. [5]

THE UNIVERSITY OF THE STATE OF NEW YORK

THE STATE EDUCATION DEPARTMENT

DIVISION OF EDUCATIONAL TESTING

Tables of Natural Trigonometric Functions (For use with 9th and 10th Year Mathematics Regents Examinations)

| | | | | | T . | 1 | T |
|---------------------------------|---|---|--|---------------------------------|--|---|--|
| Angle | Sine | Cosine | Tangent | Angle | Sine | Cosine | Tangent |
| 1° | .0175 | .9998 | .0175 | 46° | .7193 | .6947 | 1.0355 |
| 2° | .0349 | .9994 | .0349 | 47° | .7314 | .6820 | 1.0724 |
| 3° | .0523 | .9986 | .0524 | 48° | .7431 | .6691 | 1.1106 |
| 4° | .0698 | .9976 | .0699 | 49° | .7547 | .6561 | 1.1504 |
| 5° | .0872 | .9962 | .0875 | 50° | .7660 | .6428 | 1.1918 |
| 6° | .1045 | .9945 | .1051 | 51° | .7771 | .6293 | 1.2349 |
| 7° | .1219 | .9925 | .1228 | 52° | .7880 | .6157 | 1.2799 |
| 8° | .1392 | .9903 | .1405 | 53° | .7986 | .6018 | 1.3270 |
| 9° | .1564 | .9877 | .1584 | 54° | .8090 | .5878 | 1.3764 |
| 10° | .1736 | .9848 | .1763 | 55° | .8192 | .5736 | 1.4281 |
| 11° | .1908 | .9816 | .1944 | 56° | .8290 | .5592 | 1.4826 |
| 12° | .2079 | .9781 | .2126 | 57° | .8387 | .5446 | 1.5399 |
| 13° | .2250 | .9744 | .2309 | 58° | .8480 | .5299 | 1.6003 |
| 14° | .2419 | .9703 | .2493 | 59° | .8572 | .5150 | 1.6643 |
| 15° | .2588 | .9659 | .2679 | 60° | .8660 | .5000 | 1.7321 |
| 16° | .2756 | .9613 | .2867 | 61° | .8746 | .4848 | 1.8040 |
| 17° | .2924 | .9563 | .3057 | 62° | .8829 | .4695 | 1.8807 |
| 18° | .3090 | .9511 | .3249 | 63° | .8910 | .4540 | 1.9626 |
| 19° | .3256 | .9455 | .3443 | 64° | .8988 | .4384 | 2.0503 |
| 20° | .3420 | .9397 | .3640 | 65° | .9063 | .4226 | 2.1445 |
| 21° | .3584 | .9336 | .3839 | 66° | .9135 | .4067 | 2.2460 |
| 22° | .3746 | .9272 | .4040 | 67° | .9205 | .3907 | 2.3559 |
| 23° | .3907 | .9205 | .4245 | 68° | .9272 | .3746 | 2.4751 |
| 24° | .4067 | .9135 | .4452 | 69° | .9336 | .3584 | 2.6051 |
| 25° | .4226 | .9063 | .4663 | 70° | .9397 | .3420 | 2.7475 |
| 26° | .4384 | .8988 | .4877 | 71° | .9455 | .3256 | 2.9042 |
| 27° | .4540 | .8910 | .5095 | 72° | .9511 | .3090 | 3.0777 |
| 28° | .4695 | .8829 | .5317 | 73° | .9563 | .2924 | 3.2709 |
| 29° | .4848 | .8746 | .5543 | 74° | .9613 | .2756 | 3.4874 |
| 30° | .5000 | .8660 | .5774 | 75° | .9659 | .2588 | 3.7321 |
| 31° | .5150 | .8572 | .6009 | 76° | .9703 | .2419 | 4.0108 |
| 32° | .5299 | .8480 | .6249 | 77° | .9744 | .2250 | 4.3315 |
| 33° | .5446 | .8387 | .6494 | 78° | .9781 | .2079 | 4.7046 |
| 34° | .5592 | .8290 | .6745 | 79° | .9816 | .1908 | 5.1446 |
| 35° | .5736 | .8192 | .7002 | 80° | .9848 | .1736 | 5.6713 |
| 36° | .5878 | .8090 | .7265 | 81° | .9877 | .1564 | 6.3138 |
| 37° | .6018 | .7986 | .7536 | 82° | .9903 | .1392 | 7.1154 |
| 38° | .6157 | .7880 | .7813 | 83° | .9925 ' | .1219 | 8.1443 |
| 39° | .6293 | .7771 | .8098 | 84° | .9945 | .1045 | 9.5144 |
| 40° | .6428 | .7660 | .8391 | 85° | .9962 | .0872 | 11.4301 |
| 41° 42° 43° 44° 45° | .6561 .6691 .6820 .6947 .7071 | .7547 .7431 .7314 .7193 .7071 | .8693 .9004 .9325 .9657 1.0000 | 86° 87° 88° 89° 90° | .9976 .9986 .9994 .9998 1.0000 | .0698 .0523 .0349 .0175 .0000 | 14.3007 19.0811 28.6363 57.2900 |

The University of the State of New York

REGENTS HIGH SCHOOL EXAMINATION

NINTH YEAR MATHEMATICS

Monday, June 15, 1987 - 9:15 a.m. to 12:15 p.m., only

| Part I Score . | | | | | | • | | | | |
|--------------------|---|--|---|---|---|---|---|---|----------|--|
| Part IL Score | | | • | | • | | ÷ | • | <u>.</u> | |
| Total Score | | | | • | | | | | | |
| Rater's Initials | ; | | | | | | | | | |

ANSWER SHEET

| Pupil | Teacher | |
|-----------------|-------------------------------------|---------------|
| School | ••••••• | Grade |
| Your answers to | Part I should be recorded on this a | inswer sheet. |
| | Part I | |
| | Answer all questions in this part. | |
| 1 | 11 | 21 |
| 2 | 12 | 22 |
| 3 | 13 | 23 |
| 4 | 14 | 24 |
| 5 | 15 | 25 |
| 6 | 16 | 26 |
| 7 | 17 | 27 |
| 8 | 18 | 28 |
| 9 | 19 | 29 |
| 10 | 20 | 30 |

Your answers for Part II should be placed on paper provided by the school.

The declaration below should be signed when you have completed the examination.

I do hereby affirm, at the close of this examination, that I had no unlawful knowledge of the questions or answers prior to the examination, and that I have neither given nor received assistance in answering any of the questions during the examination.

| c | :. | | | 4 | |
|---|----|----|----|---|-------|
| 0 | 12 | 'n | la | u | Ľ |

FOR TEACHERS ONLY

9

(10) 42

SCORING KEY NINTH YEAR MATHEMATICS

Monday, June 15, 1987-9:15 a.m. to 12:15 p.m., only

Use only red ink or red pencil in rating Regents papers. Do not attempt to correct the pupil's work by making insertions or changes of any kind. Use checkmarks to indicate pupil errors.

Unless otherwise specified, mathematically correct variations in the answers will be allowed. Units need not be given when the wording of the questions allows such omissions.

Part I

Allow 2 credits for each correct answer; allow no partial credit. For questions 17–30, allow credit if the pupil has written the correct answer instead of the numeral 1, 2, 3, or 4.

| (1) 8 | (11) 50 | (21) 2 |
|--------------------|------------------------|--------|
| (2) 0 | (12) 6.4 | (22) 3 |
| (3) 20 | $(13) \ 3x^2 + 2x + 1$ | (23) 4 |
| (4) 12 | (14) -2 | (24) 4 |
| (5) 8 | $(15) 2x^2 + 2x - 1$ | (25) 1 |
| (6) 37 | (16) 64 | (26) 2 |
| (7) 7 | (17) 3 | (27) 2 |
| (8) (x + 4)(x - 7) | (18) 3 | (28) 3 |
| (9) 2 | (19) 2 | (29) 4 |

 $(20)\ 1$

(30) 2

Part II

Please refer to the Department's pamphlet Guide for Rating Regents Examinations in Mathematics. Care should be exercised in making deductions as to whether the error is purely a mechanical one or due to a violation of some principle. A mechanical error generally should receive a deduction of 10 percent, while an error due to a violation of some cardinal principle should receive a deduction ranging from 30 percent to 50 percent, depending on the relative importance of the principle in the solution of the problem.

(33)
$$a \ x = \text{amount invested at } 8\frac{1}{2}\%$$

 $.085x + .18(12000 - x) = 1210 \ [5]$ (37) $a \ 25$ [5]
 $b \ x = \text{hours to inspect watches}$ together

$$\frac{x}{3} + \frac{x}{4} = 1 \qquad [5]$$

(34)
$$a \frac{x+4}{6}$$
 [5] $b -12$ [4] Check [1]

As a reminder . . .

Regents examinations based on the Ninth Year Mathematics syllabus will not be offered after January 1988.