### The University of the State of New York

317TH HIGH SCHOOL EXAMINATION

#### TENTH YEAR MATHEMATICS

Tuesday, January 20, 1953 — 9.15 a. m. to 12.15 p. m., only

#### Instructions

Part I is to be done first and the maximum time allowed for it is one and one half hours. At the end of that time, this part of the examination must be detached and will be collected by the teacher. If you finish part I before the signal to stop is given, you may begin part II.


Write at top of first page of answer paper to parts II and III (a) name of school where you have studied, (b) number of weeks and recitations a week in tenth year mathematics, (c) author of textbook used.

The minimum time requirement is four or five recitations a week for a school year.

### Part II

### Answer three questions from part II.


- 26 Prove that if two sides of a triangle are equal, the angles opposite these sides are equal. [10]
- 27 Tangents drawn to a circle at points A and B intersect at point P. Prove that the line from P to the center of the circle passes through the mid-point of minor arc AB. [10]
- 28 Prove that the area of a triangle is equal to one half the product of a side and the altitude drawn to that side. [10]
- 29 In the accompanying figure circles O and O' intersect at points R and S. Secants from point P through R and S intersect the circles at points A and B, and C and D respectively. Chords AC, RS and BD are drawn.
  - a If the number of degrees in arc RBD is represented by 2x, express in terms of x the number of degrees in  $\angle DSR$ ,  $\angle DBR$ ,  $\angle RSC$  and  $\angle CAR$ . [4]
  - b Prove that PA : PB = PC : PD. [6]



30 In the accompanying figure a, b and c represent the sides of triangle ABC; x and y represent the segments made by the altitude h on side AB; also x:h=h:y.

Explain why each of the following statements is true:

- (1)  $a^2 = h^2 + x^2$  and  $b^2 = h^2 + y^2$  [2]
- (2)  $a^2 + b^2 = x^2 + 2h^2 + y^2$  [2]
- (3)  $a^2 + b^2 = x^2 + 2xy + y^2$  [2]
- (4)  $a^2 + b^2 = c^2$  [2]
- (5) ABC is a right triangle. [2]



[1]

#### TENTH YEAR MATHEMATICS

#### Part III

#### Answer two questions from part III.

- 31 a If R represents the radius of the circle circumscribed about a regular pentagon, show that its apothem is equal to R cos 36° and its perimeter is equal to 10 R sin 36°. [2, 2]
  - b Find to the nearest integer the apothem and the perimeter of the pentagon when R = 5. [2, 2]
  - c Using the results found in answer to b, find the area of the pentagon. [2]
- 32 The vertices of a triangle are A (4, 1), B (10, 1) and C (8, 7).
  - a Write the equation of the locus of points equidistant from A and B. [2]
  - b Write the equation of the line through C parallel to AB. [2]
  - c Write the coordinates of the point of intersection of the lines in a and b. [2]
  - d Find the coordinates of the mid-point of AC and the distance from this point to B. [2, 2]
- 33 a Prove that the quadrilateral whose vertices are A(4,2), B(7,6), C(10,2) and D(7,-2) is equilateral and hence is a rhombus. [6]
  - b Find the area of the rhombus. [2]
  - c Find the altitude of the rhombus. [2]
- 34 a The perimeter of a rectangle is p and its base is b.
  - (1) Express its altitude in terms of p and b. [2]
    - (2) Express its area in terms of p and b. [1]
  - (3) Tell whether the following statement is *true* or *false*: All rectangles which have equal perimeters have equal areas. [1]
  - b The bases of a trapezoid are b and b' and its altitude is h.
    - (1) Express its area in terms of b, b' and h.
    - (2) If b is increased by an amount x and b' is decreased by the same amount, is the area of the trapezoid increased, is it decreased or does it remain the same? [1]
    - (3) If b and b' remain the same but h is increased by an amount x, show that the area is increased by  $\frac{x(b+b')}{2}$  [4]
- \*35 Given line AB which passes through the points (-2, 4) and (6, 8).
  - a Find the slope of line AB. [4]
  - b Tell whether each of the following is true or false:
    - (1) Line AB passes through the point (0, 5). [2]
    - (2) The tangent of the acute angle which the line AB makes with the x-axis is equal to  $\frac{1}{2}$ . [2]
    - (3) The equation of the line through the origin and parallel to AB is x 2y = 0. [2]
- \* This question is based upon one of the optional topics in the syllabus.

# TENTH YEAR MATHEMATICS Fill in the following lines:

Name of pupil	Name of school	
Answer all question	Part I s in part I. Each correct answer will receive 2 credits.	No partial credit will be
allowed.		-
radical form.	l of a square whose side is 5. [Answer may be left in	1
2 Find the area of may be left in radical f	f an equilateral triangle whose side is 4. [Answer orm.]	2
	of a right triangle is twice the shorter leg. Find in the smallest angle of the triangle.	3
4 Find the circumf	erence of a circle whose radius is $3\frac{1}{2}$ . [Use $\pi = \frac{2}{7}$ .]	4
	lar hexagon inscribed in a circle is 5. Find the area may be left in terms of $\pi$ .]	5
	complementary and one is 20° larger than the other. grees in the smaller angle.	6
7 Angles $A$ and $B$ the number of degrees	of parallelogram $ABCD$ are in the ratio 4:5. Find in angle $A$ .	7
8 Find the number of 10 sides.	of degrees in each exterior angle of a regular polygon	8
	BCD is inscribed in a circle and its diagonals intersect 0° and arc $CD=60$ °, find the number of degrees in	9
	, D is a point on AB, E is a point on AC, and line DE B, $AC = 12$ , $DB = 3$ and $EC = 4$ , is DE parallel or no.]	10
11 The altitude on segments of the hypotenus	the hypotenuse of a right triangle is 4 and one of the enuse made by the altitude is 2. Find the other sege.	11
	o similar triangles are in the ratio 9:25. If an altiriangle is 4, find the corresponding altitude of the	12
13 The end points of Find the coordinates of	of the line segment $AB$ are $A$ (—3, 5) and $B$ (7, 3). If the mid-point of $AB$ .	13
14 The number of represented by $2x$ , $x$ there in the largest an	degrees in angles $A$ , $B$ and $C$ of triangle $ABC$ are $+$ 30 and $3x$ respectively. How many degrees are gle?	14
	[3]	[OVER]

## TENTH YEAR MATHEMATICS

15 In acute triangle $DEF$ , $DE = 10$ and angle $D = 42^{\circ}$ . Find to the nearest tenth the length of the altitude drawn to side $DF$ .	15
Directions (16-19) — In the case of each of the following, if the state write the word <i>true</i> on the line at the right; if it is <i>not always</i> true, write the word true on the line at the right;	nent is always true, prord false.
16 The bisectors of two supplementary adjacent angles are perpendicular to each other.	16
17 If two circles whose centers are $O$ and $O'$ intersect at points $A$ and $B$ , chord $AB$ is the perpendicular bisector of line segment $OO'$ .	17
18 The bisector of an angle of a triangle bisects the side opposite this angle.	18
19 Two isosceles triangles are similar if they have any angle of one equal to the corresponding angle of the other.	19
Directions (20–23) — Indicate the correct completion for each of the the letter $a$ , $b$ or $c$ on the line at the right.	following by writing
20 A converse of a proposition is $(a)$ always true $(b)$ sometimes $(c)$ never true	s true 20
21 The locus of the centers of circles tangent to a given line at a given point that line is a $(a)$ point $(b)$ straight line $(c)$ circle  22 Tangent $PA$ and secant $PBC$ are drawn to a circle from external point $(b)$ $PAB$ and $AC$ are drawn, triangle $(a)$ $PAB$ is similar to triangle $(b)$ $PAC$ is similar to triangle $ABC$ $(c)$ $PAB$ is similar to triangle $ABC$ 23 Two chords intersect within a circle. The segments of one chord are 5 a and the segments of the other chord are $x$ and $x + 4$ . An equation that can be	21 int <i>P</i> . <i>PAC</i> <i>C</i> 22
to find x is (a) $2x + 4 = 17$ (b) $x^2 + 4x = 60$ (c) $\frac{x}{x+4} = \frac{5}{12}$	23
24 The accompanying figure shows the usual method of constructing an angle equal to a given angle. Which <i>two</i> of the following statements are used to prove that angle A' is equal to angle A?	A'
(1) Two triangles are congruent if two sides and the included angle of one are equal respectively to two sides and the included angle of the other.	
(2) Two triangles are congruent if the three sides of one are equal respectively to the three sides of the other.	24
(3) Corresponding parts of congruent triangles are equal.	24
25 Given parallel lines $r$ and $s$ . Construct a line parallel to $r$ and $s$ and midway between them. [Leave all construction lines on your paper.]	