Algebra II Practice A.REI.A.2: Solving Radicals 2 www.jmap.org

NAME:

Solve:

1.
$$\sqrt{x-7} + \sqrt{x} = -3$$
 [A] 256 [B] no solution [C] 8 [D] $\frac{64}{9}$

2.
$$\sqrt{x+4} + \sqrt{x} = 5$$
 [A] $\frac{21}{2}$ [B] no solution [C] $\frac{441}{100}$ [D] 441

$$3. \quad \sqrt{x+7} + \sqrt{x} = 3$$

$$4. \quad \sqrt{x-10} + \sqrt{x} = 4$$

- 5. Use a graphing calculator to graph $s = \sqrt{15d}$. For approximately what value of *d* will *s* have a value of 25?
- 6. A certain gas will escape from a storage tank according to the formula $e = 160\sqrt{p}$, where *e* represents the amount escaping per minute in gallons, and *p* represents the pressure in pounds per square inch. What is the pressure on the gas when about 200 gallons per minute are escaping? Round your answer to the nearest tenth.

[A] 1.3 lb/in.² [B] 19.0 lb/in.² [C] 1.6 lb/in.² [D] 0.8 lb/in.²

Algebra II Practice A.REI.A.2: Solving Radicals 2 www.jmap.org

NAME:

- 7. A certain gas will escape from a storage tank according to the formula $e = 160\sqrt{p}$, where *e* represents the amount escaping per minute in gallons, and *p* represents the pressure in pounds per square inch. What is the pressure on the gas when about 525 gallons per minute are escaping? Round your answer to the nearest tenth.
 - [A] 10.8 lb/in.² [B] 3.3 lb/in.² [C] 0.3 lb/in.² [D] 26.2 lb/in.²
- 8. The sales of a certain product after an initial release can be found by the equation $s = 16\sqrt{2t} + 56$, where *s* represents the total sales and *t* represents the time in weeks after release. How many weeks will pass before the product sells about 225 units? Round your answer to the nearest week.
- 9. The sales of a certain product after an initial release can be found by the equation $s = 15\sqrt{6t} + 55$, where *s* represents the total sales and *t* represents the time in weeks after release. How many weeks will pass before the product sells about 275 units? Round your answer to the nearest week.
- 10. This table gives the price of some TVs according to the length of their diagonals.

Use the formula $d = \sqrt{2A}$ to find the area of each television screen in the table. Which model has the lowest price per square inch of area?

Model Number	Length of Diagonal	Price
4CR - 12	12 inches	\$350
4CR - 14	14 inches	\$420
4CR - 20	20 inches	\$480
4CE - 25	25 inches	\$600

Algebra II Practice A.REI.A.2: Solving Radicals 2 www.jmap.org

- [1] B
- [2] C
- $[3] \quad \frac{1}{9}$
 - 169
- [4] 16
- [5] Answers may vary. Sample: about 42
- [6] C
- [7] A
- [8] 56 weeks
- [9] 36 weeks

[10] areas: 72 in.², 98 in.², 200 in.², 312.5 in.²; lowest price per area: 25 inch TV.