

Calculus Practice 2.1C3: Differentiating Sums and Differences of Functions 1a

For each problem, you are given a table with some values of differentiable functions $f(x)$, $g(x)$ and their derivatives. Use the table data and the rules of differentiation to solve each problem.

x	$f(x)$	$f'(x)$	$g(x)$	$g'(x)$
1	3	-2	2	-1
2	1	0	1	$\frac{1}{2}$
3	3	2	3	2

A) $h_1'(1) = -3$ B) $h_1'(1) = -6$
 C) $h_1'(1) = -1$ D) $h_1'(1) = -2$
 $h_2'(2) = -\frac{1}{2}$ $h_2'(2) = -\frac{7}{2}$

Part 1) Given $h_1(x) = f(x) + g(x)$, find $h_1'(1)$
 Part 2) Given $h_2(x) = f(x) - g(x)$, find $h_2'(2)$

x	$f(x)$	$f'(x)$	$g(x)$	$g'(x)$
1	2	-1	1	1
2	1	0	2	1
3	2	1	3	1

A) $h_1'(1) = 1$ B) $h_1'(1) = -2$
 $h_2'(1) = -4$ $h_2'(1) = -4$

Part 1) Given $h_1(x) = f(x) + g(x)$, find $h_1'(1)$
 Part 2) Given $h_2(x) = f(x) - g(x)$, find $h_2'(1)$

C) $h_1'(1) = 2$ D) $h_1'(1) = 0$
 $h_2'(1) = -2$ $h_2'(1) = -2$

x	$f(x)$	$f'(x)$	$g(x)$	$g'(x)$
1	3	-1	2	-1
2	2	-1	1	$\frac{1}{2}$
3	1	-1	3	2

A) $h_1'(3) = 3$ B) $h_1'(3) = -1$
 $h_2'(2) = -\frac{7}{2}$ $h_2'(2) = \frac{1}{2}$

Part 1) Given $h_1(x) = f(x) + g(x)$, find $h_1'(3)$
 Part 2) Given $h_2(x) = f(x) - g(x)$, find $h_2'(2)$

C) $h_1'(3) = 1$ D) $h_1'(3) = 1$
 $h_2'(2) = \frac{1}{2}$ $h_2'(2) = -\frac{3}{2}$

x	$f(x)$	$f'(x)$	$g(x)$	$g'(x)$
1	3	-1	2	-1
2	2	-1	1	$\frac{1}{2}$
3	1	-1	3	2

A) $h_1'(2) = -\frac{5}{2}$ B) $h_1'(2) = \frac{1}{2}$
 $h_2'(3) = 0$ $h_2'(3) = -4$

Part 1) Given $h_1(x) = f(x) + g(x)$, find $h_1'(2)$
 Part 2) Given $h_2(x) = f(x) - g(x)$, find $h_2'(3)$

C) $h_1'(2) = -\frac{5}{2}$ D) $h_1'(2) = -\frac{1}{2}$
 $h_2'(3) = -6$ $h_2'(3) = -3$

x	$f(x)$	$f'(x)$	$g(x)$	$g'(x)$
1	2	1	3	-1
2	3	$-\frac{1}{2}$	2	-1
3	1	-2	1	-1

A) $h_1'(3) = -5$ B) $h_1'(3) = -6$
 $h_2'(1) = 1$ $h_2'(1) = 1$

C) $h_1'(3) = -3$ D) $h_1'(3) = -6$
 $h_2'(1) = 2$ $h_2'(1) = -1$

x	$f(x)$	$f'(x)$	$g(x)$	$g'(x)$
1	2	-1	3	-1
2	1	$\frac{1}{2}$	2	-1
3	3	2	1	-1

A) $h_1'(2) = -\frac{5}{2}$ B) $h_1'(2) = \frac{5}{2}$
 $h_2'(3) = 3$ $h_2'(3) = 2$

C) $h_1'(2) = -\frac{1}{2}$ D) $h_1'(2) = \frac{1}{2}$
 $h_2'(3) = 3$ $h_2'(3) = 5$

x	$f(x)$	$f'(x)$	$g(x)$	$g'(x)$
1	2	1	1	2
2	3	$-\frac{1}{2}$	3	0
3	1	-2	1	-2

A) $h_1'(2) = \frac{3}{2}$ B) $h_1'(2) = -\frac{7}{2}$
 $h_2'(3) = 2$ $h_2'(3) = 2$

C) $h_1'(2) = -\frac{7}{2}$ D) $h_1'(2) = -\frac{1}{2}$
 $h_2'(3) = 0$ $h_2'(3) = 0$

x	$f(x)$	$f'(x)$	$g(x)$	$g'(x)$
1	1	1	2	1
2	2	1	3	0
3	3	1	2	-1

A) $h_1'(3) = 0$ B) $h_1'(3) = 2$
 $h_2'(1) = 0$ $h_2'(1) = 3$

C) $h_1'(3) = -3$ D) $h_1'(3) = -3$
 $h_2'(1) = 0$ $h_2'(1) = 2$

x	$f(x)$	$f'(x)$	$g(x)$	$g'(x)$
1	3	-1	2	1
2	2	-1	3	0
3	1	-1	2	-1

A) $h_1'(2) = -1$ B) $h_1'(2) = -1$
 $h_2'(1) = -2$ $h_2'(1) = -1$

C) $h_1'(2) = 2$ D) $h_1'(2) = 1$
 $h_2'(1) = -5$ $h_2'(1) = -3$

Part 1) Given $h_1(x) = f(x) + g(x)$, find $h_1'(3)$

Part 2) Given $h_2(x) = f(x) - g(x)$, find $h_2'(1)$

Part 1) Given $h_1(x) = f(x) + g(x)$, find $h_1'(2)$

Part 2) Given $h_2(x) = f(x) - g(x)$, find $h_2'(3)$

Part 1) Given $h_1(x) = f(x) + g(x)$, find $h_1'(2)$

Part 2) Given $h_2(x) = f(x) - g(x)$, find $h_2'(3)$

Part 1) Given $h_1(x) = f(x) + g(x)$, find $h_1'(3)$

Part 2) Given $h_2(x) = f(x) - g(x)$, find $h_2'(1)$

C) $h_1'(3) = -3$ D) $h_1'(3) = -3$
 $h_2'(1) = 0$ $h_2'(1) = 2$

Part 1) Given $h_1(x) = f(x) + g(x)$, find $h_1'(2)$

Part 2) Given $h_2(x) = f(x) - g(x)$, find $h_2'(1)$

C) $h_1'(2) = 2$ D) $h_1'(2) = 1$
 $h_2'(1) = -5$ $h_2'(1) = -3$

Calculus Practice 2.1C3: Differentiating Sums and Differences of Functions 1a

For each problem, you are given a table with some values of differentiable functions $f(x)$, $g(x)$ and their derivatives. Use the table data and the rules of differentiation to solve each problem.

x	$f(x)$	$f'(x)$	$g(x)$	$g'(x)$
1	3	-2	2	-1
2	1	0	1	$\frac{1}{2}$
3	3	2	3	2

*A) $h_1'(1) = -3$ B) $h_1'(1) = -6$
 h₂'(2) = $-\frac{1}{2}$ h₂'(2) = $-\frac{7}{2}$

Part 1) Given $h_1(x) = f(x) + g(x)$, find $h_1'(1)$

Part 2) Given $h_2(x) = f(x) - g(x)$, find $h_2'(2)$

C) $h_1'(1) = -1$ D) $h_1'(1) = -2$
 h₂'(2) = $\frac{1}{2}$ h₂'(2) = $-\frac{7}{2}$

x	$f(x)$	$f'(x)$	$g(x)$	$g'(x)$
1	2	-1	1	1
2	1	0	2	1
3	2	1	3	1

A) $h_1'(1) = 1$ B) $h_1'(1) = -2$
 h₂'(1) = -4 h₂'(1) = -4

Part 1) Given $h_1(x) = f(x) + g(x)$, find $h_1'(1)$

Part 2) Given $h_2(x) = f(x) - g(x)$, find $h_2'(1)$

C) $h_1'(1) = 2$ *D) $h_1'(1) = 0$
 h₂'(1) = -2 h₂'(1) = -2

x	$f(x)$	$f'(x)$	$g(x)$	$g'(x)$
1	3	-1	2	-1
2	2	-1	1	$\frac{1}{2}$
3	1	-1	3	2

A) $h_1'(3) = 3$ B) $h_1'(3) = -1$
 h₂'(2) = $-\frac{7}{2}$ h₂'(2) = $\frac{1}{2}$

Part 1) Given $h_1(x) = f(x) + g(x)$, find $h_1'(3)$

Part 2) Given $h_2(x) = f(x) - g(x)$, find $h_2'(2)$

C) $h_1'(3) = 1$ *D) $h_1'(3) = 1$
 h₂'(2) = $\frac{1}{2}$ h₂'(2) = $-\frac{3}{2}$

x	$f(x)$	$f'(x)$	$g(x)$	$g'(x)$
1	3	-1	2	-1
2	2	-1	1	$\frac{1}{2}$
3	1	-1	3	2

A) $h_1'(2) = -\frac{5}{2}$ B) $h_1'(2) = \frac{1}{2}$
 h₂'(3) = 0 h₂'(3) = -4

Part 1) Given $h_1(x) = f(x) + g(x)$, find $h_1'(2)$

Part 2) Given $h_2(x) = f(x) - g(x)$, find $h_2'(3)$

C) $h_1'(2) = -\frac{5}{2}$ *D) $h_1'(2) = -\frac{1}{2}$
 h₂'(3) = -6 h₂'(3) = -3

x	$f(x)$	$f'(x)$	$g(x)$	$g'(x)$
1	2	1	3	-1
2	3	$-\frac{1}{2}$	2	-1
3	1	-2	1	-1

- A) $h_1'(3) = -5$ B) $h_1'(3) = -6$
 $h_2'(1) = 1$ $h_2'(1) = 1$

- *C) $h_1'(3) = -3$ D) $h_1'(3) = -6$
 $h_2'(1) = 2$ $h_2'(1) = -1$

x	$f(x)$	$f'(x)$	$g(x)$	$g'(x)$
1	2	-1	3	-1
2	1	$\frac{1}{2}$	2	-1
3	3	2	1	-1

- A) $h_1'(2) = -\frac{5}{2}$ B) $h_1'(2) = \frac{5}{2}$
 $h_2'(3) = 3$ $h_2'(3) = 2$

- *C) $h_1'(2) = -\frac{1}{2}$ D) $h_1'(2) = \frac{1}{2}$
 $h_2'(3) = 3$ $h_2'(3) = 5$

x	$f(x)$	$f'(x)$	$g(x)$	$g'(x)$
1	2	1	1	2
2	3	$-\frac{1}{2}$	3	0
3	1	-2	1	-2

- A) $h_1'(2) = \frac{3}{2}$ B) $h_1'(2) = -\frac{7}{2}$
 $h_2'(3) = 2$ $h_2'(3) = 2$

- C) $h_1'(2) = -\frac{7}{2}$ *D) $h_1'(2) = -\frac{1}{2}$
 $h_2'(3) = 0$ $h_2'(3) = 0$

x	$f(x)$	$f'(x)$	$g(x)$	$g'(x)$
1	1	1	2	1
2	2	1	3	0
3	3	1	2	-1

- *A) $h_1'(3) = 0$ B) $h_1'(3) = 2$
 $h_2'(1) = 0$ $h_2'(1) = 3$

- C) $h_1'(3) = -3$ D) $h_1'(3) = -3$
 $h_2'(1) = 0$ $h_2'(1) = 2$

x	$f(x)$	$f'(x)$	$g(x)$	$g'(x)$
1	3	-1	2	1
2	2	-1	3	0
3	1	-1	2	-1

- *A) $h_1'(2) = -1$ B) $h_1'(2) = -1$
 $h_2'(1) = -2$ $h_2'(1) = -1$

- C) $h_1'(2) = 2$ D) $h_1'(2) = 1$
 $h_2'(1) = -5$ $h_2'(1) = -3$

Part 1) Given $h_1(x) = f(x) + g(x)$, find $h_1'(3)$

Part 2) Given $h_2(x) = f(x) - g(x)$, find $h_2'(1)$

Part 1) Given $h_1(x) = f(x) + g(x)$, find $h_1'(2)$

Part 2) Given $h_2(x) = f(x) - g(x)$, find $h_2'(3)$

Part 1) Given $h_1(x) = f(x) + g(x)$, find $h_1'(2)$

Part 2) Given $h_2(x) = f(x) - g(x)$, find $h_2'(3)$

Part 1) Given $h_1(x) = f(x) + g(x)$, find $h_1'(3)$

Part 2) Given $h_2(x) = f(x) - g(x)$, find $h_2'(1)$

- C) $h_1'(3) = -3$ D) $h_1'(3) = -3$
 $h_2'(1) = 0$ $h_2'(1) = 2$

Part 1) Given $h_1(x) = f(x) + g(x)$, find $h_1'(2)$

Part 2) Given $h_2(x) = f(x) - g(x)$, find $h_2'(1)$

- C) $h_1'(2) = 2$ D) $h_1'(2) = 1$
 $h_2'(1) = -5$ $h_2'(1) = -3$