


F.IF.A.1: Defining Functions 1

1 A relation is graphed on the set of axes below.



Based on this graph, the relation is

- 1) a function because it passes the horizontal line test
- 2) a function because it passes the vertical line test
- 3) not a function because it fails the horizontal line test
- 4) not a function because it fails the vertical line test

2 Which table represents a function?

1)

x	2	4	2	4
f(x)	3	5	7	9

2)

x	0	-1	0	1
f(x)	0	1	-1	0

3)

x	3	5	7	9
f(x)	2	4	2	4

4)

x	0	1	-1	0
f(x)	0	-1	0	1

3 Which table represents a function?

1)

x	y
2	-3
3	0
4	-3
2	1

3)

x	y
-3	0
-2	1
-3	2
2	3

2)

x	y
1	2
1	3
1	4
1	5

4)

x	y
-2	-4
0	2
2	4
4	6

4 Which table could represent a function?

1)

x	f(x)
1	4
2	2
3	4
2	6

3)

x	h(x)
2	6
0	4
1	6
2	2


2)

x	g(x)
1	2
2	4
3	6
4	2

4)

x	k(x)
2	2
3	2
4	6
3	6

5 A mapping is shown in the diagram below.







This mapping is

- 1) a function, because Feb has two outputs, 28 and 29
- 2) a function, because two inputs, Jan and Mar, result in the output 31

- 3) not a function, because Feb has two outputs, 28 and 29
- 4) not a function, because two inputs, Jan and Mar, result in the output 31



6 Which relation is *not* a function?



7 Which relation is a function?

- 1) $\{(1,3), (2,1), (3,1), (4,7)\}$


Input	Output
-6	-2
-4	2
7	3
7	5



8 Which representations are functions?

I

x	y
2	6
3	-12
4	7
5	5
2	-6





II $\{(1,1), (2,1), (3,2), (4,3), (5,5), (6,8), (7,13)\}$ IV $y = 2x + 1$

- 1) I and II
2) II and IV
3) III, only
4) IV, only

9 Which relation does *not* represent a function?


x	1	2	3	4	5	6
y	3.2	4	5.1	6	7.4	8.8

- 1) 2) 3) $y = 3\sqrt{x+1} - 2$




10 Which relation is *not* a function?

x	y
-10	-2
-6	2
-2	6
1	9
5	13




- 1) 2) $3x + 2y = 4$



11 Which relation is a function?

x	y
-1	1
0	0
1	1
1	2
2	4
3	9



1)

2) $y = \begin{cases} x, & -1 < x \leq 2 \\ x^2, & 2 \leq x < 4 \end{cases}$

3)

4) $\{(0,1), (2,3), (3,2), (3,4)\}$

12 Given the relation $R = \{(-4,2), (3,6), (x,8), (-1,4)\}$

Which value of x would make this relation a function?

1) -4

3) 3

2) -1

4) 0

13 Given the relation: $\{(0,4), (2,6), (4,8), (x,7)\}$

Which value of x will make this relation a function?

1) 0

3) 6

2) 2

4) 4

14 A function is defined as $\{(0,1), (2,3), (5,8), (7,2)\}$. Isaac is asked to create one more ordered pair for the function.

Which ordered pair can he add to the set to keep it a function?


1) (0,2)

3) (7,0)

2) (5,3)

4) (1,3)

15 Marcel claims that the graph below represents a function.



State whether Marcel is correct. Justify your answer.

16 A function is shown in the table below.

x	f(x)
-4	2
-1	-4
0	-2
3	16

If included in the table, which ordered pair, $(-4, 1)$ or $(1, -4)$, would result in a relation that is no longer a function? Explain your answer.

17 Explain why the relation shown in the table below is a function.


x	-1	0	1	2
y	2	4	4	5

Complete the table below with values for both x and y so that this new relation is not a function.

x	-1	0	1	2	
y	2	4	4	5	

18 Given the relation $R = \{(-1, 1), (0, 3), (-2, -4), (x, 5)\}$. State a value for x that will make this relation a function. Explain why your answer makes this a function.


19 The two relations shown below are *not* functions.



Relation II:
 $\{(-5, -2), (-4, 0), (-2, 1), (-1, 3), (-4, 4)\}$

Explain how you could change each relation so that they each become a function.

20 Four relations are shown below.



I

$\{(1,2), (2,5), (3,8), (2,-5), (1,-2)\}$

II

x	y
-4	1
0	3
4	5
6	6

III

$$y = x^2$$

IV

State which relation(s) are functions. Explain why the other relation(s) are *not* functions.

- 21 The function f has a domain of $\{1, 3, 5, 7\}$ and a range of $\{2, 4, 6\}$. Could f be represented by $\{(1,2), (3,4), (5,6), (7,2)\}$? Justify your answer.
- 22 Nora says that the graph of a circle is a function because she can trace the whole graph without picking up her pencil. Mia says that a circle graph is *not* a function because multiple values of x map to the same y -value. Determine if either one is correct, and justify your answer completely.

F.IF.A.1: Defining Functions 1

Answer Section

- 1 ANS: 2 REF: 011804ai
 2 ANS: 3 REF: 061504ai
 3 ANS: 4 REF: 081902ai
 4 ANS: 2 REF: 012004ai
 5 ANS: 3 REF: 061709ai
 6 ANS: 4 REF: 062104ai
 7 ANS: 1 REF: 012305ai
 8 ANS: 2 REF: 081511ai
 9 ANS: 4 REF: 011907ai
 10 ANS: 4 REF: 061903ai
 11 ANS: 3 REF: 062210ai
 12 ANS: 4 REF: 082204ai
 13 ANS: 3 REF: 012402ai
 14 ANS: 4 REF: 061811ai

15 ANS:
 No, because the relation does not pass the vertical line test.

REF: 011626ai

16 ANS:
 $(-4, 1)$, because then every element of the domain is not assigned one unique element in the range.

REF: 011527ai

17 ANS:

x	-1	0	1	2	2
y	2	4	4	5	4

For every value of x , there is a unique value of y .

REF: 082427ai

18 ANS:
 x may be any value other than $-2, -1, 0$, so that for any value of x , there is a unique y .

REF: 062427ai

19 ANS:
 I: Change $(4, 30)$ to an open circle. II: Remove $(-4, 4)$.

REF: 062330ai

20 ANS:
 III and IV are functions. I, for $x = 6$, has two y -values. II, for $x = 1, 2$, has two y -values.

REF: 081826ai

21 ANS:

Yes, because every element of the domain is assigned one unique element in the range.

REF: 061430ai

22 ANS:

Neither is correct. Nora's reason is wrong since a circle is not a function because it fails the vertical line test. Mia is wrong since a circle is not a function because multiple values of y map to the same x -value.

REF: 011732ai