

F.TF.C.9: Double Angle Identities 1a

1 The expression $\cos^2 \theta - \cos 2\theta$ is equivalent to

- 1) $\sin^2 \theta$
- 2) $-\sin^2 \theta$
- 3) $\cos^2 \theta + 1$
- 4) $-\cos^2 \theta - 1$

6 The expression $\frac{\sin 2A}{2 \cos A}$ is equivalent to

- 1) $\cos A$
- 2) $\tan A$
- 3) $\sin A$
- 4) $\frac{1}{2} \sin A$

2 The expression $\sin 2A - 2 \sin A$ is equivalent to

- 1) $(\sin A)(\sin A - 2)$
- 2) $(2 \sin A)(\sin A - 1)$
- 3) $(\sin A)(2 \cos A - 1)$
- 4) $(2 \sin A)(\cos A - 1)$

7 The expression $\frac{2 \cos \theta}{\sin 2\theta}$ is equivalent to

- 1) $\csc \theta$
- 2) $\sec \theta$
- 3) $\cot \theta$
- 4) $\sin \theta$

3 The expression $\sin 2A + \cos A$ is equivalent to

- 1) $\cos A(2 \sin A + 1)$
- 2) $\cos A(\cos A + 1)$
- 3) $2(\sin A + \cos A)$
- 4) $\cos A(\sin A + 1)$

8 Which trigonometric function is equivalent to the expression $\frac{\sin 2x}{2 \sin x}$?

- 1) $\tan x$
- 2) $\cot x$
- 3) $\sin x$
- 4) $\cos x$

4 The expression $\sin A \cos A + \sin 2A$ is equivalent to

- 1) $\sin A(\cos A + \sin A)$
- 2) $\cos A + 2 \sin A$
- 3) $3 \sin A \cos A$
- 4) $\cos A + 2 \sin 2A$

9 The expression $\frac{\sin 2\theta}{\sin^2 \theta}$ is equivalent to

- 1) $\frac{2}{\sin \theta}$
- 2) $2 \cos \theta$
- 3) $2 \cot \theta$
- 4) $2 \tan \theta$

5 The expression $2 \sin^2 A + \cos 2A$ is equivalent to

- 1) 1
- 2) 2
- 3) $\sin^2 A$
- 4) $-\sin^2 A$

10 The expression $\frac{\sin 2A}{2 \cos^2 A}$ is equivalent to

- 1) $\sin A$
- 2) $\tan A$
- 3) $\cot A$
- 4) $2 \tan A$

14 The expression $\sec x \sin 2x$ is equivalent to

- 1) $\frac{1}{2}$
- 2) 2
- 3) $2 \cos x$
- 4) $2 \sin x$

11 The expression $\frac{1 + \cos 2A}{\sin 2A}$ is equivalent to

- 1) $\cot A$
- 2) $\tan A$
- 3) $\sec A$
- 4) $1 + \cot 2A$

15 The expression $\csc A \sin 2A$ is equivalent to

- 1) $2 \sin A$
- 2) 2
- 3) $2 \cos A$
- 4) $2 \cot A$

12 For all values of A for which the expressions are

defined, $\frac{\sin 2A}{\cos A} - \sin A$ is equivalent to

- 1) 1
- 2) $\cos A$
- 3) $\sin A$
- 4) $2 \sin A$

16 The expression $\frac{\sin 2x}{\sin(-x)}$ is equivalent to

- 1) $-2 \sin x$
- 2) $2 \sin x$
- 3) $-2 \cos x$
- 4) $2 \cos x$

13 If θ is a positive acute angle and $\sin 2\theta = \frac{\sqrt{3}}{2}$, then

$(\cos \theta + \sin \theta)^2$ equals

- 1) 1
- 2) $1 + \frac{\sqrt{3}}{2}$
- 3) 30°
- 4) 60°

17 The expression $(\sin x - \cos x)^2$ is equivalent to

- 1) 1
- 2) $-\cos 2x$
- 3) $1 - \sin 2x$
- 4) $1 - \cos 2x$

F.TF.C.9: Double Angle Identities 1a**Answer Section**

1 ANS: 1

$$\cos^2 \theta - \cos 2\theta = \cos^2 \theta - (\cos^2 \theta - \sin^2 \theta) = \sin^2 \theta$$

REF: 061024a2

2 ANS: 4

REF: 080225siii

3 ANS: 1

REF: 018927siii

4 ANS: 3

REF: 089534siii

5 ANS: 1

REF: 018429siii

6 ANS: 3

$$\frac{\sin 2A}{2 \cos A} = \frac{2 \sin A \cos A}{2 \cos A} = \sin A$$

REF: 060914b

7 ANS: 1

$$\frac{2 \cos \theta}{\sin 2\theta} = \frac{2 \cos \theta}{2 \cos \theta \sin \theta} = \frac{1}{\sin \theta} = \csc \theta$$

REF: 080315b

8 ANS: 4

REF: 089720siii

9 ANS: 3

$$\frac{\sin 2\theta}{\sin^2 \theta} = \frac{2 \sin \theta \cos \theta}{\sin^2 \theta} = \frac{2 \cos \theta}{\sin \theta} = 2 \cot \theta$$

REF: 080617b

10 ANS: 2

REF: 069523siii

11 ANS: 1

$$\frac{1 + \cos 2A}{\sin 2A} = \frac{1 + 2 \cos^2 A - 1}{2 \sin A \cos A} = \frac{\cos A}{\sin A} = \cot A$$

REF: 061522a2

12 ANS: 3

REF: 069024siii

13 ANS: 2

$$\begin{aligned} (\cos \theta + \sin \theta)^2 &= \cos^2 \theta + 2 \cos \theta \sin \theta + \sin^2 \theta \\ &= (\cos^2 \theta + \sin^2 \theta) + 2 \cos \theta \sin \theta \\ &= 1 + 2 \cos \theta \sin \theta \\ &= 1 + \sin 2\theta = 1 + \frac{\sqrt{3}}{2} \end{aligned}$$

REF: 010609b

14 ANS: 4

REF: 019924siii

15 ANS: 3

REF: 060229siii

16 ANS: 3 REF: 089825siii
17 ANS: 3 REF: 068126siii