G.SRT.B.5: Isosceles Triangle Theorem 2

1 In the diagram below of $\triangle GJK$, *H* is a point on \overline{GJ} , $\overline{HJ} \cong \overline{JK}$, m $\angle G = 28$, and m $\angle GJK = 70$. Determine whether $\triangle GHK$ is an isosceles triangle and justify your answer.



2 In the diagram below of $\triangle ACD$, *B* is a point on \overline{AC} such that $\triangle ADB$ is an equilateral triangle, and $\triangle DBC$ is an isosceles triangle with $\overline{DB} \cong \overline{BC}$. Find $m \angle C$.



3 In the diagram of $\triangle BCD$ shown below, \overline{BA} is drawn from vertex B to point A on \overline{DC} , such that $\overline{BC} \cong \overline{BA}$.



In $\triangle DAB$, m $\angle D = x$, m $\angle DAB = 5x - 30$, and m $\angle DBA = 3x - 60$. In $\triangle ABC$, AB = 6y - 8 and BC = 4y - 2. [Only algebraic solutions can receive full credit.] Find m $\angle D$. Find m $\angle BAC$. Find the length of \overline{BC} . Find the length of \overline{DC} .

4 In the accompanying diagram, $\triangle ABC$ and $\triangle ABD$ are isosceles triangles with m $\angle CAB = 50$ and m $\angle BDA = 55$. If AB = AC and AB = BD, what is m $\angle CBD$?



5 In the accompanying diagram, isosceles $\triangle ABC \cong$ isosceles $\triangle DEF$, m $\angle C = 5x$, and m $\angle D = 2x + 18$. Find m $\angle B$ and m $\angle BAG$.



- 6 In $\triangle RST$, m $\angle RST = 46$ and $\overline{RS} \cong \overline{ST}$. Find m $\angle STR$.
- 7 In triangle *CEM*, CE = 3x + 10, ME = 5x 14, and CM = 2x 6. Determine and state the value of x that would make *CEM* an isosceles triangle with the vertex angle at *E*.
- 8 Vertex angle A of isosceles triangle ABC measures 20° more than three times m $\angle B$. Find m $\angle C$.
- 9 The perimeter of an isosceles triangle is 71 centimeters. The measure of one of the sides is 22 centimeters. What are all the possible measures of the other two sides?

- 10 Hersch says if a triangle is an obtuse triangle, then it cannot also be an isosceles triangle. Using a diagram, show that Hersch is incorrect, and indicate the measures of all the angles and sides to justify your answer.
- 11 Dylan says that all isosceles triangles are acute triangles. Mary Lou wants to prove that Dylan is *not* correct. Sketch an isosceles triangle that Mary Lou could use to show that Dylan's statement is not true. In your sketch, state the measure of *each* angle of the isosceles triangle.

G.SRT.B.5: Isosceles Triangle Theorem 2 Answer Section

1 ANS: κ 125 28° No, $\angle KGH$ is not congruent to $\angle GKH$. REF: 081135ge 2 ANS: 20 50 c 30. A REF: 011129ge 3 ANS: 6y - 8 = 4y - 2 $\overline{DC} = 10 + 10 = 20$ x + 3x - 60 + 5x - 30 = 1805(30) - 30 = 1209x - 90 = 180 $m \angle BAC = 180 - 120 = 60$ 2y = 69x = 270y = 3 $x = 30 = m \angle D$ $4(3) - 2 = 10 = \overline{BC}$ -60 422 1330 D С 5x REF: 011435ge 4 ANS: 135. $m\angle CBD = 65^{\circ} + 70^{\circ} = 135^{\circ}$ D

REF: 069930a

5 ANS:

5x = 2x + 18 $m \angle B = 120$ and $m \angle BAG = 150$. 3x = 18 . Therefore the triangles' congruent angles are 30° . x = 6REF: 060838a 6 ANS: 67. $\frac{180-46}{2} = 67$ REF: 011029ge 7 ANS: 5x - 14 = 3x + 102x = 24*x* = 12 REF: 082326geo 8 ANS: A = 3x + 20 3x + 20 + x + x = 18032. B = x . 5x + 20 = 180C = xx = 32

REF: 010223a 9 ANS:

If the measure of the second side is also 22, the measure of the third side is 27 (71 - (22 + 22)). If the second and third sides are equal, their measures are 24.5 $(\frac{71-22}{2})$ each.

REF: 060733a

10 ANS:



REF: 060027a

ID: A

11 ANS:



REF: 080433a